



#### **Terms and Definitions:**

- 1. **Property Owner/Developer –** Owner or developer of Lake Creek Industrial Redlands East project.
- 2. **Environmental Equivalent/Timing** Any mitigation measure and timing thereof, subject to the approval of the City, which will have the same or superior result and will have the same or superior effect on the environment. The Planning Department, in conjunction with any appropriate agencies or City departments, shall determine the adequacy of any proposed "environmental equivalent/timing" and, if determined necessary, may refer said determination to the City Council. Any costs associated with information required in order to make a determination of environmental equivalency/timing shall be done by the property owner/developer. Staff time for reviews will be charged on a time and materials basis at the rate in the City's adopted Fee Schedule.
- 3. **Implementation Timing** This is the point where a mitigation measure must be monitored for compliance. In the case where multiple action items are indicated, it is the first point where compliance associated with the mitigation measure must be monitored. Once the initial action item has been complied with, no additional monitoring pursuant to the Mitigation Monitoring Plan will occur, as routine Couty practices and procedures will ensure that the intent of the measure has been complied with. For example, if the timing is "to be shown on approved building plans" subsequent to issuance of the building permit consistent with the approved plans will be final building and zoning inspections pursuant to the building permit to ensure compliance.
- 4. **Responsibility Monitoring Party** Shall mean that compliance with the subject mitigation measure(s) shall be reviewed and determined adequate by all departments listed for each mitigation measure. Outside public agency review is limited to those public agencies specified in the Mitigation Monitoring Plan which have permit authority in conjunction with the mitigation measure.
- 5. **Ongoing Mitigation Measures** The mitigation measures that are designated to occur on an ongoing basis as part of this Mitigation Monitoring Plan will be monitored in the form of an annual letter from the property owner/developer in January of each year demonstrating how compliance with the subject measure(s) has been achieved. When compliance with a measure has been demonstrated for a period of one year, monitoring of the measure will be deemed to be satisfied and no further monitoring will occur. For measures that are to be monitored "Ongoing During Construction", the annual letter will review those measures only while construction is occurring; monitoring will be discontinued after construction is complete. A final annual letter will be provided at the close of construction.
- 6. **Building Permit** For purposes of this Mitigation Monitoring Plan, a building permit shall be defined as any permit issued for construction of a new building or structural expansion or modification of any existing building but shall not include any permits required for interior tenant improvements or minor additions to an existing structure or building.



#### **Mitigation Monitoring and Reporting Program**

Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
Aesthetics	MM AES-1: Prior to issuance of grading permits, the Property Owner/Developer shall provide evidence to the City that any temporary nighttime lighting installed for security purposes shall be downward facing and hooded or shielded to prevent security light spillage outside of the staging area or direct broadcast of security light into the sky.	Prior to issuance of grading permits	Building Division	Confirmation that this requirement is included in Contractor Specifications
Air Quality	MM Air 2: Each individual implementing development project shall submit a traffic control plan prior to the issuance of a grading permit. The traffic control plan shall describe in detail safe detours and provide temporary traffic control during construction activities for that project. To reduce traffic congestion, the plan shall include, as necessary, appropriate, and practicable, the following: temporary traffic controls such as a flag person during all phases of construction to maintain smooth traffic flow, dedicated turn lanes for movement of construction trucks and equipment on- and off-site, scheduling of construction activities that affect traffic flow on the arterial system to off-peak hour, consolidating truck deliveries, rerouting of construction trucks away from congested streets or sensitive receptors, and/or signal synchronization to improve traffic flow.	Prior to issuance of grading permits	Planning & Engineering Department	Review and approval of required traffic control plan



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	MM Air 3: To reduce fugitive dust emissions, the development of each individual implementing development project shall comply with SCAQMD Rule 403. The developer of each implementing project shall provide the City of Perris with the SCAQMD- approved dust control plan, or other sufficient proof of compliance with Rule 403, prior to grading permit issuance. Dust control measures shall include, but are not limited to:			
Air Quality	<ul> <li>Requiring the application of non-toxic soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for 20 days or more, assuming no rain),</li> </ul>	Prior to issuance of grading permits	Planning Division	Submittal of dust control plan approved by the SCAQMD or other sufficient proof of compliance with SCAQMD Rule 403
	<ul> <li>Keeping disturbed/loose soil moist at all times,</li> <li>Requiring trucks entering or leaving the Project Site hauling dirt, sand, or soil, or other loose materials on public roads to be covered,</li> </ul>			
	<ul> <li>Installation of wheel washers or gravel construction entrances where vehicles enter and exit unpaved roads onto paved roads, or wash off trucks</li> </ul>			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	and any equipment leaving the Project Site each trip,			
	<ul> <li>Posting and enforcement of traffic speed limits of 15 miles per hour or less on all unpaved potions of the Project Site,</li> </ul>			
	<ul> <li>Suspending all excavating and grading operations when wind gusts (as instantaneous gust) exceed 25 miles per hour,</li> </ul>			
	<ul> <li>Appointment of a construction relations officer to act as a community liaison concerning on-site construction activity including resolution of issues related to PM-10 generation, sweeping streets at the end of the day if visible soil material is carried onto adjacent paved public roads and use of SCAQMD Rule 1186 and 1186.1 certified street sweepers or roadway washing trucks when sweeping streets to remove visible soil materials,</li> </ul>			
	<ul> <li>Replacement of ground cover in disturbed areas as quickly as possible.</li> </ul>			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
Air Quality	MM Air 4: Building and grading permits shall include a restriction that limits idling of construction equipment on site to no more than five minutes.	Prior to issuance of grading and building permits	Building Division	Confirmation that building and grading permits include required restriction
Air Quality	MM Air 5: Electricity from power poles shall be used instead of temporary diesel or gasoline-powered generators to reduce the associated emissions. Approval will be required by the City of Perris' Building Division prior to issuance of grading permits.	Prior to issuance of grading permits	Building Division	Confirmation that this requirement is included in Contractor Specifications
Air Quality	MM Air 6: The developer of each implementing development project shall require, by contract specifications, the use of alternative fueled off-road construction equipment, the use of construction equipment that demonstrates early compliance with off-road equipment with the CARB in-use off-road diesel vehicle regulation (SCAQMD Rule 2449) and/or meets or exceeds Tier 3 standards with available CARB verified or US EPA certified technologies. Diesel equipment shall use water emulsified diesel fuel such as PuriNOx unless it is unavailable in Riverside County at the time of project construction activities. Contract specifications shall be included in project construction documents, which shall be reviewed by the City of Perris' Building Division prior to issuance of a grading permit.	Prior to issuance of grading permits	Building Division	Confirmation that this requirement is included in Contractor Specifications



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
Air Quality	MM Air 7: During construction, ozone precursor emissions from mobile construction equipment shall be controlled by maintaining equipment engines in good condition and in proper tune per manufacturers' specifications to the satisfaction of the City of Perris' Building Division. Equipment maintenance records and equipment design specification data sheets shall be kept on-site during construction. Compliance with this measure shall be subject to periodic inspections by the City of Perris' Building Division.	Prior to issuance of grading and building permits During construction	Building Division	Confirmation that this requirement is included in Contractor Specifications  Periodic review of equipment maintenance records and equipment design specifications data sheets by City staff
Air Quality	MM Air 8: Each individual implementing development project shall apply paints using either high volume low pressure (HVLP) spray equipment with a minimum transfer efficiency of at least 50 percent or other application techniques with equivalent or higher transfer efficiency.	During construction	Building Division	Confirmation that this requirement is included in Contractor Specifications
Air Quality	MM Air 9: To reduce VOC emissions associated with architectural coating, the project designer and contractor shall reduce the use of paints and solvents by utilizing precoated materials (e.g., bathroom stall dividers, metal awnings), materials that do not require painting, and require coatings and solvents with a VOC content lower than required under Rule 1113 to be utilized. The construction contractor shall be required to utilize "Super-Compliant" VOC paints, which are defined in	Prior to issuance of building permits	Building Division	Confirmation that this requirement is included in Contractor Specifications



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	SCAQMD's Rule 1113. Construction specifications shall be included in building specifications that assure these requirements are implemented. The specifications for each implementing development project shall be reviewed by the City of Perris' Building Division for compliance with this mitigation measure prior to issuance of a building permit for that project.			
Air Quality	MM Air 11: Signage shall be posted at loading docks and all entrances to loading areas prohibiting all on-site truck idling in excess of five minutes.	Prior to issuance of certificates of occupancy	Building Division	Confirmation that this requirement is included in building plans Inspection to confirm posted signs
Air Quality	MM Air 13: In order to promote alternative fuels, and help support "clean" truck fleets, the developer/successor-in-interest shall provide building occupants and businesses with information related to SCAQMD's Carl Moyer Program, or other state programs that restrict operations to "clean" trucks, such as 2007 or newer model year or 2010 compliant vehicles and information including, but not limited to, the health effect of diesel particulates, benefits of reduced idling time, CARB regulations, and importance of not parking in residential areas. If trucks older than 2007 model year will be used at a facility with three or more dock-high doors, the developer/successor-in-interest shall require, within one year of signing a lease, future	Prior to issuance of certificates of occupancy	Planning Division	Confirmation that tenants have been provided with information regarding funding for cleaner than required heavy-duty engines and emission control devices



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	tenants to apply in good-faith for funding for diesel truck replacement/retrofit through grant programs such as the Carl Moyer, Prop 1B, VIP, HVIP, and SOON funding programs, as identified on SCAQMD's website (http://www.aqmd.gov). Tenants will be required to use those funds, if awarded.			
Air Quality	MM Air 18: Prior to the approval of each implementing development project, the Riverside Transit Agency (RTA) shall be contacted to determine if the RTA has plans for the future provision of bus routing within any street that is adjacent to the implementing development project that would require bus stops at the project access points. If the RTA has future plans for the establishment of a bus route that will serve the implementing development project, road improvements adjacent to the Project Site shall be designed to accommodate future bus turnouts at locations established through consultation with the RTA. RTA shall be responsible for the construction and maintenance of the bus stop facilities. The area set aside for bus turnouts shall conform to RTA design standards, including the design of the contact between sidewalks and curb and gutter at bus stops and the use of ADA-compliant paths to the major building entrances in the project. Compliance Note: The Applicant has contacted the RTA, requesting comment as to the provision of bus	Mitigation m	easure completed with prep	aration of the IS-MND



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	routing within any street adjacent to the Project. The RTA responded that it had no comments from the Agency.	_		
Biological Resources	MM BR 1: In order to avoid violation of the MBTA and the California Fish and Game Code, site preparation activities (ground disturbance, construction activities, staging equipment, and/or removal of trees and vegetation) for the Project shall be avoided, to the greatest extent possible, during the nesting season of potentially occurring native and migratory bird species.  If site-preparation activities are proposed during the nesting/breeding season, the Project proponent shall retain a qualified biologist to conduct a pre-activity field survey prior to the issuance of grading permits for the Project to determine if active nests of species protected by the MBTA or the California Fish and Game Code are present in the construction zone.  If active nests are not located within the Project site and an appropriate buffer of 500 feet of an active listed species or raptor nest, 300 feet of other sensitive or protected bird nests (non-listed), or 100 feet of sensitive or protected songbird nests, construction may be conducted during the nesting/breeding season. However, if active nests are located during the pre-activity field survey, the Biologist shall immediately establish a	Mitigation measure required only between February 1 and August 31  Pre-construction survey to be conducted no more than 30 days prior to issuance of a grading permit	Planning Division	Review of pre-activity field survey report



PLANNING + ENVIRONMENTAL				
Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	conservative avoidance buffer surrounding			
	the nest based on their best professional			
	judgement and experience. The Biologist shall			
	monitor the nest at the onset of project			
	activities, and at the onset of any changes in			
	such project activities (e.g., increase in			
	number or type of equipment, change in			
	equipment usage, etc.) to determine the			
	efficacy of the buffer. If the Biologist			
	determines that such project activities may be			
	causing an adverse reaction, the Biologist shall			
	adjust the buffer accordingly or implement			
	alternative avoidance and minimization			
	measures, such as redirecting or rescheduling			
	construction or erecting sound barriers. All			
	work within these buffers will be halted until			
	the nesting effort is finished (i.e., the juveniles			
	are surviving independent from the nest). The			
	on-site qualified biologist will review and			
	verify compliance with these nesting			
	avoidance buffers and will verify the nesting			
	effort has finished. Work can resume within			
	these avoidance areas when no other active			
	nests are found. Upon completion of the			
	survey and nesting bird monitoring, a report			
	shall be prepared and submitted to City for			
	mitigation monitoring compliance record			
	keeping.			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
Biological Resources	MM BR 2: The Project proponent shall retain a qualified biologist to conduct a preconstruction survey for resident burrowing owls within 30 days prior to commencement of grading and construction activities on the Project Site. The survey will include the Project Site and all suitable burrowing owl habitat within a 500-foot buffer. The results of the survey will be submitted to the City prior to obtaining a grading permit. In addition, if burrowing owls are observed during the MBTA nesting bird survey, to be conducted within three days prior to ground disturbance or vegetation clearance, the observation shall be reported to the Wildlife Agencies. If ground disturbing activities in these areas are delayed or suspended for more than 30 days after the pre-construction survey, the area shall be resurveyed for owls. The pre-construction survey and any relocation activity will be conducted in accordance with the current Burrowing Owl Survey Instructions for the Western Riverside MSHCP.  If burrowing owl are detected, the CDFW shall be sent written notification by the City, within three days of detection of burrowing owls. If active nests are identified during the pre-construction survey, the nests shall be avoided and the qualified biologist and Project Applicant shall coordinate with the City of Perris	Pre-construction surveys to be conducted no more than 30 days prior to initiation of grading or construction activities	Planning Division	Review of pre-activity field survey reports



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	Planning Department, the USFWS, and the		-	
	CDFW to develop a Burrowing Owl Plan to			
	be approved by the City in consultation			
	with the CDFW and the USFWS prior to			
	commencing Project activities. The			
	Burrowing Owl Plan shall be prepared in			
	accordance with guidelines in the CDFW			
	Staff Report on Burrowing Owl (March			
	2012) and MSHCP. The Burrowing Owl			
	Plan shall describe proposed avoidance,			
	minimization, relocation, and monitoring			
	as applicable. The Burrowing Owl Plan			
	shall include the number and location of			
	occupied burrow sites and details on			
	proposed buffers if avoiding the burrowing			
	owls and/or information on the adjacent			
	or nearby suitable habitat available to owls			
	for relocation. If no suitable habitat is			
	available nearby for relocation, details			
	regarding the creation and funding of			
	artificial burrows (numbers, location, and			
	type of burrows) and management			
	activities for relocated owls may also be			
	required in the Burrowing Owl Plan. The			
	Permittee shall implement the Burrowing			
	Owl Plan following CDFW and USFWS			
	review and concurrence. A final letter			
	report shall be prepared by the qualified			
	biologist documenting the results of the			
	Burrowing Owl Plan. The letter shall be			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	submitted to the CDFW prior to the start of Project activities. When a qualified biologist determines that burrowing owls are no longer occupying the Project site per the criteria in the Burrowing Owl Plan, Project activities may begin.	Tilling	raity	Wethou
	If burrowing owls occupy the Project Site after Project activities have started, then construction activities shall be halted immediately. The Project proponent shall notify the City and the City shall notify the CDFW and the USFWS within 48 hours of detection. A Burrowing Owl Plan, as detailed above, shall be implemented.			
Cultural Resources	MM CR-1: Prior to the issuance of grading permits, the Project proponent/developer shall retain a professional archaeologist meeting the Secretary of the Interior's Professional Standards for Archaeology (U.S. Department of Interior, 2012; Registered Professional Archaeologist preferred). The primary task of the consulting archaeologist shall be to monitor the initial ground-disturbing activities at both the subject site and any off-site Project-related improvement areas for the identification of any previously unknown archaeological and/or cultural resources. Selection of the archaeologist shall be subject to the approval of the City of Perris	Prior to issuance of grading permits and during subsurface excavation	Planning Division	Confirmation of professional archaeologist retention/ongoing monitoring/submittal of Report of Findings



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	Director of Development Services and no			
	ground-disturbing activities shall occur at the			
	Project Site or within the off-site Project			
	improvement areas until the archaeologist has			
	been approved by the City.			
	The archaeologist shall be responsible for monitoring ground-disturbing activities, including initial vegetation removal, maintaining daily field notes and a photographic record, and for reporting all finds to the developer and the City of Perris in a timely manner. The archaeologist shall be			
	prepared and equipped to record and salvage cultural resources that may be unearthed			
	during ground-disturbing activities and shall			
	be empowered to temporarily halt or divert			
	ground-disturbing equipment to allow time for			
	the recording and removal of the resources.			
	In the event that archaeological resources are			
	discovered at the Project Site or within the off-			
	site Project improvement areas, the handling			
	of the discovered resource(s) will differ,			
	depending on the nature of the find.			
	Consistent with California Public Resources			
	Code Section 21083.2(b) and Assembly Bill 52			
	(Chapter 532, Statutes of 2014), avoidance			
	shall be the preferred method of preservation			
	for Native American/tribal			
	cultural/archaeological resources. However, it			
	is understood that all artifacts, with the			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	exception of human remains and related grave			
	goods or sacred/ceremonial/religious objects,			
	belong to the property owner. The property			
	owner will commit to the relinquishing and			
	curation of all artifacts identified as being of			
	Native American origin. All artifacts, Native American or otherwise, discovered during the			
	monitoring program shall be recorded and			
	inventoried by the consulting archaeologist.			
	inventoried by the consulting archideologist.			
	If any artifacts of Native American origin are			
	discovered, all activities in the immediate			
	vicinity of the find (within a 50-foot radius)			
	shall stop and the Project proponent and			
	Project archaeologist shall notify the City of			
	Perris Planning Division and the Soboba Band			
	of Luiseño Indians, the Pechanga Band of			
	Luiseño Indians, and A designated Native			
	American representative from either the			
	Soboba Band of Luiseño Indians, the Pechanga			
	Band of Luiseño Indians, or the Agua Caliente			
	Band of Cahuilla Indians shall be retained to			
	assist the Project archaeologist in the			
	significance determination of the Native			
	American as deemed possible. The designated			
	Luiseño tribal representative will be given			
	ample time to examine the find. The significance of Native American resources			
	shall be evaluated in accordance with the			
	provisions of CEQA and shall consider the			
	religious beliefs, customs, and practices of the			
	Luiseño tribe. If the find is determined to be of			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	sacred or religious value, the Luiseño tribal representative will work with the City and consulting archaeologist to protect the resource in accordance with tribal requirements. All analysis will be undertaking in a manner that avoids destruction or other adverse impacts.			
	In the event that human remains are discovered at the Project Site or within the offsite Project improvement areas, mitigation measure CULT-2 shall immediately apply, and all items found in association with Native American human remains shall be considered grave goods or sacred in origin and subject to special handling.			
	Native American artifacts that are relocated/reburied at the Project Site would be subject to a fully executed relocation/reburial agreement with the assisting Luiseño tribe. This shall include, but not be limited to, an agreement that artifacts will be reburied on-site and in an area of permanent protection, and that reburial shall not occur until all cataloging and basic recordation have been completed by the consulting archaeologist.			
	Native American artifacts that cannot be avoided or relocated at the Project Site shall be prepared for curation at an accredited			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	curation facility in Riverside County that meets	- I IIIIIIII	rarcy	Wiction
	federal standards (per 36 CFR Part 79) and			
	available to archaeologists/researchers for			
	further study. The Project archaeologist shall			
	deliver the Native American artifacts,			
	including title, to the identified curation			
	facility within a reasonable amount of time,			
	along with applicable fees for permanent curation.			
	curation.			
	Non-Native American artifacts shall be			
	inventoried, assessed, and analyzed for			
	cultural affiliation, personal affiliation (prior			
	ownership), function, and temporal			
	placement. Subsequent to analysis and			
	reporting, these artifacts will be subjected to			
	curation, as deemed appropriate, or returned			
	to the property owner. Once grading activities have ceased and/or the			
	archaeologist, in consultation with the			
	designated Luiseño representative,			
	determines that monitoring is no longer			
	warranted, monitoring activities can be			
	discontinued following notification to the City			
	of Perris Planning Division.			
	A report of findings, including an itemized			
	inventory of artifacts, shall be prepared upon			
	completion of the tasks outlined above. The			
	report shall include all data outlined by the			
	Office of Historic Preservation guidelines,			
	including a conclusion of the significance of all			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	recovered, relocated, and reburied artifacts. A copy of the report shall also be filed with the City of Perris Planning Division, the University of California, Riverside, Eastern Information Center (EIC) and the Luiseño tribe(s) involved with the Project.			
Cultural Resources	MM CR-2: In the event that human remains (or remains that may be human) are discovered at the Project Site or within the off-site Project improvement areas during ground-disturbing activities, the construction contractors, Project archaeologist, and/or designated Luiseño tribal representative shall immediately stop all activities within 100 feet of the find. The Project proponent shall then inform the Riverside County Coroner and the City of Perris Planning Division immediately, and the coroner shall be permitted to examine the remains as required by California Health and Safety Code Section 7050.5(b).  If the coroner determines that the remains are of Native American origin, the coroner will notify the Native American Heritage Commission (NAHC), which will identify the "Most Likely Descendent" (MLD). Despite the affiliation with any Luiseño tribal representative(s) at the Project Site, the NAHC's identification of the MLD will stand. The MLD shall be granted access to inspect the Project Site of the discovery of Native American human remains and may	During construction	Planning Division	Confirmation of coroner and NAHC contact and submittal of Report of Findings, if applicable



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	recommend to the Project proponent means for treatment or disposition, with appropriate dignity of the human remains and any associated grave goods. The MLD shall complete his or her inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the Project Site. The disposition of the remains will be determined in consultation between the Project proponent and the MLD. In the event that there is disagreement regarding the disposition of the remains, State law will apply and median with the NAHC will make the applicable determination (see Public Resources Code Section 5097.98(e) and 5097.94(k)).	Timing	Party	Wethou
	The specific locations of Native American burials and reburials will be proprietary and not disclosed to the general public. The locations will be documented by the consulting archaeologist in conjunction with the various stakeholders and a report of findings will be filed with the Eastern Information Center (EIC).			
Energy	MM Air 20: Each implementing development project shall be encouraged to implement, at a minimum, an increase in each building's energy efficiency 15 percent beyond Title 24, and reduce indoor water use by 25 percent. All reductions will be documented through a	Prior to issuance of building permits	Building Division	Verification of incorporation of Project design features and approval of street and utility plans



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	checklist to be submitted prior to issuance of building permits for the implementing development project with building plans and calculations.	_		
Geology and Soils	MM GEO-1: Prior to the issuance of grading permits, the Project proponent/developer shall submit to and receive approval from the City, a Paleontological Resource Impact Mitigation Monitoring Program (PRIMMP). The PRIMMP shall include the provision for a qualified professional paleontologist (or his or her trained paleontological representative) to be on-site for any Project-related excavations that exceed three (3) feet below the pre-grade surface. Selection of the paleontologist shall be subject to approval of the City of Perris Planning Manager and no grading activities shall occur at the Project Site or within the offsite Project improvement areas until the paleontologist has been approved by the City. Monitoring shall be restricted to undisturbed subsurface areas of older Quaternary alluvium. The approved paleontologist shall be prepared to quickly salvage fossils as they are unearthed to avoid construction delays. The paleontologist shall also remove samples of sediments which are likely to contain the remains of small fossil invertebrates and vertebrates. The paleontologist shall have the power to temporarily halt or divert grading	Prior to issuance of grading permits and during subsurface excavation	Planning Division	Confirmation of professional paleontologist retention/ongoing monitoring/submittal of Report of Findings



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	equipment to allow for removal of abundant or large specimens.			
	Collected samples of sediments shall be washed to recover small invertebrate and vertebrate fossils. Recovered specimens shall be prepared so that they can be identified and permanently preserved. Specimens shall be identified and curated and placed into an accredited repository (such as the Western Science Center or the Riverside Metropolitan Museum) with permanent curation and retrievable storage.			
	A report of findings, including an itemized inventory of recovered specimens, shall be prepared upon completion of the steps outlined above. The report shall include a discussion of the significance of all recovered specimens. The report and inventory, when submitted to the City of Perris Planning Division, will signify completion of the program to mitigate impacts to paleontological resources.			
Hazards and Hazardous Materials	MM Haz 2: Prior to the recordation of a final map, issuance of a building permit, or conveyance to an entity exempt from the Subdivision Map Act, whichever occurs first, the landowner shall convey an avigation easement to the MARB/March Inland Port Airport Authority.	Prior to earliest recordation of final map, issuance of building permit, or conveyance to an entity exempt from the Subdivision Map Act	Planning Division	Confirmation of conveyance of avigation easement provided



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
Hazards and Hazardous Materials	<b>MM Haz 3</b> : Any outdoor lighting installed shall be hooded or shielded to prevent either the spillage of lumens or reflection into the sky or above the horizontal plane.	During plot plan/architectural plan review	Planning Division	Review and approval of site lighting plans
Hazards and Hazardous Materials	MM Haz 4: The following notice shall be provided to all potential purchasers and tenants:  "This property is presently located in the vicinity of an airport, within what is known as an airport influence area. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example, noise, vibration, or odors). Individual sensitivities to those annoyances can vary from person to person. You may wish to consider what airport annoyances, if any, are associated with the property before you complete your purchase and determine whether they are acceptable to you. Business & Profession Code 11010 13(A)"	Prior to issuance of certificates of occupancy and tenant improvements	Planning Division	Confirmation that purchasers and tenants have been provided the required notice
Hazards and Hazardous Materials	<ul> <li>MM Haz 5: The following uses shall be prohibited:</li> <li>Any use which would direct a steady light or flashing light of red, white, green, or amber</li> </ul>	During plot plan/architectural plan review	Planning Division	Confirmation that prohibited uses and actions are included in executed lease agreements



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	colors associated with airport operations toward an aircraft engaged in an initial straight climb following takeoff or toward an aircraft engaged in a straight final approach toward a landing at an airport, other than an FAA-approved navigational signal light or visual approach slope indicator.			
	<ul> <li>Any use which would cause sunlight to be reflected towards an aircraft engaged in an initial straight climb following takeoff or towards an aircraft engaged in a straight final approach towards a landing at an airport.</li> </ul>			
	<ul> <li>Any use which would generate smoke or water vapor, or which would attract large concentrations of birds, or which may otherwise affect safe air navigation within the area.</li> </ul>			
	<ul> <li>Any use which would generate electrical interference that may be detrimental to the operation</li> </ul>			



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	of aircraft and/or aircraft instrumentation.  • All retention and water quality basins shall be designed to dewater within 48 hours of a rainfall event.			
Hazards and Hazardous Materials	MM Haz 6: A minimum of 45 days prior to submittal of an application for a building permit for an implementing development project, the implementing development project applicant shall consult with the City of Perris Planning Department in order to determine whether any implementing project-related vertical structures or construction equipment will encroach into the 100-to-1 imaginary surface surrounding the MARB. If it is determined that there will be an encroachment into the 100-to-1 imaginary surface, the implementing development project applicant shall file a FAA Form 7460-1, Notice of Proposed Construction or Alteration. If FAA determines that the implementing development project would potentially be an obstruction unless reduced to a specified height, the implementing development project applicant and the Perris Planning Division will work with FAA to resolve any adverse effects on aeronautical operations.	A minimum of 45 days prior to submittal of a building permit application	Planning Division	Evidence that FAA Form 7460-1 has been filed for construction equipment, if needed
Noise	MM Noise 1: During all Project Site excavation and grading on-site, the construction	Prior to issuance of grading permits	Building Division	Confirmation that this requirement is included in Contractor Specifications



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
	contractors shall equip all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers consistent with manufacturer's standards. The construction contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the Project Site.	During excavation and grading		Periodic construction site inspection
Noise	MM Noise 2: During construction, stationary construction equipment, stockpiling and vehicle staging areas will be placed a minimum of 446 feet away from the closet sensitive	Prior to issuance of grading and building permits During grading and	Building Division	Confirmation that this requirement is included in Contractor Specifications  Periodic construction site
Noise	mm Noise 3: No combustion-powered equipment, such as pumps or generators, shall be allowed to operate within 446 feet of any	construction  Prior to issuance of grading and building permits	Building Division	inspections  Confirmation that this requirement is included in Contractor Specifications
	occupied residence unless the equipment is surrounded by a noise protection barrier.	During grading and construction		Periodic construction site inspections
Noise	MM Noise 4: Construction contractors of implementing development projects shall limit haul truck deliveries to the same hours specified for construction equipment. To the	Prior to issuance of grading and building permits	Building Division	Confirmation that this requirement is included in Contractor Specifications
	extent feasible, haul routes shall not pass sensitive land uses or residential dwellings.	During grading and construction		Periodic construction site inspections
Noise	MM NOISE-5: Equipment shall be shut off and not left to idle when not in use.	Prior to issuance of grading and building permits	Building Division	Confirmation that this requirement is included in Contractor Specifications



Impact Category	Mitigation Measure	Implementation Timing	Responsible Monitoring Party	Monitoring/Reporting Method
		During grading and construction		Periodic construction site inspections
Noise	MM NOISE-6: Jackhammers, pneumatic equipment and all other portable stationary noise sources shall be shielded, and noise shall be directed away from sensitive receptors.	Prior to issuance of grading and building permits  During grading and construction	Building Division	Confirmation that this requirement is included in Contractor Specifications  Periodic construction site inspections
Noise	MM NOISE-7: The project proponent shall mandate that the construction contractor prohibit the use of music or sound amplification on the project site during construction.	Prior to issuance of grading and building permits	Building Division	Confirmation that this requirement is included in Contractor Specifications
		During grading and construction		Periodic construction site inspections
Noise	MM NOISE-8: The construction contractor shall limit haul truck deliveries to the same hours specified for construction equipment.	Prior to issuance of grading and building permits	Building Division	Confirmation that this requirement is included in Contractor Specifications
		During grading and construction		Periodic construction site inspections