Mitigation Monitoring and Reporting Program

Introduction

The California Environmental Quality Act (CEQA) requires a lead or public agency that approves or carries out a project for which an Mitigated Negative Declaration has been certified which identifies one or more significant adverse environmental effects and where findings with respect to changes or alterations in the project have been made, to adopt a "...reporting or monitoring program for the changes to the project which it has adopted or made a condition of project approval in order to mitigate or avoid significant effects on the environment" (CEQA, Public Resources Code Sections 21081, 21081.6).

A Mitigation Monitoring and Reporting Program (MMRP) is required to ensure that adopted mitigation measures are successfully implemented for the Markham Street Warehouse Project (Project). The City of Perris is the Lead Agency for the project and is responsible for implementation of the MMRP. This report describes the MMRP for the Project and identifies the parties that will be responsible for monitoring implementation of the individual mitigation measures in the MMRP.

Mitigation Monitoring and Reporting Program

The MMRP for the Project will be active through all phases of the Project, including design, construction, and operation. The attached table identifies the mitigation program required to be implemented by the City for the Markham Street Warehouse Project. The table identifies the Plans, Programs, Policies (PPPs); and mitigation measures required by the City to mitigate or avoid significant adverse impacts associated with the implementation of the project, the timing of implementation, and the responsible party or parties for monitoring compliance.

The MMRP also includes a column that will be used by the compliance monitor (individual responsible for monitoring compliance) to document when implementation of the measure is completed. As individual Plan, Program, Policies; and mitigation measures are completed, the compliance monitor will sign and date the MMRP, indicating that the required actions have been completed.

Redlands	and	Place	ntia	Project
Neulalius	anu	i iauu	Hua	1 10100

This page intentionally left blank.

TABLE 1: MITIGATION MONITORING AND REPORTING PROGRAM THE MARKHAM STREET WAREHOUSE PROJECT

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
AESTHETICS			
MM Aesthetics 1: Prior to issuance of grading permits, the Project developer shall provide evidence to the City that any temporary nighttime lighting installed for security purposes shall be downward facing and hooded or shielded to prevent security light spillage outside of the staging area or direct broadcast of security light into the sky.	Review and approval of Contractor Specifications. Prior to Grading Permits.	City of Perris Planning Division	
AIR QUALITY			
PVCCSP MM Air 2. Each individual implementing development project shall submit a traffic control plan prior to the issuance of a grading permit. The traffic control plan shall describe in detail safe detours and provide temporary traffic control during construction activities for the project. To reduce traffic congestion, the plan shall include, as necessary, appropriate, and practicable, the following: temporary traffic controls such as a flag person during all phases of construction to maintain smooth traffic flow, dedicated turn lanes for movement of construction trucks and equipment on- and off-site, scheduling of construction activities that affect traffic flow on the arterial system to off-peak hour, consolidating truck deliveries, rerouting of construction trucks away from congested streets or sensitive receptors, and/or signal synchronization to improve traffic flow.	Review and approval of construction traffic control plan. Prior to Demolition and Grading Permits.	City of Perris Planning Division	
PVCCSP MM Air 3. To reduce fugitive dust emissions, the development of each individual implementing development project shall comply with SCAQMD Rule 403. The developer of each implementing project shall provide the City of Perris with the SCAQMD-approved dust control plan, or other sufficient proof of compliance with Rule 403, prior to grading permit issuance. Dust control measures shall include, but are not limited to: • Requiring the application of non-toxic soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for 20 days or more, assuming no rain), • Keeping disturbed/loose soil moist at all times,	Submittal of dust control plan approved by the SCAQMD or other sufficient proof of compliance with Rule 403. Prior to Demolition and Grading Permits.	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
 Requiring trucks entering or leaving the site hauling dirt, sand, or soil, or other loose materials on public roads to be covered, Installation of wheel washers or gravel construction entrances where vehicles enter and exit unpaved roads onto paved roads, or wash off trucks and equipment leaving the site each trip, Posting and enforcement of traffic speed limits of 15 miles per hour or less on all unpaved portions of the project site, Suspending all excavating and grading operations when wind gusts (as instantaneous gusts) exceed 25 miles per hour, Appointment of a construction relations officer to act as a community liaison concerning on-site construction activity including resolution of issues related to PM-10 generation, Sweeping streets at the end of the day if visible soil material is carried onto adjacent paved public roads and use of SCAQMD Rule 1186 and 1186.1 certified street sweepers or roadway washing trucks when sweeping streets to remove visible soil materials, Replacement of ground cover in disturbed areas as quickly as possible 			
PVCCSP MM Air 4. Building and grading permits shall include a restriction that limits idling of construction equipment on site to no more than five minutes.	Confirmation that building and grading permits include required restriction. Prior to Demolition and Grading Permits.	City of Perris Planning Division	
PVCCSP MM Air 5. Electricity from power poles shall be used instead of temporary diesel or gasoline-powered generators to reduce the associated emissions. Approval will be required by the City of Perris' Building Division prior to issuance of grading permits.	Confirmation that this restriction is included in Contractor Specifications. Prior to Demolition and Grading Permits.	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
PVCCSP MM Air 6. The developer of each implementing development project shall require, by contract specifications, the use of alternative fueled off-road construction equipment, the use of construction equipment that demonstrates early compliance with off-road equipment with the CARB in-use off-road diesel vehicle regulation (SCAQMD Rule 2449) and/or meets or exceeds Tier 3 standards with available CARB verified or US EPA certified technologies. Diesel equipment shall use water emulsified diesel fuel such as PuriNOx unless it is unavailable in Riverside County at the time of project construction activities. Contract specifications shall be included in project construction documents, which shall be reviewed by the City of Perris' Building Division prior to issuance of a grading permit.	Confirmation that this restriction is included in Contractor Specifications. Prior to Demolition and Grading Permits.	City of Perris Planning Division	
PVCCSP MM Air 7. During construction, ozone precursor emissions from mobile construction equipment shall be controlled by maintaining equipment engines in good condition and in proper tune per manufacturers' specifications to the satisfaction of the City of Perris' Building Division. Equipment maintenance records and equipment design specification data sheets shall be kept on-site during construction. Compliance with this measure shall be subject to periodic inspections by the City of Perris' Building Division.	Confirmation that this restriction is included in Contractor Specifications. Prior to Demolition and Grading Permits.	City of Perris Planning Division	
PVCCSP MM Air 8. Each individual implementing development project shall apply paints using either high volume low pressure (HVLP) spray equipment with a minimum transfer efficiency of at least 50 percent or other application techniques with equivalent or higher transfer efficiency.	Confirmation that this restriction is included in Contractor Specifications. Prior to Building Permits.	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
PVCCSP MM Air 9. To reduce VOC emissions associated with architectural coating, the project designer and contractor shall reduce the use of paints and solvents by utilizing pre-coated materials (e.g. bathroom stall dividers, metal awnings), materials that do not require painting, and require coatings and solvents with a VOC content lower than required under Rule 1113 to be utilized. The construction contractor shall be required to utilize "Super-Compliant" VOC paints, which are defined in SCAQMD's Rule 1113. Construction specifications shall be included in building specifications that assure these requirements are implemented. The specifications for each implementing development project shall be reviewed by the City of Perris' Building Division for compliance with the mitigation measure prior to issuance of a building permit for that project.	Confirmation that this restriction is included in Contractor Specifications. Prior to Building Permits.	City of Perris Planning Division	
PVCCSP MM Air 11. Signage shall be posted at all loading docks and all entrances to loading areas prohibiting all on-site truck idling in excess of five minutes.	Confirmation that this restriction is included in Contractor Specifications. Prior to Building Permits.	City of Perris Planning Division	
PVCCSP MM Air 12. Where transport refrigeration units (TRUs) are in use, electrical hookups will be installed at all loading and unloading stalls in order to allow TRUs with electric standby capabilities to use them.	Confirmation that this restriction is included in Contractor Specifications. Prior to Building Permits.	City of Perris Planning Division	

		Responsible for	
		Ensuring Compliance /	Date Completed
Plan, Program, Policy / Mitigation Measure	Action and Timing	Verification	and Initials
PVCCSP MM Air 13. In order to promote alternative fuels, and help support	Confirmation that tenants	City of Perris Planning	
"clean" truck fleets, the developer/successor-in-interest of each implementing	have been provided with	Division	
development project shall provide building occupants and businesses with	information regarding		
information related to SCAQMD's Carl Moyer Program, or other state	funding for cleaner than		
programs that restrict operations to "clean" trucks, such as 2007 or newer	required heavy-duty		
model year or 2010 compliant vehicles and information including, but not limited to, the health effects of diesel particulates, benefits of reducing idling	engines and emission control devices. Prior to		
time, CARB regulations, and importance of not parking in residential areas. If	Occupancy Permits.		
trucks older than 2007 model year will be used at a facility with three or more	Occupancy remins.		
dock-high doors, the developer/successor-in-interest shall require, within one			
year of signing a lease, future tenants to apply in good-faith for funding for			
diesel truck replacement/retrofit through grant programs such as the Carl			
Moyer, Prop 1B, VIP, HVIP, and SOON funding programs, as identified on			
SCAQMD's website (http://www.aqmd.gov). Tenants will be required to use			
those funds, if awarded.			
PVCCSP MM Air 14. Each implementing development project shall designate	Confirmation during plot	City of Perris Planning	
parking spaces for high-occupancy vehicles and provide larger parking	plan review that parking	Division	
spaces to accommodate vans used for ride sharing. Proof of compliance will	spaces have been		
be required prior to the issuance of occupancy permits.	designated for high-		
	occupancy vehicles and		
	ride-sharing vans. Prior to		
	Occupancy Permits.		
PVCCSP MM Air 19. In order to reduce energy consumption from the	Review of Building Plan	City of Perris Planning	
individual implementing development projects, applicable plans (e.g.,	Specifications. Prior to	Division	
electrical plans, improvement maps) submitted to the City shall include the	Building Permits.		
installation of energy-efficient street lighting throughout the project site. These			
plans shall be reviewed and approved by the applicable City Department			
(e.g., City of Perris' Building Division) prior to conveyance of applicable streets.			
			1

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
PVCCSP MM Air 20. Each implementing development project shall be encouraged to implement, at a minimum, an increase in each building's energy efficiency 15 percent beyond Title 24 and reduce indoor water use by 25 percent. All reductions will be documented through a checklist to be submitted prior to issuance of building permits for the implementing development project with building plans and calculations.	Submittal of reductions checklist with building plans and calculations. Prior to Building Permits.	City of Perris Planning Division	
PVCCSP MM Air 21. Each implementing development project shall implement, at a minimum, use of water conserving appliances and fixtures (low-flush toilets, and low-flow shower heads and faucets) within all new residential developments.	Review of Building Plan Specifications. Prior to Building Permits.	City of Perris Planning Division	
BIOLOGICAL RESOURCES			
MM BR 1. In order to avoid violation of the MBTA and the California Fish and Game Code, site-preparation activities (removal of trees and vegetation) for the Project shall be avoided during the nesting season of potentially occurring native and migratory bird species (generally February 1 to September 15 although the nesting season may be extended due to weather and drought conditions).	Submittal of pre-activity field survey results report. Prior to Demolition and Grading Permits.	City of Perris Planning Division	
If site-preparation activities are proposed during the nesting/breeding season, the Project proponent shall retain a qualified biologist to conduct a pre-activity field survey prior to the issuance of grading permits for the Project to determine if active nests of species protected by the MBTA or the California Fish and Game Code are present in the construction zone.			
If active nests are not located within the Project site and an appropriate buffer of 500 feet of an active listed species or raptor nest, 300 feet of other sensitive or protected bird nests (non-listed), or 100 feet of sensitive or protected songbird nests, construction may be conducted during the nesting/breeding season. However, if active nests are located during the preactivity field survey, the biologist shall immediately establish a conservative avoidance buffer surrounding the nest based on their best professional judgement and experience. The biologist shall monitor the nest at the onset of Project activities, and at the onset of any changes in such Project activities (e.g.,			

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
increase in number or type of equipment, change in equipment usage, etc.) to determine the efficacy of the buffer. If the biologist determines that such Project activities may be causing an adverse reaction, the biologist shall adjust the buffer accordingly or implement alternative avoidance and minimization measures, such as redirecting or rescheduling construction or erecting sound barriers. All work within these buffers will be halted until the nesting effort is finished (i.e., the juveniles are surviving independent from the nest). The on-site qualified biologist will review and verify compliance with these nesting avoidance buffers and will verify the nesting effort has finished. Work can resume within these avoidance areas when no other active nests are found. Upon completion of the survey and nesting bird monitoring, a report shall be prepared and submitted to the City of Perris Planning Division for mitigation monitoring compliance record keeping.			
CULTURAL RESOURCES	_		
MM CR 1. Prior to the issuance of grading permits, the project proponent/developer shall retain a professional archaeologist meeting the Secretary of the Interior's Professional Standards for Archaeology (U.S. Department of Interior 2012; Registered Professional Archaeologist, preferred). The primary task of the consulting archaeologist shall be to monitor the initial ground-disturbing activities at both the subject property and any off-site project-related improvement areas for the identification of any previously unknown archaeological and/or cultural resources. Selection of the archaeologist shall be subject to the approval of the City of Perris Director of Development Services and no ground-disturbing activities shall occur at the site or within the off-site improvement areas until the archaeologist has been approved by the City. The archaeologist shall be responsible for monitoring ground-disturbing activities, maintaining daily field notes and a photographic record, and for reporting all finds to the developer and the City of Perris in a timely manner.	Confirmation of professional archaeologist retention/ongoing/monito ring/submittal of Report of Findings. Prior to Demolition and Grading Permits and during subsurface excavation.	City of Perris Planning Division	
The archaeologist shall be prepared and equipped to record and salvage cultural resources that may be unearthed during ground-disturbing activities and shall be empowered to temporarily halt or divert ground-disturbing equipment to allow time for the recording and removal of the resources. The			

		Responsible for	
		Ensuring Compliance /	Date Completed
Plan, Program, Policy / Mitigation Measure	Action and Timing	Verification	and Initials
archaeological monitor will continually assess the potential for resources throughout the course of ground-disturbing activities and shall have the power to modify or reduce the level of monitoring should the potential to encounter resources be significantly reduced.			
In the event that archaeological resources are discovered at the project or within the off-site improvement areas, the handling of the discovered resource(s) will differ, depending on the nature of the find. Consistent with California Public Resources Code Section 21083.2(b) and Assembly Bill 52 (Chapter 532, Statutes of 2014), avoidance shall be the preferred method of preservation for Native American/tribal cultural/archaeological resources. However, it is understood that all artifacts, with the exception of human remains and related grave goods or sacred/ceremonial/religious objects, belong to the property owner. The property owner will commit to the relinquishing and curation of all artifacts identified as being of Native American origin. All artifacts, Native American or otherwise, discovered during the monitoring program shall be recorded and inventoried by the consulting archaeologist.			
If any artifacts of Native American origin are discovered, all activities in the immediate vicinity of the find (within a 50-foot radius) shall stop and the project proponent and project archaeologist shall notify the City of Perris Planning Division and interested Luiseño tribes. A designated Luiseño tribal representative shall be invited on the project site to assist the project archaeologist in the significance determination of the Native American resource as deemed possible. The designated Luiseño tribal representative will be given adequate time to examine the find. The significance of Native American resources shall be evaluated in accordance with the provisions of CEQA and shall consider the religious beliefs, customs, and practices of the Luiseño tribal representative will work with the City and consulting archaeologist to protect the resource in accordance with tribal requirements. All analysis will be undertaken in a manner that avoids destruction or other adverse impacts.			

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
In the event that human remains are discovered at the project or within the off- site project improvement areas, mitigation measure MM CR 2 shall immediately apply and all items found in association with Native American human remains shall be considered grave goods or sacred in origin and subject to special handling.			
Native American artifacts that are relocated/reburied at the project site would be subject to a fully executed relocation/reburial agreement with the assisting Luiseño tribe. This shall include, but not be limited to, an agreement that artifacts will be reburied on-site and in an area of permanent protection to be agreed upon between sponsor and the designated Native American representative, if requested, and that reburial shall not occur until all cataloging and basic recordation have been completed by the consulting archaeologist.			
Native American artifacts that cannot be avoided or relocated at the project site shall be prepared for curation at an accredited curation facility in Riverside County that meets federal standards (per 36 CFR Part 79) and available to archaeologists/researchers for further study. The project archaeologist shall deliver the Native American artifacts, including title, to the identified curation facility within a reasonable amount of time, along with applicable fees for permanent curation.			
Non-Native American artifacts shall be inventoried, assessed, and analyzed for cultural affiliation, personal affiliation (prior ownership), function, and temporal placement. Subsequent to analysis and reporting, these artifacts will be subjected to curation, as deemed appropriate, or returned to the property owner.			
Once grading activities have ceased or the archaeologist determines that monitoring is no longer necessary, monitoring activities can be discontinued following notification to the City of Perris Planning Division.			
A report of findings, including an itemized inventory of artifacts, shall be prepared upon completion of the tasks outlined above. The report shall include all data outlined by the OHP guidelines, including a conclusion of the significance of all recovered, relocated, and reburied artifacts. A copy of the			

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
report shall also be filed with the City of Perris Planning Division, the University of California, Riverside (EIC), and the Luiseño tribe(s) involved with the project.			
MM CR 2: In the event that human remains (or remains that may be human) are discovered at the subject property or within the off-site improvement areas during ground-disturbing activities, the construction contractors, project archaeologist, and/or designated Luiseño tribal representative shall immediately stop all activities within 100 feet of the find. The project proponent shall then inform the Riverside County Coroner and the City of Perris Planning Division immediately, and the coroner shall be permitted to examine the remains as required by California Health and Safety Code Section 7050.5(b).	Confirmation of coroner and HAHC contact and submittal of Report of Findings, if applicable. During construction activities.	City of Perris Planning Division	
If the coroner determines that the remains are of Native American origin, the coroner would notify the NAHC, which will identify the "Most Likely Descendent" (MLD). Despite the affiliation with any Luiseño tribal representative(s) at the site, the NAHC's identification of the MLD will stand. The MLD shall be granted access to inspect the site of the discovery of Native American human remains and may recommend to the project proponent means for treatment or disposition, with appropriate dignity of the human remains and any associated grave goods. The MLD shall complete his or her inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the site. The disposition of the remains will be determined in consultation between the project proponent and the MLD. In the event that there is disagreement regarding the disposition of the remains, State law will apply and median with the NAHC will make the applicable determination (see Public Resources Code Section 5097.981 and 5097.94(k)). The specific locations of Native American burials and reburials will be proprietary and not disclosed to the general public. The locations will be documented by the consulting archaeologist in conjunction with the various stakeholders and a report of findings shall be filed with the EIC.			

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
GEOLOGY AND SOILS			
MM GR 1: Prior to the issuance of grading permits, the Project Applicant shall submit to and receive approval from the City of Perris Planning Division, a Paleontological Resource Impact Mitigation Monitoring Program (PRIMMP). The PRIMMP shall include the provision of a qualified professional paleontologist (or his or her trained paleontological monitor representative) during onsite and offsite subsurface excavation that exceeds five (5) feet in depth below the pre-grade surface. Selection of the paleontologist shall be subject to approval of the City of Perris Planning Manager and no grading activities shall occur at the Project site or within offsite Project improvement areas until the paleontologist has been approved by the City.	Confirmation of professional archaeologist retention/ongoing/monito ring/submittal of Report of Findings. Prior to Grading Permits and during subsurface excavation.	City of Perris Planning Division	
Monitoring shall be restricted to undisturbed subsurface areas of older Quaternary alluvium, which might be present below the surface. The paleontologist shall be prepared to quickly salvage fossils as they are unearthed to avoid construction delays. The paleontologist shall also remove samples of sediments which are likely to contain the remains of small fossil invertebrates and vertebrates. The paleontologist shall have the power to temporarily halt or divert grading equipment to allow for removal of abundant or large specimens.			
Collected samples of sediments shall be washed to recover small invertebrate and vertebrate fossils. Recovered specimens shall be prepared so that they can be identified and permanently preserved. Specimens shall be identified and curated and placed into an accredited repository (such as the Western Science Center or the Riverside Metropolitan Museum) with permanent curation and retrievable storage.			
A report of findings, including an itemized inventory of recovered specimens, shall be prepared upon completion of the steps outlined above. The report shall include a discussion of the significance of all recovered specimens. The report and inventory, when submitted to the City of Perris Planning Division, will signify completion of the program to mitigate impacts of paleontological resources.			

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
HAZARDS AND HAZARDOUS MATERIALS	Action and Timing	Vermedien	una minuis
PPP HAZ-1: SCAQMD Rule 1403. Pursuant to existing regulations, prior to issuance of demolition permits, the project applicant shall submit verification to the City Building and Safety Division that an asbestos survey has been conducted at all existing buildings located on the project site. If asbestos is found, the project applicant shall follow all procedural requirements and regulations of South Coast Air Quality Management District (SCAQMD) Rule 1403. Prior to issuance of demolition permits the applicant shall provide verification that the following SCAQMD Rule 1403 regulations have been taken: notification of SCAQMD prior to construction activity, asbestos removal in accordance with prescribed procedures, placement of collected asbestos in leak-tight containers or wrapping, and proper disposal.	Submittal of asbestos survey verification. If needed, submittal of SCAQMD Rule 1403 compliance. Prior to Demolition Permits and construction activity.	City of Perris Building and Safety Division	
PPP HAZ-2: Lead. Pursuant to existing regulation, prior to issuance of demolition permits, the project applicant shall submit verification to the City Building and Safety Division that a lead-based paint survey has been conducted at all existing buildings located on the project site. If lead-based paint is found, County demolition permits shall ensure that all procedural requirements and regulations are followed for proper removal and disposal of the lead-based paint. Cal-OSHA has established limits of exposure to lead contained in dusts and fumes. Specifically, CCR Title 8, Section 1532.1 provides for exposure limits, exposure monitoring, and respiratory protection, and mandates good working practices by workers exposed to lead.	Submittal of lead-based paint survey verification. Prior to Demolition Permits.	City of Perris Building and Safety Division	
PVCCSP MM Haz 3. Any outdoor lighting installed shall be hooded or shielded to prevent either the spillage of lumens or reflection into the sky or above the horizontal plane.	Review and approval of lighting plans. Prior to Building Permit.	City of Perris Planning Division	
PVCCSP MM Haz 4. The following notice shall be provided to all potential purchasers and tenants: "This property is presently located in the vicinity of an airport, within what is known as an airport influence area. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example, noise, vibration, or odors). Individual sensitivities to those annoyances can vary from person to person. You may wish to consider what	Confirmation that purchasers and tenants have been provided the required notice. Prior to Occupancy Permit.	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
airport annoyances, if any, are associated with the property before you complete your purchase and determine whether they are acceptable to you. Business & Profession Code 11010 13(A)"			
PVCCSP MM Haz 5. The following uses shall be prohibited: a. Any use which would direct a steady light or flashing light of red, white, green, or amber colors associated with airport operations toward an aircraft engaged in an initial straight climb following takeoff or toward an aircraft engaged in a straight final approach toward a landing at an airport, other than an FAA-approved navigational signal light or visual approach slope indicator. b. Any use which would cause sunlight to be reflected towards an aircraft engaged in an initial straight climb following takeoff or towards an aircraft engaged in a straight final approach towards a landing at an airport. c. Any use which would generate smoke or water vapor or which would attract large concentrations of birds, or which may otherwise affect safe air navigation within the area. d. Any use which would generate electrical interference that may be detrimental to the operation of aircraft and/or aircraft instrumentation.	Review of building plans. Prior to Building Permit.	City of Perris Planning Division	
e. All retention and water quality basins shall be designed to dewater within 48 hours of a rainfall event.			
PVCCSP MM Haz 6. A minimum of 45 days prior to submittal of an application for a building permit for an implementing development project, the implementing development project applicant shall consult with the City of Perris Planning Department in order to determine whether any implementing project-related vertical structures or construction equipment will encroach into the 100-to-1 imaginary surface surrounding the MARB. If it is determined that there will be an encroachment into the 100-to-1 imaginary surface, the implementing development project applicant shall file a FAA Form 7460-1, Notice of Proposed Construction or Alteration. If FAA determines that the implementing development project would potentially be an obstruction unless reduced to a specified height,	Evidence that FAA Form 7460-1 has been filed, if needed. Prior to Building Permit.	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure	Action and Timing	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
the implementing development project applicant and the Perris Planning Division will work with FAA to resolve any adverse effects on aeronautical operations.			
NOISE			
PVCCSP MM Noise 1: During all project site excavation and grading on-site, the construction contractors shall equip all construction equipment, fixed or mobile, shall be equipped with properly operating and maintained mufflers consistent with manufacturer's standards. The construction contractor shall place all stationary construction equipment so that emitted noise is directed away from the noise sensitive receptors nearest the project site.	Confirmation that this requirement is included in Construction Plans and Specifications. Prior to Demolition, Grading, and Building Permits.	City of Perris Planning Division	
PVCCSP MM Noise 2: During construction, stationary construction equipment, stockpiling and vehicle staging areas will be placed a minimum of 446 feet away from the closet sensitive receptor.	Confirmation that this requirement is included in Construction Plans and Specifications. Prior to Demolition, Grading, and Building Permits.	City of Perris Planning Division	
PVCCSP MM Noise 3 : No combustion-powered equipment, such as pumps or generators, shall be allowed to operate within 446 feet of any occupied residence unless the equipment is surrounded by a noise protection barrier.	Confirmation that this requirement is included in Construction Plans and Specifications. Prior to Demolition, Grading, and Building Permits.	City of Perris Planning Division	
PVCCSP MM Noise 4: Construction contractors of implementing development projects shall limit haul truck deliveries to the same hours specified for construction equipment. To the extent feasible, haul routes shall not pass sensitive land uses or residential dwellings.	Confirmation that this requirement is included in Construction Plans and Specifications. Prior to Demolition, Grading, and Building Permits.	City of Perris Planning Division	
MM N 1: The Project Applicant shall require that all construction contractors restrict the operation of any large bulldozers that is powered by a greater than 150 horsepower engines from operating within 60 feet of the home located on the east side of the Project site. The Project Applicant shall require	Confirmation that this requirement is included in Construction Plans and Specifications. Prior to	City of Perris Planning Division	

Plan, Program, Policy / Mitigation Measure the use of a small bulldozer (i.e., D1, D2, or D3 dozers) or other type of equipment that is less than 150 horsepower to perform all grading activities that are located within 60 feet of the residential structure on the east side of the Project site.	Action and Timing Demolition, Grading, and Building Permits.	Responsible for Ensuring Compliance / Verification	Date Completed and Initials
TRANSPORTATION PVCCSP MM Trans 2: Sight distance at the project entrance roadway of each implementing development project shall be reviewed with respect to standard City of Perris sight distance standards at the time of preparation of final grading, landscape and street improvement plans.	Review of Project building plans. Prior to Building Permits.	City of Perris Public Works Department	
PVCCSP MM Trans 5: Bike racks shall be installed in all parking lots in compliance with City of Perris standards.	Confirmation of bike racks installed per City standards. Prior to Occupancy Permits.	City of Perris Public Works Department	