



**CITY OF PERRIS**  
DEVELOPMENT SERVICES DEPARTMENT  
BUILDING AND SAFETY DIVISION  
135 N. "D" Street, Perris, CA 92570-2200  
TEL: (951) 443-1029 FAX: (951) 943-3293

---

## ***Minimum Plumbing Fixtures for New Buildings***

### *Chapter 4, 2022 California Plumbing Code (CPC)*

#### **General:**

Plumbing fixtures shall be provided for the type of building occupancy and in the minimum number shown in Table 422.1

#### **Determining if separate facilities are required for men and women:**

Separate toilet facilities shall be provided for each sex.

#### **Exceptions:**

1. Residential occupancies.
2. In occupancies serving 10 or fewer people, 1 toilet facility designed for use by no more than 1 person at a time, shall be permitted to serve both sexes.
3. In business and mercantile occupancies with a total floor area of 1500 sq. ft. or less, 1 toilet facility, designed for use by 1 person a time, shall satisfy the requirements of serving customers and employees of both sexes.
4. **Please also refer to the California State Law as it pertains to a single use restroom facility.**
5. Please also refer to Chapter 4 of the 2022 CPC.
6. Please also refer to the 2022 California Green Code
7. Please also review the 2022 California Energy Code