



Perris DC 11

AIR QUALITY IMPACT ANALYSIS

CITY OF PERRIS

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com

Alyssa Barnett
abarnett@urbanxroads.com

APRIL 23, 2024

TABLE OF CONTENTS

TABLE OF CONTENTS	I
APPENDICES	II
LIST OF EXHIBITS	II
LIST OF TABLES	II
LIST OF ABBREVIATED TERMS	IV
EXECUTIVE SUMMARY	1
ES.1 Summary of Findings.....	1
ES.2 Regulatory Requirements	1
1 INTRODUCTION	4
1.1 Site Location.....	4
1.2 Project Description.....	4
2 AIR QUALITY SETTING	8
2.1 South Coast Air Basin	8
2.2 Regional Climate	8
2.3 Wind Patterns and Project Location	9
2.4 Criteria Pollutants	10
2.5 Existing Air Quality	17
2.6 Regional Air Quality	20
2.7 Local Air Quality	20
2.8 Regulatory Background.....	21
SCAQMD Rules.....	24
2.9 Regional Air Quality Improvement	36
3 PROJECT AIR QUALITY IMPACT	47
3.1 Introduction	47
3.2 Standards of Significance	47
3.3 Models Employed To Analyze Air Quality.....	48
3.4 Construction Emissions	48
3.5 Operational Emissions	52
3.6 Localized Significance.....	56
3.7 Construction-Source Emissions LST Analysis	60
3.8 Operational-Source Emissions LST Analysis.....	60
3.9 CO “Hot Spot” Analysis	61
3.10 AQMP Consistency.....	63
3.11 Potential Impacts to Sensitive Receptors	64
3.12 Odors.....	65
3.13 Cumulative Impacts	66
4 REFERENCES	69
5 CERTIFICATIONS	73

APPENDICES

APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS
 APPENDIX 3.1: CALEEMOD PROJECT CONSTRUCTION EMISSIONS MODEL OUTPUTS
 APPENDIX 3.2: CALEEMOD PROJECT REGIONAL OPERATIONAL EMISSIONS MODEL OUTPUTS
 APPENDIX 3.3: CALEEMOD PROJECT LOCALIZED OPERATIONAL EMISSIONS MODEL OUTPUTS
 APPENDIX 3.3: AERMOD MODELING OUTPUT

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP 5
 EXHIBIT 1-B: SITE PLAN..... 6
 EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND..... 44
 EXHIBIT 3-B: RECEPTOR LOCATIONS 59

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS 1
 TABLE 2-1: CRITERIA POLLUTANTS 10
 TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2) 18
 TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2) 19
 TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB 20
 TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2020-2022..... 21
 TABLE 2-5: SCAB O₃ TREND..... 37
 TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM₁₀ TREND (BASED ON FEDERAL STANDARD)¹
 38
 TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM₁₀ TREND (BASED ON STATE STANDARD)¹. 38
 TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON FEDERAL STANDARD)¹
 39
 TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON STATE STANDARD)¹. 39
 TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND¹ 41
 TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON FEDERAL STANDARD)42
 TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON STATE STANDARD) ... 42
 TABLE 3-1: SCAQMD REGIONAL AND LOCALIZED SIGNIFICANCE THRESHOLDS (1 OF 2) 47
 TABLE 3-1: SCAQMD REGIONAL AND LOCALIZED SIGNIFICANCE THRESHOLDS (2 OF 2) 48
 TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS 49
 TABLE 3-3: ESTIMATED CONSTRUCTION DURATION 50
 TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS (1 OF 2) 50
 TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS (2 OF 2) 51
 TABLE 3-5: PEAK DAILY CONSTRUCTION EMISSIONS SUMMARY 51
 TABLE 3-6: PASSENGER CAR FLEET MIX 53
 TABLE 3-7: TRUCK FLEET MIX 54
 TABLE 3-8: SUMMARY OF PEAK DAILY OPERATIONAL EMISSIONS (1 OF 2) 55
 TABLE 3-8: SUMMARY OF PEAK DAILY OPERATIONAL EMISSIONS (2 OF 2) 56
 TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION 60
 TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS 61

TABLE 3-11: CO MODEL RESULTS..... 62
TABLE 3-12: TRAFFIC VOLUMES..... 63

LIST OF ABBREVIATED TERMS

%	Percent
°F	Degrees Fahrenheit
(1)	Reference
µg/m ³	Microgram per Cubic Meter
<i>1992 CO Plan</i>	<i>1992 Federal Attainment Plan for Carbon Monoxide</i>
<i>1993 CEQA Handbook</i>	<i>SCAQMD's CEQA Air Quality Handbook (1993)</i>
<i>2020-2045 RTP/SCS</i>	<i>2020-2045 Regional Transportation Plan/Sustainable Communities Strategy</i>
AB 2595	California Clean Air Act
AQIA	Air Quality Impact Analysis
AQMP	Air Quality Management Plan
BACT	Best Available Control Technology
BC	Black Carbon
<i>Brief</i>	<i>Brief of Amicus Curiae by the SCAQMD in the Friant Ranch Case</i>
C ₂ Cl ₄	Perchloroethylene
C ₄ H ₆	1,3-butadiene
C ₆ H ₆	Benzene
C ₂ H ₃ Cl	Vinyl Chloride
C ₂ H ₄ O	Acetaldehyde
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CALGreen	California Green Building Standards Code
CAP	Climate Action Plan
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEC	California Energy Commission
CEQA	California Environmental Quality Act
<i>CEQA Guidelines</i>	<i>2019 CEQA Statute and Guidelines</i>
CH ₂ O	Formaldehyde
City	City of Perris
CO	Carbon Monoxide
COH	Coefficient of Haze

COHb	Carboxyhemoglobin
Cr(VI)	Chromium
CTP	Clean Truck Program
DPM	Diesel Particulate Matter
DRRP	Diesel Risk Reduction Plan
EC	Elemental Carbon
EIR	Environmental Impact Report
EMFAC	Emissions FACTor Model
EPA	Environmental Protection Agency
ETW	Equivalent Test Weight
EV	Electric Vehicle
GHG	Greenhouse Gas
GVWR	Gross Vehicle Weight Rating
H ₂ S	Hydrogen Sulfide
HDT	Heavy-Duty Trucks
HHDT	Heavy-Heavy-Duty Trucks
HI	Hazard Index
hp	Horsepower
HPLV	High-Pressure-Low-Volume
lbs	Pounds
lbs/day	Pounds Per Day
LDA	Light Duty Auto
LDT1/LDT2	Light-Duty Trucks
LHDT1/LHDT2	Light-Heavy-Duty Trucks
LST	Localized Significance Threshold
<i>LST Methodology</i>	<i>Final Localized Significance Threshold Methodology</i>
MATES	Multiple Air Toxics Exposure Study
MCY	Motorcycles
MDV	Medium-Duty Vehicles
MHDT	Medium-Heavy-Duty Trucks
MICR	Maximum Individual Cancer Risk
MM	Mitigation Measures
mph	Miles Per Hour
MWELo	California Department of Water Resources' Model Water Efficient
N ₂	Nitrogen
N ₂ O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards

NO	Nitric Oxide
NO ₂	Nitrogen Dioxide
NO _x	Nitrogen Oxides
O ₂	Oxygen
O ₃	Ozone
O ₂ Deficiency	Chronic Hypoxemia
OBD-II	On-Board Diagnostic
ODC	Ozone Depleting Compounds
Pb	Lead
PM	Particulate Matter
PM ₁₀	Particulate Matter 10 microns in diameter or less
PM _{2.5}	Particulate Matter 2.5 microns in diameter or less
POLA	Port of Los Angeles
POLB	Port of Long Beach
ppm	Parts Per Million
Project	Perris DC 11
RECLAIM	Regional Clean Air Incentives Market
RFG-2	Reformulated Gasoline Regulation
ROG	Reactive Organic Gases
SB	Senate Bill
SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
sf	Square Feet
SIPs	State Implementation Plans
SO ₂	Sulfur Dioxide
SO ₄	Sulfates
SO _x	Sulfur Oxides
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
Title 24	California Building Code
TITLE I	Non-Attainment Provisions
TITLE II	Mobile Sources Provisions
TRUs	Transportation Refrigeration Units
UFP	Ultrafine Particles
URBEMIS	URBan EMISsions
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compounds

vph

Vehicles Per Hour

This page intentionally left blank

EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Perris DC 11 Air Quality Impact Analysis* (AQIA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the *Guidelines for Implementation of the California Environmental Quality Act (CEQA Guidelines)* (1). Table ES-1 shows the findings of significance for each potential air quality impact under the California Environmental Quality Act (CEQA).

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Regional Construction Emissions	3.4	<i>Less Than Significant</i>	<i>n/a</i>
Localized Construction Emissions	3.7	<i>Less Than Significant</i>	<i>n/a</i>
Regional Operational Emissions	3.5	<i>Less Than Significant</i>	<i>n/a</i>
Localized Operational Emissions	3.7	<i>Less Than Significant</i>	<i>n/a</i>
CO “Hot Spot” Analysis	3.9	<i>Less Than Significant</i>	<i>n/a</i>
Air Quality Management Plan	3.10	<i>Less Than Significant</i>	<i>n/a</i>
Sensitive Receptors	3.11	<i>Less Than Significant</i>	<i>n/a</i>
Odors	3.12	<i>Less Than Significant</i>	<i>n/a</i>
Cumulative Impacts	3.13	<i>Less Than Significant</i>	<i>n/a</i>

ES.2 REGULATORY REQUIREMENTS

There are numerous requirements that development projects must comply with by law, and that were put in place by federal, State, and local regulatory agencies for the improvement of air quality.

The Project site is located within the South Coast Air Basin in which air quality management is under the jurisdiction of the South Coast Air Quality Management District (SCAQMD). Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors,

gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel shall conform to the requirements of the SCAQMD. Industrial development projects within the City of Perris must also comply with the applicable policies of the City of Perris Good Neighbor Guidelines for Siting New and/or Modified Industrial Facilities. The Project site is also located within the Perris Valley Commerce Center Specific Plan (PVCCSP) planning area of the City of Perris. As such, the Project would be required to comply with the applicable mitigation measures from the *Perris Valley Commerce Center Specific Plan Environmental Impact Report SCH No. 2009081086* (PVCCSP EIR) whether or not the impacts of the Project would be significant.

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the AQIA prepared by Urban Crossroads, Inc., for the proposed Perris DC 11 project (Project). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the SCAQMD.

1.1 SITE LOCATION


The Project site is located in the northern portion of the City of Perris, at the southeast intersection of Ramona Expressway and Webster Avenue. The City of Perris is located approximately 24 miles south of Downtown San Bernardino, 35 miles east of Irvine, and 62 miles southeast of Downtown Los Angeles. Regional access to the Project site is provided via Interstate 215 (I-215), located approximately 0.4 mile to the west, and State Route 60 (SR-60), approximately 7 miles to the north.

The Project site encompasses approximately 29.5 gross acres and is located south of Ramona Expressway, east of Webster Avenue, west of Brennan Avenue, and north of Morgan Street. Additionally, the site is located within the Perris USGS 7.5-Minute Quadrangle; Section 7, Township 4 South, Range 3 West, San Bernardino Baseline and Meridian.

1.2 PROJECT DESCRIPTION

The proposed Project would develop the 29.5-acre site, located in the City of Perris, with a new high-cube warehouse facility and related site improvements. The Project includes construction and operation of approximately 551,922 square feet (sf) of new building space, which would include 5,000 sf of office and mezzanine space. A maximum of 25 percent, or 136,730 sf, of the building could be operated as refrigerated storage. The building would have 69 loading docks located on the eastern side of the structure. The Project would result in a floor area ratio (FAR) of 0.43. The Project would be constructed in one development phase. Additionally, the proposed Project will include the installation of a fire pump and emergency generator, which would operate for up to 0.5 hour per day for up to 50 hours per year for maintenance and testing purposes.

EXHIBIT 1-A: LOCATION MAP



This page intentionally left blank

2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB), a 6,745-square mile subregion which includes the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County. The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east, and the San Diego Air Basin to the south.

The management of air quality conditions in the SCAB is the responsibility of the SCAQMD (2). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in the areas under its jurisdiction into conformity with federal and state air quality standards.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to middle 60s degrees Fahrenheit (°F). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO₂) to sulfates (SO₄) is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71% along the coast and 59% inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90% of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year, there are approximately 10 hours of possible sunshine, and on the longest day of the year, there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed “Santa Anas” each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the “Catalina Eddy,” a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter, when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as nitrogen oxides (NO_x) and carbon monoxide (CO) from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 WIND PATTERNS AND PROJECT LOCATION

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 CRITERIA POLLUTANTS

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (3):

TABLE 2-1: CRITERIA POLLUTANTS

Criteria Pollutant	Description	Sources	Health Effects
CO	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone (O ₃), motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen (O ₂) supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with O ₂ transport and competing with O ₂ to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for O ₂ supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (O ₂ deficiency) as seen at high altitudes.
SO ₂	SO ₂ is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant	Coal or oil burning power plants and industries,	A few minutes of exposure to low levels of SO ₂ can result in airway constriction in some

Criteria Pollutant	Description	Sources	Health Effects
	<p>mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO₂ oxidizes in the atmosphere, it forms SO₄. Collectively, these pollutants are referred to as sulfur oxides (SO_x).</p>	<p>refineries, diesel engines</p>	<p>asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO₂. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO₂.</p> <p>Animal studies suggest that despite SO₂ being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract.</p> <p>Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO₂ levels. In these studies, efforts to separate the effects of SO₂ from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.</p>
NO _x	<p>NO_x consist of nitric oxide (NO), nitrogen dioxide (NO₂) and nitrous oxide (N₂O) and are formed when nitrogen (N₂) combines with O₂. Their lifespan in the atmosphere ranges from</p>	<p>Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming</p>	<p>Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is</p>

Criteria Pollutant	Description	Sources	Health Effects
	<p>one to seven days for nitric oxide and nitrogen dioxide, to 170 years for nitrous oxide. NO_x is typically created during combustion processes and are major contributors to smog formation and acid deposition. NO₂ is a criteria air pollutant and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of nitrogen oxide compounds, NO₂ is the most abundant in the atmosphere. As ambient concentrations of NO₂ are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO₂ than those indicated by regional monitoring station.</p>	<p>equipment and residential heating.</p>	<p>associated with long-term exposure to NO₂ at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO₂ in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups.</p> <p>In animals, exposure to levels of NO₂ considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of O₃ exposure increases when animals are exposed to a combination of O₃ and NO₂.</p>
<p>O₃</p>	<p>O₃ is a highly reactive and unstable gas that is formed when VOCs and NO_x, both byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. O₃ concentrations are generally highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.</p>	<p>Formed when reactive organic gases (ROG) and NO_x react in the presence of sunlight. ROG sources include any source that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and</p>	<p>Individuals exercising outdoors, children, and people with preexisting lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible sub-groups for O₃ effects. Short-term exposure (lasting for a few hours) to O₃ at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased</p>

Criteria Pollutant	Description	Sources	Health Effects
		storage and pesticides.	<p>susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated O₃ levels are associated with increased school absences. In recent years, a correlation between elevated ambient O₃ levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and live in communities with high O₃ levels.</p> <p>O₃ exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes O₃ may be more toxic than exposure to O₃ alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.</p>
Particulate Matter	PM ₁₀ : A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduce visibility (haze) which is caused by the scattering of light and consequently the significant reduction air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be	Sources of PM ₁₀ include road dust, windblown dust and construction. Also formed from other pollutants (acid rain, NO _x , SO _x , organics). Incomplete combustion of any fuel. PM _{2.5} comes from	A consistent correlation between elevated ambient fine particulate matter (PM ₁₀ and PM _{2.5}) levels and an increase in mortality rates, respiratory infections, number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In

Criteria Pollutant	Description	Sources	Health Effects
	<p>deposited, resulting in adverse health effects. Additionally, it should be noted that PM₁₀ is considered a criteria air pollutant.</p> <p>PM_{2.5}: A similar air pollutant to PM₁₀ consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include SO₄ formed from SO₂ release from power plants and industrial facilities and nitrates that are formed from NO_x release from power plants, automobiles, and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. PM_{2.5} is a criteria air pollutant.</p>	<p>fuel combustion in motor vehicles, equipment, and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO_x, SO_x, organics).</p>	<p>recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer.</p> <p>Daily fluctuations in PM_{2.5} concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter.</p> <p>The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM₁₀ and PM_{2.5}.</p>
VOC	<p>VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels of reactivity; that is, they do not react at the same speed or do not form O₃ to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the</p>	<p>Organic chemicals are widely used as ingredients in household products. Paints, varnishes, and wax all contain organic solvents, as do many cleaning, disinfecting, cosmetic, degreasing and hobby products. Fuels are made up of organic chemicals. All of these products can release organic</p>	<p>Breathing VOCs can irritate the eyes, nose, and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health effects, though many have several.</p>

Criteria Pollutant	Description	Sources	Health Effects
	solvents used in paints. Exceptions to the VOC designation include CO, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms VOC and ROG (see below) interchangeably.	compounds while you are using them, and, to some degree, when they are stored.	
ROG	Similar to VOC, ROGs are also precursors in forming O ₃ and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO _x react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O ₃ , which is a criteria pollutant. The terms ROG and VOC (see previous) interchangeably.	Sources similar to VOCs.	Health effects similar to VOCs.
Lead (Pb)	Pb is a heavy metal that is highly persistent in the environment and is considered a criteria pollutant. In the past, the primary source of Pb in the air was emissions from vehicles burning leaded gasoline. The major sources of Pb emissions are ore and metals processing, particularly Pb smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include waste incinerators, utilities, and lead-acid battery manufacturers. It should be noted that the Project does not include operational activities such as metal processing or Pb acid battery manufacturing. As such, the Project is not anticipated to	Metal smelters, resource recovery, leaded gasoline, deterioration of Pb paint.	Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are associated with increased blood pressure. Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be

Criteria Pollutant	Description	Sources	Health Effects
	<p>generate a quantifiable amount of Pb emissions.</p>		<p>stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.</p>
<p>Odor</p>	<p>Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves (4).</p>	<p>Odors can come from many sources including animals, human activities, industry, natures, and vehicles.</p>	<p>Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.</p>

2.5 EXISTING AIR QUALITY

Existing air quality conditions within the SCAB are measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-2 (5).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the state and federal standards. At the time of this AQIA, the most recent state and federal standards were updated by CARB on May ,4 2016 and are presented in Table 2-2. The air quality in a region is considered to be in attainment by the state if the measured ambient air pollutant levels for O₃, CO (except 8-hour Lake Tahoe), SO₂ (1 and 24 hour), NO₂, PM₁₀, and PM_{2.5} are not to be exceeded. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how the State assigns attainment status. Attainment status for a pollutant means that the SCAQMD meets the standards set by the EPA or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS standards. In order to improve air quality in nonattainment areas, a State Implementation Plan (SIP) is drafted by CARB. The SIP outlines the measures that the state will take to improve air quality. Once nonattainment areas meet the standards and additional redesignation requirements, the EPA will designate the area as a maintenance area (6).

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards							
Pollutant	Averaging Time	California Standards ¹		National Standards ²			
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷	
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m ³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry	
	8 Hour	0.070 ppm (137 µg/m ³)		0.070 ppm (137 µg/m ³)			
Respirable Particulate Matter (PM ₁₀) ⁹	24 Hour	50 µg/m ³	Gravimetric or Beta Attenuation	150 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis	
	Annual Arithmetic Mean	20 µg/m ³		—			
Fine Particulate Matter (PM _{2.5}) ⁹	24 Hour	—	—	35 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis	
	Annual Arithmetic Mean	12 µg/m ³	Gravimetric or Beta Attenuation	12.0 µg/m ³			15 µg/m ³
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m ³)	—	Non-Dispersive Infrared Photometry (NDIR)	
	8 Hour	9.0 ppm (10 mg/m ³)		9 ppm (10 mg/m ³)			
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m ³)		—			
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m ³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m ³)	—	Gas Phase Chemiluminescence	
	Annual Arithmetic Mean	0.030 ppm (57 µg/m ³)		0.053 ppm (100 µg/m ³)			Same as Primary Standard
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m ³)	Ultraviolet Fluorescence	75 ppb (196 µg/m ³)	—	Ultraviolet Fluorescence; Spectrophotometry (Parosanaline Method)	
	3 Hour	—		—			0.5 ppm (1300 µg/m ³)
	24 Hour	0.04 ppm (105 µg/m ³)		0.14 ppm (for certain areas) ¹¹			—
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹			—
Lead ^{12,13}	30 Day Average	1.5 µg/m ³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption	
	Calendar Quarter	—		1.5 µg/m ³ (for certain areas) ¹²			Same as Primary Standard
	Rolling 3-Month Average	—		0.15 µg/m ³			
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards			
Sulfates	24 Hour	25 µg/m ³	Ion Chromatography				
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m ³)	Ultraviolet Fluorescence				
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m ³)	Gas Chromatography				

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above $150 \mu\text{g}/\text{m}^3$ is equal to or less than one. For PM2.5, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from $15 \mu\text{g}/\text{m}^3$ to $12.0 \mu\text{g}/\text{m}^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at $35 \mu\text{g}/\text{m}^3$, as was the annual secondary standard of $15 \mu\text{g}/\text{m}^3$. The existing 24-hour PM10 standards (primary and secondary) of $150 \mu\text{g}/\text{m}^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO_2 standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO_2 national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard ($1.5 \mu\text{g}/\text{m}^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for six of the most common air pollutants: CO, Pb, O₃, particulate matter (PM₁₀ and PM_{2.5}), NO₂, and SO₂ which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 37 permanent monitoring stations and 5 single-pollutant source Pb air monitoring sites throughout the air district (7). On January 25, 2024, CARB posted the 2024 amendments to the state and national area designations. See Table 2-3 for attainment designations for the SCAB (8). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB

Criteria Pollutant	State Designation	Federal Designation
O ₃ – 1-hour standard	Nonattainment	--
O ₃ – 8-hour standard	Nonattainment	Nonattainment
PM ₁₀	Nonattainment	Attainment
PM _{2.5}	Nonattainment	Nonattainment
CO	Attainment	Unclassifiable/Attainment
NO ₂	Attainment	Unclassifiable/Attainment
SO ₂	Attainment	Unclassifiable/Attainment
Pb ¹	Attainment	Unclassifiable/Attainment

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB
 "--" = The national 1-hour O₃ standard was revoked effective June 15, 2005.

2.7 LOCAL AIR QUALITY

The SCAQMD has designated general forecast areas and air monitoring areas (referred to as Source Receptor Areas [SRAs]) throughout the SCAB in order to provide Southern California residents with information about the air quality conditions. The Project site is located within the Perris Valley area (SRA 24). The Perris Valley monitoring station is located approximately 3.4 miles south of the Project site and reports air quality statistics for O₃ and PM₁₀. The Metropolitan Riverside County monitoring station which is located 14.5 miles northwest of the Project site in SRA 23, records air quality data for CO, NO₂, and PM_{2.5}. It should be noted that data from Metropolitan Riverside County monitoring station was utilized in lieu of the Perris Valley monitoring station only in instances where data was not available.

The most recent three (3) years of data available is shown on Table 2-4 and identifies the number of days ambient air quality standards were exceeded for the study area, which is considered to be representative of the local air quality at the Project site. Data for O₃, CO, NO₂, PM₁₀, and PM_{2.5} for 2020 through 2022 was obtained from the SCAQMD Air Quality Data Tables (9). Additionally,

¹ The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.

data for SO₂ has been omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO₂ concentrations.

TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2020-2022

Pollutant	Standard	Year		
		2020	2021	2022
O ₃				
Maximum Federal 1-Hour Concentration (ppm)		0.125	0.117	0.121
Maximum Federal 8-Hour Concentration (ppm)		0.106	0.094	0.091
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	34	25	17
Number of Days Exceeding State/Federal 8-Hour Standard	> 0.070 ppm	74	60	37
CO				
Maximum Federal 1-Hour Concentration	> 35 ppm	1.9	2.1	3.3
Maximum Federal 8-Hour Concentration	> 20 ppm	1.4	1.8	1.2
NO ₂				
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.066	0.052	0.056
Annual Federal Standard Design Value		0.014	0.014	0.013
PM ₁₀				
Maximum Federal 24-Hour Concentration (µg/m ³)	> 150 µg/m ³	77	89	91
Annual Federal Arithmetic Mean (µg/m ³)		35.9	21.4	19.8
Number of Days Exceeding Federal 24-Hour Standard	> 150 µg/m ³	0	0	0
Number of Days Exceeding State 24-Hour Standard	> 50 µg/m ³	6	4	1
PM _{2.5}				
Maximum Federal 24-Hour Concentration (µg/m ³)	> 35 µg/m ³	41.00	82.1	38.5
Annual Federal Arithmetic Mean (µg/m ³)	> 12 µg/m ³	12.63	12.58	10.80
Number of Days Exceeding Federal 24-Hour Standard	> 35 µg/m ³	4	10	1

ppm = Parts Per Million

µg/m³ = Microgram per Cubic Meter

Source: Data for O₃, CO, NO₂, PM₁₀, and PM_{2.5} was obtained from SCAQMD Air Quality Data Tables.

2.8 REGULATORY BACKGROUND

2.8.1 FEDERAL REGULATIONS

The EPA is responsible for setting and enforcing the NAAQS for O₃, CO, NO_x, SO₂, PM₁₀, and Pb (10). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal air quality standards, the NAAQS, and specifies future dates for achieving compliance (11). The CAA also mandates that states submit and implement SIPs for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (12) (13). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O₃, NO₂, SO₂, PM₁₀, CO, PM_{2.5}, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O₃ and to adopt a NAAQS for PM_{2.5}. Table 2-3 (previously presented) provides the NAAQS within the SCAB.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO_x. NO_x is a collective term that includes all forms of NO_x which are emitted as byproducts of the combustion process.

2.8.2 CALIFORNIA REGULATIONS

CARB

CARB, which became part of CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for SO₄, visibility, hydrogen sulfide (H₂S), and vinyl chloride (C₂H₃Cl). However, at this time, H₂S and C₂H₃Cl are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (14) (10).

Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare Air Quality Management Plans (AQMP) that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;

- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;
- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a 5% or more annual reduction in emissions or 15% or more in a period of three years for ROG_s, NO_x, CO and PM₁₀. However, air basins may use alternative emission reduction strategy that achieves a reduction of less than 5% per year under certain circumstances.

TITLE 24 ENERGY EFFICIENCY STANDARDS AND CALIFORNIA GREEN BUILDING STANDARDS

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2022 California Green Building Code Standards that became effective on January 1, 2023. The CEC anticipates that the 2022 energy code will provide \$1.5 billion in consumer benefits and reduce GHG emissions by 10 million metric tons (15). The Project would be required to comply with the applicable standards in place at the time plan check submittals are made. Specific to this analysis, these require, among other items (16):

NONRESIDENTIAL MANDATORY MEASURES

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- Designated parking for clean air vehicles. In new projects or additions to alterations that add 10 or more vehicular parking spaces, provide designated parking for any combination of low-emitting, fuel-efficient and carpool/van pool vehicles as shown in Table 5.106.5.2 (5.106.5.2).

- EV charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106.5.3.3 (5.106.5.3). Additionally, Table 5.106.5.4.1 specifies requirements for the installation of raceway conduit and panel power requirements for medium- and heavy-duty EV supply equipment for warehouses, grocery stores, and retail stores.
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included in the design and construction processes of the building project to verify that the building systems and components meet the owner's or owner representative's project requirements (5.410.2).

2.8.3 REGIONAL REGULATIONS

AIR QUALITY MANAGEMENT PLAN

The Project site is located within the SCAB, which is characterized by relatively poor air quality. In response, the SCAQMD has adopted a series of Air Quality Management Plan (AQMPs) to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In December 2022, the SCAQMD released the *Final 2022 AQMP (2022 AQMP)*. The *2022 AQMP* continues to evaluate current integrated strategies and control measures to meet the CAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (17). Similar to the 2016 AQMP, the *2022 AQMP* incorporates scientific and technological information and planning assumptions, including the *2020-2045 RTP/SCS*, a planning document that supports the integration of land use and transportation to help the region meet the federal CAA requirements (18).

SCAQMD RULES

SCAQMD Rules that are currently applicable to the development and operation of the Project are described below.

SCAQMD RULE 402

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material that cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or that endanger the comfort, repose, health, or safety of any such persons or the public, or that cause, or have a natural tendency to cause, injury or damage to business or property. The provisions of this rule do not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

Odor Emissions. All uses shall be operated in a manner such that no offensive odor is perceptible at or beyond the property line of that use.

SCAQMD RULE 403

This rule is intended to reduce the amount of particulate matter entrained in the ambient air as a result of anthropogenic (human-made) fugitive dust sources by requiring actions to prevent and reduce fugitive dust emissions. Rule 403 applies to any activity or human-made condition capable of generating fugitive dust and requires best available control measures to be applied to earth moving and grading activities.

Dust Control, Operations. Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel, shall conform to the requirements of the SCAQMD.

SCAQMD RULE 1113

This rule serves to limit the VOC content of architectural coatings used on projects in the SCAQMD. Any person who supplies, sells, offers for sale, or manufactures any architectural coating for use on projects.

SCAQMD RULE 1301

This rule is intended to provide that pre-construction review requirements to ensure that new or relocated facilities do not interfere with progress in attainment of the National Ambient Air Quality Standards (NAAQS), while future economic growth within the SCAQMD is not unnecessarily restricted. The specific air quality goal is to achieve no net increases from new or modified permitted sources of nonattainment air contaminants or their precursors. Rule 1301 also limits emission increases of ammonia, and Ozone Depleting Compounds (ODCs) from new, modified or relocated facilities by requiring the use of Best Available Control Technology (BACT).

SCAQMD RULE 1401

A person shall not discharge into the atmosphere from any single source of emission whatsoever any air contaminant for a period or periods aggregating more than three minutes in any 1 hour that is as dark or darker in shade as that designated No. 1 on the Ringelmann Chart, as published by the United States (U.S.) Bureau of Mines.

SCAQMD RULE 2305

The SCAQMD adopted Rule 2305, the Warehouse Indirect Source Rule, on May 7, 2021. Owners and operators associated with warehouses 100,000 square feet (sf) or larger are required to directly reduce nitrogen oxides (NO_x) and particulate matter emissions, or to otherwise facilitate emission and exposure reductions of these pollutants in nearby communities. The rule imposes a "Warehouse Points Compliance Obligation" (WPCO) on warehouse operators. Operators satisfy the WPCO by accumulating "Warehouse Actions and Investments to Reduce Emissions Points" (WAIRE Points) in a given 12-month period. WAIRE Points are awarded by implementing measures to reduce emissions listed on the WAIRE Menu, or by implementing a custom WAIRE Plan approved by the SCAQMD.

Although the Project would comply with Rule 2305, it should be noted that there is no way to quantify these reductions in the California Emissions Estimator Model (CalEEMod). The two most pertinent regulatory requirements that could be modeled, are Rule 403 (Fugitive Dust) (19) and Rule 1113 (Architectural Coatings) (20). Credit for Rule 403 and Rule 1113 have been taken in the analysis.

DIESEL REGULATIONS

CARB and the Ports of Los Angeles and Long Beach (POLA and POLB) have adopted several iterations of regulations for diesel trucks that are aimed at reducing DPM. More specifically, CARB Drayage Truck Regulation (21), CARB statewide On-road Truck and Bus Regulation (22), and the Ports of Los Angeles and Long Beach Clean Truck Program (CTP) require accelerated implementation of “clean trucks” into the statewide truck fleet (23). In other words, older more polluting trucks would be replaced with newer, cleaner trucks as a function of these regulatory requirements.

Moreover, the average statewide DPM emissions for Heavy Duty Trucks (HDT), in terms of grams of DPM generated per mile traveled, would dramatically be reduced due to the aforementioned regulatory requirements.

Diesel emissions identified in this analysis would therefore overstate future DPM emissions since not all the regulatory requirements are reflected in the modeling.

2.8.4 LOCAL REGULATIONS

CITY OF PERRIS GOOD NEIGHBOR GUIDELINES

The City of Perris adopted the Good Neighbor Guidelines for Siting New and/or Modified Industrial Facilities in September 2022 that aim to balance economic growth, industrial development, and business success while implementing methods for the reduction of potential negative impacts on sensitive receptors. The City of Perris Good Neighbor Guidelines goals and recommended policies formalize what is expected from industrial development, particularly those closer to sensitive receptors.

The City of Perris Good Neighbor Guidelines policies that address air pollutant emissions and that are applicable to the Project include the following:

Goal 1 Protect the neighborhood characteristics of the urban, rural, and suburban communities.

Policy 1.1 Any industrial project over 400,000 square feet in size or requiring the preparation of an Environmental Impact Report (EIR) shall be designed to meet the requirements of LEED Silver Certification whether or not certification is pursued. Documentation shall be provided to the City demonstrating compliance.

Policy 1.3 When possible, locate driveways, loading docks, and internal circulation routes away from sensitive receptors.

Policy 1.12 Warehouse/ distribution facilities shall be designed to provide adequate on-site parking for commercial trucks and passenger vehicles and on site queuing for trucks away from

sensitive receptors. Commercial trucks shall not be parked in the public right of way or nearby residential areas, in accordance with the Perris Municipal Code and Specific Plans.

- Policy 1.16** Signs shall be installed at all truck exit driveways directing truck drivers to the truck route as indicated in the City approved Truck Routing Plan and State Highway System to minimize potential impacts on sensitive receptors.
- Policy 1.17** Signs shall be installed in public view with contact information of facility operator and SCAQMD for complaints related to excessive dust, fumes, or odors, and truck and parking complaints. Any complaints made to the facility operator shall be answered within 72 hours of receipt.
- Policy 1.19** Signs and drive aisle pavement markings shall clearly identify the onsite circulation pattern to minimize unnecessary on-site vehicular travel.
- Goal 2** Minimize exposure of diesel emissions to neighbors that are situated in close proximity to the warehouse/distribution center.
- Policy 2.1** Minimize the air quality impacts of trucks on sensitive receptors by:
- a) Restricting diesel engine and construction equipment idling to 5 minutes or less (SCAQMD Rule 2485). A driver of a vehicle shall turn off the engine upon stopping at a destination.
 - b) Designing facilities with adequate on-site queuing for trucks and away from sensitive receptors and preventing queuing of trucks on surrounding public streets.
 - c) Providing ingress and egress for trucks away from sensitive receptors.
 - d) For buildings with 50 or more dock high doors, a site plan is required identifying a planned location for future electric truck charging stations and installation of raceway for conduit to that location. A ratio of one charging station shall be required for every 50 dock high doors.
 - e) On-site equipment, such as forklifts, shall be electric with the necessary electrical charging stations provided or be powered by alternative technology.
 - f) Passenger vehicles parking should be separated from enclosed truck parking/truck court, and have separate primary access.
 - g) At least 10% of all passenger vehicle parking spaces shall be electric vehicle (EV) ready. At least 5% of all passenger vehicle parking spaces shall be equipped with working Level 2 Quick charge EV charging stations installed and operational, prior to issuance of a certificate of occupancy. Signage shall be installed indicating EV charging stations and that spaces are reserved for clean air/EV vehicles.
 - h) Encouraging replacement of diesel fleets with new model vehicles.
 - i) Preventing the queuing of trucks on streets or elsewhere outside the warehouse facility or near sensitive receptor.
 - j) Promoting the installation of on-site electric hook-ups to eliminate idling of main and auxiliary engines during loading and unloading of cargo and when trucks are not in use – especially where transport refrigeration units (TRUs) are proposed to be used.

- Policy 2.2** No operation shall be permitted which emits odorous gases or other odorous matter in such quantities as to be dangerous, injurious, noxious, or otherwise objectionable to a level that is detectable with or without the aid of instruments at or beyond the lot line of the property containing said operation or activity.
- Policy 2.3** Avoid locating exits and entries near sensitive receptors.
- Policy 2.5** Warehouses greater than 100,000 square feet are required to directly reduce nitrogen and diesel particulate matter emissions (SCAQMD Rule 2305).
- Policy 2.6** On site motorized operational equipment shall be ZE (Zero Emissions).
- Policy 2.7** Buildings over 400,000 square feet shall install solar panels so 100% of the power is supplied to the office area of the facility, unless it is restricted due to the March Air Force Base Accident Potential Zone.
- Policy 2.8** Truck operators with TRUs shall be required to utilize electric plug-in units when at loading docks.
- Policy 2.9** Pursuant to CARB’s Truck and Bus Regulation, facility operators shall maintain records of their facility owned and operated fleet equipment and ensure that all diesel fueled Medium-Heavy Duty Trucks (MHDT) and Heavy-Heavy Duty (HHD) trucks with a gross vehicle weight rating greater than 19,500 pounds use year CARB compliant 2010 or newer engines. Records should be made available to the City of Perris.
- Policy 2.10** Facility operators shall coordinate with CARB and SCAQMD to obtain the latest information about regional air quality concentrations, health risks, and trucking regulations.
- Policy 2.11** Equipment operator of a TRU (Transportation Refrigeration Unit) shall not cause a TRU to operate while stationary unless the vehicle is lawfully parked and not within 500 feet of a school, unless the operator is actively engaged in the process of loading or unloading cargo or is waiting in a queue to load or unload for a period not to exceed 2 hours
- Policy 2.12** Require low energy use features, low water use features, all-electric vehicles (EV) parking spaces and charging facility, carpool/vanpool parking spaces, and short- and long-term bicycle parking facilities (Title 24 of the California Code of Regulations – CALGreen).
- Policy 2.13** Post signs requiring to turn off truck engines when not in use.
- Goal 3** Eliminate diesel trucks from unnecessary traversing through residential neighborhoods.
- Policy 3.1** The facility operator shall abide by the truck routing plans, consistent with the City of Perris Truck Route Plan.
- Policy 3.3** Truck traffic shall be routed to impact the least number of sensitive receptors.
- Policy 3.5** Check in gates and/or guard booths are required to be positioned with a minimum of 150 feet inside the property line for on-site truck queuing. An additional 75 feet of on-site queuing shall be added for every 20 loading docks beyond 40 up to 300 feet. Multiple lanes (minimum lane width 12 feet) are permitted to achieve the required queuing. The

general queuing and spillover of trucks onto the surrounding public streets are prohibited. Commercial trucks and/or trailers shall not be parked on the public right of way or adjacent to sensitive receptors.

- Goal 4** Provide Buffers between Warehouses and Sensitive Receptors
 - Policy 4.1** A separation of at least 300 feet shall be provided, as measured from the dock doors to the nearest property line of the sensitive receptor.
 - Policy 4.10** Require on-site signage for directional guidance to trucks entering and exiting the facility to minimize potential impacts on sensitive receptors.
- Goal 5** Establish an Education Program to Inform Truckers of Health Effects of Diesel Particulate and Conduct Community Outreach to Address Residents' Concerns
 - Policy 5.1** Provide adequate notification to all owners of real property on the latest records of the County Assessor within 500 feet of the real property, or at least 25 property owners, whichever is greater, for all required public notices pertaining to a warehouse project's entitlement.
 - Policy 5.2** Facility operators shall train their managers and employees on efficient scheduling and load management to eliminate unnecessary queuing and idling of trucks.
 - Policy 5.3** Facility operators shall require their drivers to park and perform any maintenance of trucks in designated on site areas and not within the surrounding community or on public streets.
 - Policy 5.4** Facility operators for sites that exceed 250 employees shall establish a rideshare program, in accordance with SAQMD Rule 2202, with the intent of discouraging single-occupancy vehicle trips and promote alternate modes of transportation, such as carpooling and transit where feasible.
 - Policy 5.5** Provide informational flyers and pamphlets for truck drivers about the health effects of diesel particulates and importance of being a good neighbor.
 - Policy 5.6** Encourage facility owners/management to have site visits with neighbors and the community to view measures taken to reduce/and or eliminate diesel particulate emissions.
 - Policy 5.8** Provide facility owners/management with information from CARB and SCAQMD and encourage the utilization of resources provided by those agencies.
- Goal 6** Implement Construction Practice Requirements in Accordance with State Requirements to Limit Emissions and Noise Impacts from Building Demolition, Renovation, and New Construction
 - Policy 6.1** In addition to regular construction inspections conducted by City Departments, the applicant shall provide monthly reports to the City demonstrating compliance with all the construction related policies.

- Policy 6.2** All diesel fueled off-road construction equipment greater than 50 horsepower shall be equipped with CARB Tier 4 Compliant engines. If Tier 4 equipment is not available within 50 miles of the project site, Tier 3 or cleaner off road construction equipment may be utilized.
- Policy 6.3** Construction contractor shall utilize construction equipment with properly operating and maintained mufflers, consistent with manufacturer's standards.
- Policy 6.4** Construction contractors shall locate or park all stationary construction equipment away from sensitive receptors nearest the project site, to the extent practicable.
- Policy 6.5** The surrounding streets shall be swept on a regular basis to remove any construction related debris and dirt.
- Policy 6.6** Appropriate dust control measures that meet the SCAQMD Rule 403 standards shall be implemented for grading and construction activity.
- Policy 6.7** Construction equipment maintenance records and data sheets, as well as any other records necessary to verify compliance with CARB standards shall be kept on site and furnished to the City of Perris upon request.
- Policy 6.8** Prepare a construction traffic control plan prior to grading, detailing the locations of equipment staging areas material stockpiles, proposed road closures, and hours of construction operations to minimize impacts to sensitive receptors.
- Policy 6.10** The maximum daily disturbance area (actively graded area) shall be determined by the Air Quality Study.
- Policy 6.11** Use of the most readily available technology (CARB Tier 3, Tier 4 Interim, and Tier 4 Compliant equipment).
- Policy 6.12** Designate an area of the construction site where electric-powered construction vehicles and equipment can charge if the utility provider can feasibly provide temporary power for this purpose.
- Policy 6.13** During construction, signs are required to be in public view with contact information for a designated representative of the building occupant and an SCAQMD representative who is designated to receive complaints about excessive dust, fumes, or odors on this site.
- Goal 7** Ensure Compliance with the California Environmental Quality Act (CEQA) and State Environmental Agencies
- Policy 7.1** In compliance with CEQA, conduct SCAQMD California Emissions Estimator Model (CalEEMod) and Emission Factors (EMFAC) computer models to identify the significance of air quality impacts on sensitive receptors.
- Policy 7.2** Require an air quality analysis to ensure air quality protection, in accordance with the Air Quality Management District (AQMD) guidelines, for both project specific and cumulative impact analysis.

- Policy 7.3** Require Health Risk Assessments for industrial uses within 1,000 feet of sensitive receptors in accordance with AQMD guidelines.
- Policy 7.5** Require Transportation Demand Management Measures for industrial uses with over 100 employees to reduce work related vehicle trips.
- Policy 7.6** Require signage about CARB regulations.
- Policy 7.7** All building roofs shall be solar-ready.
- Policy 7.8** Require the use of low Volatile organic compounds (VOC) paints and coatings (SCAQMD Rule 1113).

PERRIS VALLEY COMMERCE CENTER SPECIFIC PLAN ENVIRONMENTAL IMPACT REPORT MITIGATION MEASURES

The Project site is located within the PVCCSP planning area of the City of Perris. As such, the Project would be required to comply with the applicable mitigation measures from the PVCCSP EIR whether or not the impacts of the project are significant (24). The PVCCSP EIR mitigation measures for air quality impacts are as follows:

- MM Air 1** To identify potential implementing development project-specific impacts resulting from construction activities, proposed development projects that are subject to CEQA shall have construction-related air quality impacts analyzed using the latest available URBan EMISsions (URBEMIS) model, or other analytical method determined in conjunction with the South Coast Air Quality Management District (SCAQMD). The results of the construction-related air quality impacts analysis shall be included in the development project's CEQA documentation. To address potential localized impacts, the air quality analysis may incorporate SCAQMD's Localized Significance Threshold (LST) analysis or other appropriate analyses as determined in conjunction with SCAQMD. If such analyses identify potentially significant regional or local air quality impacts, the City shall require the incorporation of appropriate mitigation to reduce such impacts. This MM was completed with preparation of this report.

Project-specific construction related air quality and LST analyses have been included in this AQIA to comply with this mitigation measure. The URBEMIS model has been replaced by CalEEMod.

- MM Air 2** Each individual implementing development project shall submit a traffic control plan prior to the issuance of a grading permit. The traffic control plan shall describe in detail safe detours and provide temporary traffic control during construction activities for that project. To reduce traffic congestion, the plan shall include, as necessary, appropriate, and practicable, the following: temporary traffic controls such as a flag person during all phases of construction to maintain smooth traffic flow, dedicated turn lanes for movement of construction trucks and equipment on- and off-site, scheduling of construction activities that affect traffic flow on the arterial system to off-peak hour, consolidating truck deliveries,

rerouting of construction trucks away from congested streets or sensitive receptors, and/or signal synchronization to improve traffic flow.

- MM Air 3 To reduce fugitive dust emissions, the development of each individual implementing development project shall comply with SCAQMD Rule 403. The developer of each implementing project shall provide the City of Perris with the SCAQMD-approved dust control plan, or other sufficient proof of compliance with Rule 403, prior to grading permit issuance. Dust control measures shall include, but are not limited to:
- requiring the application of non-toxic soil stabilizers according to manufacturers' specifications to all inactive construction areas (previously graded areas inactive for 20 days or more, assuming no rain),
 - keeping disturbed/loose soil moist at all times,
 - requiring trucks entering or leaving the site hauling dirt, sand, or soil, or other loose materials on public roads to be covered,
 - installation of wheel washers or gravel construction entrances where vehicles enter and exit unpaved roads onto paved roads, or wash off trucks and any equipment leaving the site each trip,
 - posting and enforcement of traffic speed limits of 15 miles per hour (mph) or less on all unpaved portions of the project sites,
 - suspending all excavating and grading operations when wind gusts (as instantaneous gust) exceed 25 mph,
 - appointment of a construction relations officer to act as a community liaison concerning on-site construction activity including resolution of issues related to Particulate Matter 10 microns in diameter or less (PM₁₀) generation,
 - sweeping streets at the end of the day if visible soil material is carried onto adjacent paved public roads and use of SCAQMD Rule 1186 and 1186.1 certified street sweepers or roadway washing trucks when sweeping streets to remove visible soil materials,
 - replacement of ground cover in disturbed areas as quickly as possible.
- MM Air 4 Building and grading permits shall include a restriction that limits idling of construction equipment on site to no more than five minutes.
- MM Air 5 Electricity from power poles shall be used instead of temporary diesel or gasoline-powered generators to reduce the associated emissions. Approval will be required by the City of Perris' Building Division prior to issuance of grading permits.
- MM Air 6 The developer of each implementing development project shall require, by contract specifications, the use of alternative fueled off-road construction equipment, the use of construction equipment that demonstrates early compliance with off-road equipment with the California Air Resources Board (CARB) in-use off-road diesel vehicle regulation (SCAQMD Rule 2449) and/or meets or exceeds Tier 3 standards with available CARB verified or Environmental

Protection Agency (EPA) certified technologies. Diesel equipment shall use water emulsified diesel fuel such as PuriNOX unless it is unavailable in Riverside County at the time of project construction activities. Contract specifications shall be included in project construction documents, which shall be reviewed by the City of Perris' Building Division prior to issuance of a grading permit.

- MM Air 7 During construction, ozone precursor emissions from mobile construction equipment shall be controlled by maintaining equipment engines in good condition and in proper tune per manufacturers' specifications to the satisfaction of the City of Perris' Building Division. Equipment maintenance records and equipment design specification data sheets shall be kept on-site during construction. Compliance with this measure shall be subject to periodic inspections by the City of Perris' Building Division.
- MM Air 8 Each individual implementing development project shall apply paints using either high volume low pressure (HVLP) spray equipment with a minimum transfer efficiency of at least 50 percent (%) or other application techniques with equivalent or higher transfer efficiency.
- MM Air 9 To reduce VOC emissions associated with architectural coating, the project designer and contractor shall reduce the use of paints and solvents by utilizing pre-coated materials (e.g., bathroom stall dividers, metal awnings), materials that do not require painting, and require coatings and solvents with a VOC content lower than required under Rule 1113 to be utilized. The construction contractor shall be required to utilize "Super-Compliant" VOC paints, which are defined in SCAQMD's Rule 1113. Construction specifications shall be included in building specifications that assure these requirements are implemented. The specifications for each implementing development project shall be reviewed by the City of Perris' Building Division for compliance with this MM prior to issuance of a building permit for that project.
- MM Air 10 To identify potential implementing development project-specific impacts resulting from operational activities, proposed development projects that are subject to CEQA shall have long-term operational-related air quality impacts analyzed using the latest available URBEMIS model, or other analytical method determined by the City of Perris as lead agency in conjunction with the SCAQMD. The results of the operational-related air quality impacts analysis shall be included in the development project's CEQA documentation. To address potential localized impacts, the air quality analysis may incorporate SCAQMD's LST analysis, Carbon Monoxide (CO) Hot Spot analysis, or other appropriate analyses as determined by the City of Perris in conjunction with SCAQMD. If such analyses identify potentially significant regional or local air quality impacts, the City shall require the incorporation of appropriate mitigation to reduce such impacts.

Project-specific operational air quality, LST, and CO hotspot analyses have been included in this AQIA to comply with this mitigation measure. The URBEMIS model has been replaced by CalEEMod.

- MM Air 11 Signage shall be posted at loading docks and all entrances to loading areas prohibiting all on-site truck idling in excess of five minutes.
- MM Air 12 Where transport refrigeration units (TRUs) are in use, electrical hookups will be installed at all loading and unloading stalls in order to allow TRUs with electric standby capabilities to use them.
- MM Air 13 In order to promote alternative fuels, and help support “clean” truck fleets, the developer/successor-in-interest shall provide building occupants and businesses with information related to SCAQMD’s Carl Moyer Program, or other state programs that restrict operations to “clean” trucks, such as 2007 or newer model year or 2010 compliant vehicles and information including, but not limited to, the health effect of diesel particulates, benefits of reduced idling time, CARB regulations, and importance of not parking in residential areas. If trucks older than 2007 model year would be used at a facility with three or more dock-high doors, the developer/successor-in-interest shall require, within one year of signing a lease, future tenants to apply in good-faith for funding for diesel truck replacement/retrofit through grant programs such as the Carl Moyer, Prop 1B, On-road Heavy Duty Voucher Incentive Program (VIP), Hybrid and Zero-Emission Truck and Bus Voucher Incentive Project (HVIP), and Surplus Off-Road Opt-in for Nitrogen Oxides (NOx) (SOON) funding programs, as identified on SCAQMD’s website (<http://www.aqmd.gov>). Tenants would be required to use those funds, if awarded.

For purposes of analysis, the emissions presented in this AQIA do not reflect implementation of this mitigation measure.

- MM Air 14 Each implementing development project shall designate parking spaces for high-occupancy vehicles and provide larger parking spaces to accommodate vans used for ride sharing. Proof of compliance would be required prior to the issuance of occupancy permits.

For purposes of analysis, the emissions presented in this AQIA do not reflect implementation of this mitigation measure.

- MM Air 15 To identify potential implementing development project-specific impacts resulting from the use of diesel trucks, proposed implementing development projects that include an excess of 10 dock doors for a single building, a minimum of 100 truck trips per day, 40 truck trips with transportation refrigeration units (TRUs) per day, or TRU operations exceeding 300 hours per week, and that are subject to CEQA and are located adjacent to sensitive land uses; shall have a facility-specific Health Risk Assessment (HRA) performed to assess the diesel

particulate matter (DPM) impacts from mobile-source traffic generated by that implementing development project. The proposed Project is expected to result in 48 truck trips with TRUs per day and is therefore required to prepare an HRA. The results of the HRA shall be included in the CEQA documentation for each implementing development project.

A Project-specific Health Risk Assessment has been prepared under separate cover to comply with this mitigation measure.

MM Air 18 Prior to the approval of each implementing development project, the Riverside Transit Agency (RTA) shall be contacted to determine if the RTA has plans for the future provision of bus routing within any street that is adjacent to the implementing development project that would require bus stops at the project access points. If the RTA has future plans for the establishment of a bus route that will serve the implementing development project, road improvements adjacent to the Project sites shall be designed to accommodate future bus turnouts at locations established through consultation with the RTA. RTA shall be responsible for the construction and maintenance of the bus stop facilities. The area set aside for bus turnouts shall conform to RTA design standards, including the design of the contact between sidewalks and curb and gutter at bus stops and the use of Americans with Disabilities Act (ADA)-compliant paths to the major building entrances in the project.

For purposes of analysis, the emissions presented in this AQIA do not reflect implementation of this mitigation measure.

MM Air 19 In order to reduce energy consumption from the individual implementing development projects, applicable plans (e.g., electrical plans, improvement maps) submitted to the City shall include the installation of energy-efficient street lighting throughout the Project sites. These plans shall be reviewed and approved by the applicable City Department (e.g., City of Perris' Building Division) prior to conveyance of applicable streets.

For purposes of analysis, the emissions presented in this AQIA do not reflect implementation of this mitigation measure.

MM Air 20 Each implementing development project shall be encouraged to implement, at a minimum, an increase in each building's energy efficiency 15% beyond Title 24, and reduce indoor water use by 25%. All reductions would be documented through a checklist to be submitted prior to issuance of building permits for the implementing development project with building plans and calculations.

For purposes of analysis, the emissions presented in this AQIA do not reflect implementation of this mitigation measure.


2.9 REGIONAL AIR QUALITY IMPROVEMENT

SCAQMD rule development through the 1970s and 1980s resulted in dramatic improvement in SCAB air quality. Nearly all control programs developed through the early 1990s relied on (i) the development and application of cleaner technology; (ii) add-on emission controls, and (iii) uniform CEQA review throughout the SCAB. Industrial emission sources have been significantly reduced by this approach and vehicular emissions have been reduced by technologies implemented at the state level by CARB.

As discussed above, the SCAQMD is the agency charged with regulating air quality emission reductions for the entire SCAB. The SCAQMD created a series AQMPs which represent a regional blueprint for achieving healthful air on behalf of the 16 million residents of the SCAB. The 2012 AQMP states, “the remarkable historical improvement in air quality since the 1970’s is the direct result of Southern California’s comprehensive, multiyear strategy of reducing air pollution from all sources as outlined in its AQMPs,” (25).

Emissions of O₃, NO_x, VOC, and CO have been decreasing in the SCAB since 1975 and are projected to continue to decrease through 2020 (26). These decreases result primarily from motor vehicle controls and reductions in evaporative emissions. Although vehicle miles traveled (VMT) in the SCAB continue to increase, NO_x and VOC levels are decreasing because of the mandated controls on motor vehicles and the replacement of older polluting vehicles with lower-emitting vehicles. NO_x emissions from electric utilities have also decreased due to use of cleaner fuels and renewable energy. O₃ contour maps show that the number of days exceeding the 8-hour NAAQS has generally decreased between 1980 and 2020. For 2020, there was an overall decrease in exceedance days compared with the 1980 period. However, as shown on Table 2-5, O₃ levels have increased in the past three years due to higher temperatures and stagnant weather conditions. Notwithstanding, O₃ levels in the SCAB have decreased substantially over the last 30 years with the current maximum measured concentrations being approximately one-third of concentrations within the late 70’s (27).

TABLE 2-5: SCAB O₃ TREND




Source: 2020 SCAQMD, Historical O₃ Air Quality Trends (1976-2020)

The overall trends of PM₁₀ and PM_{2.5} levels in the air (not emissions) show an overall improvement since 1975. Direct emissions of PM₁₀ have remained somewhat constant in the SCAB and direct emissions of PM_{2.5} have decreased slightly since 1975. Area wide sources (fugitive dust from roads, dust from construction, and other sources) contribute the greatest amount of direct particulate matter emissions.

As with other pollutants, the most recent PM₁₀ statistics show an overall improvement as illustrated in Tables 2-6 and 2-7. During the period for which data are available, the 24-hour national annual average concentration for PM₁₀ decreased by approximately 46%, from 103.7 microgram per cubic meter (µg/m³) in 1988 to 55.5 µg/m³ in 2020 (28). Although the values are below the federal standard, it should be noted that there are days within the year where the concentrations would exceed the threshold. The 24-hour state annual average for emissions for PM₁₀, have decreased by approximately 64%, from 93.9 µg/m³ in 1989 to 33.9 µg/m³ in 2020 (28). Although data in the late 1990's show some variability, this is probably due to the advances in meteorological science rather than a change in emissions. Similar to the ambient concentrations, the calculated number of days above the 24-hour PM₁₀ standards has also shown an overall drop.


TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM₁₀ TREND (BASED ON FEDERAL STANDARD)¹



Source: 2020 CARB, iADAM: Top Four Summary: PM₁₀ 24-Hour Averages (1988-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of “0” have also been omitted.

TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM₁₀ TREND (BASED ON STATE STANDARD)¹




Source: 2020 CARB, iADAM: Top Four Summary: PM₁₀ 24-Hour Averages (1988-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of “0” have also been omitted.

Tables 2-8 and 2-9 shows the most recent 24-hour average PM_{2.5} concentrations in the SCAB from 1999 through 2020. Overall, the national and state annual average concentrations have decreased by almost 50% and 31% respectively (28). It should be noted that the SCAB is currently designated as nonattainment for the state and federal PM_{2.5} standards.


TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON FEDERAL STANDARD)¹



Source: 2020 CARB, iADAM: Top Four Summary: PM_{2.5} 24-Hour Averages (1999-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION PM_{2.5} TREND (BASED ON STATE STANDARD)¹



Source: 2020 CARB, iADAM: Top Four Summary: PM_{2.5} 24-Hour Averages (1999-2020)

¹ Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

While the 2012 AQMP PM₁₀ attainment demonstration and the 2015 associated supplemental SIP submission indicated that attainment of the 24-hour standard was predicted to occur by the end of 2015, it could not anticipate the effect of the ongoing drought on the measured PM_{2.5}.


The 2006 to 2010 base period used for the 2012 attainment demonstration had near-normal rainfall. While the trend of PM_{2.5}-equivalent emission reductions continued through 2015, the severe drought conditions contributed to the PM_{2.5} increases observed after 2012. As a result of the disrupted progress toward attainment of the federal 24-hour PM_{2.5} standard, SCAQMD submitted a request and the EPA approved, in January 2016, a “bump up” to the nonattainment classification from “moderate” to “serious,” with a new attainment deadline as soon as practicable, but not beyond December 31, 2019. As of March 14, 2019, the EPA approved portions of a SIP revision submitted by California to address CAA requirements for the 2006 24-hour PM_{2.5} NAAQS in the Los Angeles-SCAB Serious PM_{2.5} nonattainment area. The EPA also approved 2017 and 2019 motor vehicle emissions budgets for transportation conformity purposes and inter-pollutant trading ratios for use in transportation conformity analyses (29).

In December 2022, the SCAQMD released the Final 2022 AQMP. The 2022 AQMP continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (30). Similar to the 2016 AQMP, the 2022 AQMP incorporates scientific and technological information and planning assumptions, including the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy (2020-2045 RTP/SCS) and updated emission inventory methodologies for various source categories (18).

The draft 2022 AQMP was released in August 2022 and public comment closed on October 18, 2022. The SCAQMD Governing Board adopted the draft 2022 AQMP at its December 2, 2022, meeting. The 2022 AQMP requires CARB’s adoption before submittal for the EPA’s final approval, which is expected to occur sometime in 2023.

The most recent CO concentrations in the SCAB are shown in Table 2-10 (28). CO concentrations in the SCAB have decreased markedly — a total decrease of more about 80% in the peak 8-hour concentration from 1986 to 2012. It should be noted 2012 is the most recent year where 8-hour CO averages and related statistics are available in the SCAB. The number of exceedance days has also declined. The entire SCAB is now designated as attainment for both the state and national CO standards. Ongoing reductions from motor vehicle control programs should continue the downward trend in ambient CO concentrations.

TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND¹




Source: 2020 CARB, iADAM: Top Four Summary: CO 8-Hour Averages (1986-2012)

¹ The most recent year where 8-hour concentration data is available is 2012.

Part of the control process of the SCAQMD’s duty to greatly improve the air quality in the SCAB is the uniform CEQA review procedures recommended in the SCAQMD’s *CEQA Air Quality Handbook (1993) (1993 CEQA Handbook)* (31). The single threshold of significance used to assess Project direct and cumulative impacts has in fact “worked” as evidenced by the track record of the air quality in the SCAB dramatically improving over the course of the past decades. As stated by the SCAQMD, the SCAQMD’s thresholds of significance are based on factual and scientific data and are therefore appropriate thresholds of significance to use for this Project.


The most recent NO₂ data for the SCAB is shown in Tables 2-11 and 2-12 (28). Over the last 50 years, NO₂ values have decreased significantly; the peak 1-hour national and state averages for 2020 is approximately 80% lower than what it was during 1963. The SCAB attained the State 1-hour NO₂ standard in 1994, bringing the entire state into attainment. A new state annual average standard of 0.030 ppm was adopted by CARB in February 2007 (32). The new standard is just barely exceeded in the SCAB. NO₂ is formed from NO_x emissions, which also contribute to O₃. As a result, the majority of the future emission control measures would be implemented as part of the overall O₃ control strategy. Many of these control measures would target mobile sources, which account for more than three-quarters of California’s NO_x emissions. These measures are expected to bring the SCAB into attainment of the state annual average standard.

TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON FEDERAL STANDARD)



Source: 2020 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2020)

TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO₂ TREND (BASED ON STATE STANDARD)



Source: 2020 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2020)

2.9.1 TOXIC AIR CONTAMINANTS (TAC) TRENDS

In 1984, as a result of public concern for exposure to airborne carcinogens, CARB adopted regulations to reduce the amount of TAC emissions resulting from mobile and area sources, such as cars, trucks, stationary sources, and consumer products. According to the *Ambient and Emission Trends of Toxic Air Contaminants in California* journal article (33) which was prepared for CARB, results show that between 1990-2012, ambient concentration and emission trends for


the seven TACs responsible for most of the known cancer risk associated with airborne exposure in California have declined significantly (between 1990 and 2012). The seven TACs studied include those that are derived from mobile sources: diesel particulate matter (DPM), benzene (C₆H₆), and 1,3-butadiene (C₄H₆); those that are derived from stationary sources: perchloroethylene (C₂Cl₄) and hexavalent chromium (Cr(VI)); and those derived from photochemical reactions of emitted VOCs: formaldehyde (CH₂O) and acetaldehyde (C₂H₄O)². The decline in ambient concentration and emission trends of these TACs are a result of various regulations CARB has implemented to address cancer risk.

MOBILE SOURCE TACS

CARB introduced two programs that aimed at reducing mobile emissions for light and medium duty vehicles through vehicle emissions controls and cleaner fuel. In California, light-duty vehicles sold after 1996 are equipped with California's second-generation On-Board Diagnostic (OBD-II) system. The OBD-II system monitors virtually every component that can affect the emission performance of the vehicle to ensure that the vehicle remains as clean as possible over its entire life and assists repair technicians in diagnosing and fixing problems with the computerized engine controls. If a problem is detected, the OBD-II system illuminates a warning lamp on the vehicle instrument panel to alert the driver. This warning lamp typically contains the phrase "Check Engine" or "Service Engine Soon." The system would also store important information about the detected malfunction so that a repair technician can accurately find and fix the problem. CARB has recently developed similar OBD requirements for heavy-duty vehicles over 14,000 pounds (lbs). CARB's phase II Reformulated Gasoline Regulation (RFG-2), adopted in 1996, also led to a reduction of mobile source emissions. Through such regulations, benzene levels declined 88% from 1990-2012. 1,3-Butadiene concentrations also declined 85% from 1990-2012 as a result of the use of reformulated gasoline and motor vehicle regulations (33).

In 2000, CARB's Diesel Risk Reduction Plan (DRRP) recommended the replacement and retrofit of diesel-fueled engines and the use of ultra-low-sulfur (<15 ppm) diesel fuel. As a result of these measures, DPM concentrations have declined 68% since 2000, even though the state's population increased 31% and the amount of diesel vehicles miles traveled increased 81%, as shown on Exhibit 2-B. With the implementation of these diesel-related control regulations, CARB expects a DPM decline of 71% for 2000-2020.

² It should be noted that ambient DPM concentrations are not measured directly. Rather, a surrogate method using the coefficient of haze (COH) and elemental carbon (EC) is used to estimate DPM concentrations.

EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND**California Population, Gross State Product (GSP),
Diesel Cancer Risk, Diesel Vehicle-Miles-Traveled (VMT)**

Source: 2020 CARB

CANCER RISK TRENDS

Based on information available from CARB, overall cancer risk throughout the SCAB has had a declining trend since 1990. In 1998, following an exhaustive 10-year scientific assessment process, CARB identified particulate matter from diesel-fueled engines as a toxic air contaminant. The SCAQMD initiated a comprehensive urban toxic air pollution study called the Multiple Air Toxics Exposure Study (MATES). DPM accounts for more than 70% of the cancer risk.

In January 2018, as part of the overall effort to reduce air toxics exposure in the SCAB, SCAQMD began conducting the MATES V Program. MATES V field measurements were conducted at ten fixed sites (the same sites selected for MATES III and IV) to assess trends in air toxics levels. MATES V also included measurements of ultrafine particles (UFP) and black carbon (BC) concentrations, which can be compared to the UFP levels measured in MATES IV (34). The final report for the MATES V study was published August 2021. In addition to new measurements and updated modeling results, several key updates were implemented in MATES V. First, MATES V estimates cancer risks by taking into account multiple exposure pathways, which includes inhalation and non-inhalation pathways. This approach is consistent with how cancer risks are estimated in the SCAQMD's programs such as permitting, Air Toxics Hot Spots (AB2588), and CEQA. Previous MATES studies quantified the cancer risks based on the inhalation pathway only. Second, along with cancer risk estimates, MATES V includes information on the chronic non-cancer risks from inhalation and non-inhalation pathways for the first time. Cancer risks and chronic non-cancer risks from MATES II through IV measurements have been re-examined using current Office of Environmental Health Hazard Assessment (OEHHA) and CalEPA risk assessment methodologies and modern statistical methods to examine the trends over time (35).

MATES-V calculated cancer risks based on monitoring data collected at ten fixed sites within the SCAB. None of the fixed monitoring sites are within the local area of the Project site. However, MATES-V has extrapolated the excess cancer risk levels throughout the SCAB by modeling the specific grids. The Project is located within a quadrant of the geographic grid of the MATES-V model which predicted a cancer risk of 288 in one million for the area containing the Project site. DPM is included in this cancer risk along with all other TAC sources. As in previous MATES iterations, DPM is the largest contributor to overall air toxics cancer risk. However, the average levels of DPM in MATES V are 53% lower at the 10 monitoring sites compared to MATES IV. Cumulative Project generated TACs are limited to DPM.

This page intentionally left blank

3 PROJECT AIR QUALITY IMPACT

3.1 INTRODUCTION

This study quantifies air quality emissions generated by construction and operation of the Project and addresses whether the Project would conflict with implementation of the 2022 AQMP. The analysis of Project-generated air emissions determines whether the Project would result in a cumulatively considerable net increase of any criteria pollutant for which the SCAB is in non-attainment under an applicable NAAQS and CAAQS. Additionally, the Project has been evaluated to determine whether it would expose sensitive receptors to substantial pollutant concentrations and the impacts of odors. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from Appendix G of the *CEQA Guidelines* (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (1):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has also developed regional and localized significance thresholds for other regulated pollutants, as summarized at Table 3-1 (36). The SCAQMD's *CEQA Air Quality Significance Thresholds* (March 2023) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: SCAQMD REGIONAL AND LOCALIZED SIGNIFICANCE THRESHOLDS (1 OF 2)

Pollutant	Regional Construction Threshold	Regional Operational Thresholds
NO _x	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM ₁₀	150 lbs/day	150 lbs/day
PM _{2.5}	55 lbs/day	55 lbs/day
SO _x	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day
Pb	3 lbs/day	3 lbs/day

TABLE 3-1: SCAQMD REGIONAL AND LOCALIZED SIGNIFICANCE THRESHOLDS (2 OF 2)

Pollutant	Localized Construction Threshold	Localized Operational Thresholds
NO _x	0.18 lbs/day	0.18 lbs/day
PM ₁₀	10.4 lbs/day	2.5 lbs/day
PM _{2.5}	10.4 lbs/day	2.5 lbs/day
CO (1-Hour)	20 lbs/day	20 lbs/day
CO (8-Hour)	9 lbs/day	9 lbs/day

lbs/day = Pounds Per Day

3.3 MODELS EMPLOYED TO ANALYZE AIR QUALITY

3.3.1 CALHEMOD

Land uses such as the Project affect air quality through construction-source and operational-source emissions.

In May 2023 the California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including SCAQMD, released the latest version of the California Emissions Estimator Model (CalEEMod) version 2022.1.1.14. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}) and greenhouse gas (GHG) emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (37). Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendices 3.1 through 3.3.

3.4 CONSTRUCTION EMISSIONS

3.4.1 CONSTRUCTION ACTIVITIES

Construction activities associated with the Project would result in emissions of VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}. Construction related emissions are expected from the following construction activities:

- Site Preparation
- Grading
- Trenching
- Building Construction
- Paving
- Architectural Coating

GRADING ACTIVITIES

Dust is typically a major concern during grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called “fugitive emissions”. Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). CalEEMod was utilized to calculate fugitive dust emissions resulting from this phase of activity. The Project would require 91,735 cubic yards of import for earthwork activities.

TRENCHING

Trenching activities would be needed for off-site improvements, including the installation of 8-inch reclaimed water line (1,443 linear feet) and 30-inch underground reinforced concrete pipe to replace channel (472 feet).

ON-ROAD TRIPS

Construction generates on-road vehicle emissions from vehicle usage for workers, vendors, and haul trucks commuting to and from the site. The assumed number of worker, vendor, and hauling trips are presented below in Table 3-2. Worker trips are based on CalEEMod defaults. It should be noted that for vendor trips, specifically, CalEEMod only assigns vendor trips to the Building Construction phase. Vendor trips would likely occur during all phases of construction. As such, the CalEEMod defaults for vendor trips have been adjusted based on a ratio of the total vendor trips to the number of days of each subphase of activity.

TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS

Construction Activity	Worker Trips Per Day	Vendor Trips Per Day	Hauling Trips Per Day
Site Preparation	18	7	0
Grading	20	15	255
Trenching	33	3	0
Building Construction	232	65	0
Paving	15	0	0
Architectural Coating	46	0	0

3.4.2 CONSTRUCTION DURATION

For purposes of analysis, construction of Project is assumed to commence in March 2025 and last through March 2026. The construction schedule utilized in the analysis, shown in Table 3-3, represents a “worst-case” analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent³. The duration of

³ As shown in the CalEEMod User’s Guide Version 2022.1, Section 4.3 “Off-Road Equipment” as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per *CEQA Guidelines* (1).

TABLE 3-3: ESTIMATED CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Working Days
Site Preparation	03/04/2025	03/31/2025	20
Grading	04/01/2025	06/02/2025	45
Trenching	06/03/2025	06/16/2025	10
Building Construction	06/17/2025	03/23/2026	200
Paving	02/03/2026	03/23/2026	35
Architectural Coating	12/16/2025	03/23/2026	70

3.4.3 CONSTRUCTION EQUIPMENT

Consistent with industry standards and typical construction practices, each piece of equipment listed in Table 3-4 is assumed to operate up to a total of eight (8) hours per day, or more than two-thirds of the period during which construction activities are allowed pursuant to the code. In accordance with the City of Perris Good Neighbor Guidelines, it was assumed that equipment rated more than 50 horsepower would meet at least CARB Tier 4 Interim emissions standards.

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS (1 OF 2)

Construction Activity	Equipment ¹	Amount	Hours Per Day
Site Preparation	Rubber Tired Dozers	3	8
	Crawler Tractors	4	8
Grading	Excavators	2	8
	Graders	1	8
	Rubber Tired Dozers	1	8
	Scrapers	2	8
	Crawler Tractors	2	8
Trenching	Dumpers/Tenders	2	8
	Excavators	4	8
	Plate Compactors	4	8
	Skid Steer Loaders	1	8
	Tractors/Loaders/Backhoes	2	8

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS (2 OF 2)

Construction Activity	Equipment ¹	Amount	Hours Per Day
Building Construction	Cranes	1	8
	Forklifts	3	8
	Generator Sets	1	8
	Tractors/Loaders/Backhoes	3	8
	Welders	1	8
Paving	Pavers	2	8
	Paving Equipment	2	8
	Rollers	2	8
Architectural Coating	Air Compressors	1	8

¹ In order to account for fugitive dust emissions, Crawler Tractors were used in lieu of Tractors/Loaders/Backhoes during the site preparation and grading phases of Project construction.

3.4.4 CONSTRUCTION EMISSIONS SUMMARY

IMPACTS WITHOUT MITIGATION

The estimated maximum daily construction emissions without mitigation are summarized on Table 3-5. Detailed construction model outputs are presented in Appendix 3.1. Under the assumed scenarios, emissions resulting from the Project construction would not exceed the thresholds established by the SCAQMD for emissions of any criteria pollutant.

TABLE 3-5: PEAK DAILY CONSTRUCTION EMISSIONS SUMMARY

Year	Emissions (lbs/day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Summer						
2025	1.68	39.46	42.69	0.18	8.22	2.89
Winter						
2025	40.71	16.03	34.79	0.05	6.06	2.87
2026	42.08	21.27	45.07	0.06	4.65	1.31
Maximum Daily Emissions	42.08	39.46	45.07	0.18	8.22	2.89
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

Source: CalEEMod construction-source (unmitigated) emissions are presented in Appendix 3.1.

3.5 OPERATIONAL EMISSIONS

Operational activities associated with the Project would result in emissions of VOCs, NO_x, SO_x, CO, PM₁₀, and PM_{2.5}. Operational emissions are expected from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions
- On-Site Cargo Handling Equipment Emissions
- Stationary Source Emissions
- Transportation Refrigeration Unit (TRU) Emissions

3.5.1 AREA SOURCE EMISSIONS

ARCHITECTURAL COATINGS

Over a period of time, the Project building would require maintenance and would therefore produce emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings. The emissions associated with architectural coatings were calculated using CalEEMod.

CONSUMER PRODUCTS

Consumer products include, but are not limited to detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on defaults provided within CalEEMod.

LANDSCAPE MAINTENANCE EQUIPMENT

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that as October 9, 2021, Governor Gavin Newsom signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross horsepower (known as small off-road engines [SOREs]) by 2024. For purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod.

3.5.2 ENERGY SOURCE EMISSIONS

COMBUSTION EMISSIONS ASSOCIATED WITH ELECTRICITY AND NATURAL GAS USE

Criteria pollutant emissions are emitted through the generation of electricity. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity are excluded from the evaluation of

significance. Based on information provided by the Project applicant, the site is also not expected to utilize natural gas for the building envelope, and therefore would not generate any emissions from direct energy consumption.

3.5.3 MOBILE SOURCE EMISSIONS

The Project related operational air quality emissions would derive primarily from vehicle trips generated by the Project, including employee trips to and from the site and truck trips associated with the proposed uses. Trip characteristics available from the *Ramona and Webster Perris Traffic Impact Analysis* were utilized in this analysis (38).

APPROACH FOR ANALYSIS OF THE PROJECT

In order to determine emissions from passenger car vehicles, CalEEMod defaults for trip length and trip purpose were utilized. Default vehicle trip lengths for primary trips will be populated using data from the local metropolitan planning organizations/Regional Transportation Planning Agencies (MPO/RTPA). Trip type percentages and trip lengths provided by MPO/RTPAs truncate data at their demonstrative borders. This analysis assumes that passenger cars include Light-Duty-Auto vehicles (LDA), Light-Duty-Trucks (LDT1⁴ & LDT2⁵), Medium-Duty-Vehicles (MDV), and Motorcycles (MCY) vehicle types. In order to account for emissions generated by passenger cars, the fleet mix in Table 3-6 was utilized.

TABLE 3-6: PASSENGER CAR FLEET MIX

Land Use	% Vehicle Type				
	LDA	LDT1	LDT2	MDV	MCY
TUMF Fulfillment Center	53.90%	4.13%	22.26%	17.20%	2.51%
Cold Storage					

Note: The Project-specific passenger car fleet mix used in this analysis is based on a proportional split utilizing the default CalEEMod percentages assigned to LDA, LDT1, LDT2, and MDV vehicle types.

To determine emissions from trucks for the proposed industrial uses, the analysis incorporated the SCAQMD recommended truck trip length of 15.3 miles for 2-axle (LHDT1, LHDT2), 14.2 miles for 3-axle (MHDT) trucks, and 39.9 miles for 4+-axle (HHDT) trucks and weighting the average trip lengths using traffic trip percentages. The trip length function for the industrial uses has been revised to 28.5 miles and an assumption of 100% primary trips. Trucks are broken down by truck type. The truck fleet mix is estimated by rationing the trip rates for each truck type based on information provided by the SCAQMD recommended truck mix, by axle type. Heavy trucks are broken down by truck type (or axle type) and are categorized as either Light-Heavy-Duty Trucks (LHDT1⁶ & LHDT2⁷)/2-axle, Medium-Heavy-Duty Trucks (MHDT)/3-axle, and Heavy-Heavy-Duty

⁴ Vehicles under the LDT1 category have a gross vehicle weight rating (GVWR) of less than 6,000 lbs. and equivalent test weight (ETW) of less than or equal to 3,750 lbs.

⁵ Vehicles under the LDT2 category have a GVWR of less than 6,000 lbs. and ETW between 3,751 lbs. and 5,750 lbs.

⁶ Vehicles under the LHDT1 category have a GVWR of 8,501 to 10,000 lbs.

⁷ Vehicles under the LHDT2 category have a GVWR of 10,001 to 14,000 lbs.

Trucks (HHDT)/4+-axle. To account for emissions generated by trucks, the fleet mix in Table 3-7 was utilized.

TABLE 3-7: TRUCK FLEET MIX

Land Use	% Vehicle Type			
	LHDT1	LHDT2	MHDT	HHDT
TUMF Fulfillment Center	27.46%	7.83%	10.29%	54.41%
Cold Storage	25.94%	7.39%	12.50%	54.17%

Note: Project-specific truck fleet mix is based on the number of trips generated by each truck type (LHDT1, LHDT2, MHDT, and HHDT) relative to the total number of truck trips.

FUGITIVE DUST RELATED TO VEHICULAR TRAVEL

Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of brake and tire wear particulates. The emissions estimate for travel on paved roads were calculated using CalEEMod.

3.5.4 ON-SITE CARGO HANDLING EQUIPMENT SOURCE EMISSIONS

It is common for industrial buildings to require the operation of exterior cargo handling equipment in the building's truck court areas. Although the City of Perris Good Neighbor Guidelines require that on-site motorized operational equipment shall be Zero Emissions, for this Project, on-site modeled operational equipment was assumed to include up to two (2) 175 horsepower (hp), natural gas-powered cargo handling equipment – port tractor operating 4 hours a day⁸ for 365 days of the year in order to provide a conservative analysis.

3.5.5 STATIONARY SOURCE EMISSIONS

Stationary area source emissions are typically generated by the consumption of natural gas for space and water heating devices and the use of consumer products. Stationary energy emissions would result from energy consumption associated with the proposed Project. However, the proposed Project will include the use of a fire pump and emergency generator. As such, for this particular Project, it is assumed that a single diesel-fueled fire pump would operate at 150 hp and the emergency generator would operate at 350 hp. Both the fire pump and emergency generator would operate for up to 0.5 hour per day for up to 50 hours per year for maintenance and testing purposes.

3.5.6 TRANSPORTATION REFRIGERATION UNIT EMISSIONS

In order to account for the possibility of refrigerated uses, trucks associated with the cold-storage land use are assumed to also have Transportation Refrigeration Units (TRUs). Although the City of Perris Good Neighbor Guidelines require that truck operators with TRUs utilize electric plug-in

⁸ Based on Table II-3, Port and Rail Cargo Handling Equipment Demographics by Type, from CARB's Technology Assessment: Mobile Cargo Handling Equipment document, a single piece of equipment could operate up to 2 hours per day (Total Average Annual Activity divided by Total Number Pieces of Equipment). As such, the analysis conservatively assumes that the tractor/loader/backhoe would operate up to 4 hours per day.

units when at loading docks, for modeling purposes, 24 truck trips during have been estimated to include TRUs (e.g., all truck trips that would be associated with up to 137,981-sf of high-cube cold storage use, as summarized in the *Ramona and Webster Perris Traffic Impact Analysis* (38)). TRUs are accounted for during on-site and off-site travel. The TRU calculations are based on Emissions FACTor Model version 2021 (EMFAC2021), developed by CARB. EMFAC2021 does not provide emission rates per hour or mile as with the on-road emission model and only provides emission inventories. Emission results are produced in tons per day while all activity, fuel consumption and horsepower hours were reported at annual levels. The emission inventory is based on specific assumptions including the average horsepower rating of specific types of equipment and the hours of operation annually. These assumptions are not always consistent with assumptions used in the modeling of project level emissions. Therefore, the emissions inventory was converted into emission rates to accurately calculate emissions from TRU operation associated with project level details. This was accomplished by converting the annual horsepower hours to daily operational characteristics and converting the daily emission levels into hourly emission rates based on the total emission of each criteria pollutant by equipment type and the average daily hours of operations.

3.5.7 OPERATIONAL EMISSIONS SUMMARY

As previously stated, CalEEMod utilizes summer and winter EMFAC2021 emission factors in order to derive vehicle emissions associated with Project operational activities, which vary by season. The estimated operational-source emissions are summarized on Table 3-8. Detailed operation model outputs for the Project are presented in Appendix 3.2. As shown on Table 3-8, the Project's daily regional emissions from on-going operations would not exceed the thresholds of significance for emissions of any criteria pollutant.

TABLE 3-8: SUMMARY OF PEAK DAILY OPERATIONAL EMISSIONS (1 OF 2)

Source	Emissions (lbs/day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Summer						
Mobile Source	3.99	15.80	39.77	0.20	11.96	3.28
Area Source	17.24	0.20	24.00	0.00	0.03	0.04
Stationary Source	0.41	1.15	1.18	0.00	0.06	0.06
TRU Source	2.20	2.49	0.25	0.00	0.10	0.10
On-Site Equipment Source	0.23	0.75	32.89	0.00	0.06	0.05
Project Maximum Daily Emissions	24.07	20.39	98.09	0.20	12.21	3.53
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

TABLE 3-8: SUMMARY OF PEAK DAILY OPERATIONAL EMISSIONS (2 OF 2)

Source	Emissions (lbs/day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Winter						
Mobile Source	3.81	16.61	34.04	0.19	11.96	3.28
Area Source	13.30	0.00	0.00	0.00	0.00	0.00
Stationary Source	0.41	1.15	1.18	0.00	0.06	0.06
TRU Source	2.20	2.49	0.25	0.00	0.10	0.10
On-Site Equipment Source	0.23	0.75	32.89	0.00	0.06	0.05
Project Maximum Daily Emissions	19.95	20.99	68.36	0.19	12.18	3.49
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

Source: CalEEMod operational-source emissions are presented in Appendix 3.2.

3.6 LOCALIZED SIGNIFICANCE

BACKGROUND ON LST DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4.⁹ LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (39) which recommends that proposed projects larger than five acres in area undergo air dispersion modeling to determine localized air quality. As such, since the Project is

⁹ The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "...equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

greater than five acres in area, air dispersion modeling is utilized to determine localized air quality as discussed in the following sections.

EMISSIONS CONSIDERED

Based on SCAQMD's *LST Methodology*, emissions for concern during construction activities are on-site NO_x, CO, PM_{2.5}, and PM₁₀. The *LST Methodology* clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (40)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

DISPERSION MODELING

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved American Meteorological Society/EPA Regulatory Model (AERMOD) dispersion model was utilized. The modeling approach utilized is discussed as follows:

SOURCES

It should be noted that in order to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled.

A ground level release height and a 1 meter (approximately 3.28 feet) initial vertical dimension (sigma z) were utilized for fugitive dust emissions of PM₁₀ and PM_{2.5} consistent with SCAQMD's LST guidance.

In order to account for equipment exhaust emissions from NO₂, CO, PM₁₀, and PM_{2.5} a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

METEOROLOGICAL DATA AND MODEL OPTIONS

In order to account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Redlands monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

RECEPTORS

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors." These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual

could remain for 24 hours to the Project site has been used to determine construction and operational air quality impacts for emissions of PM₁₀ and PM_{2.5}, since PM₁₀ and PM_{2.5} thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain on-site for a full 24 hours but are typically on-site for 8 hours or less. However, *LST Methodology* explicitly states that “LSTs based on shorter averaging periods, such as the NO₂ and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours (40).” Therefore, any adjacent land use where an individual could remain for 1 or 8 hours, that is located at a closer distance to the Project site than the receptor used for PM₁₀ and PM_{2.5} analysis, must be considered to determine construction and operational LST air impacts for emissions of NO₂ and CO since these pollutants have an averaging time of 1 and 8 hours..

PROJECT-RELATED RECEPTORS

Receptors in the Project study area are described below and shown on Exhibit 3-B. Localized air quality impacts were evaluated at sensitive receptor land uses nearest the Project site. All distances are measured from the Project site boundary to the outdoor living areas (e.g., backyards) or at the building façade, whichever is closer to the Project site.

- R1: Location R1 represents the existing residence at 4063 North Webster Avenue, approximately 508 feet north of the Project site.
- R2: Location R2 represents the property line of the existing residence at 4063 North Webster Avenue, approximately 492 feet north of the Project site.
- R3: Location R3 represents the existing residence at 4062 Brennan Avenue, approximately 513 feet northeast of the Project site.
- R4: Location R4 represents the Val Verde Regional Learning Center at 3710 Webster Avenue, approximately 240 feet southwest of the Project site.
- R5: Location R5 represents the Val Verde Academy at 972 Morgan Street, approximately 750 feet southwest of the Project site.
- R6: Location R6 represents Jr Construction Clean Up, Inc. at 3772 Brennan Avenue, approximately 40 feet north of the Project site.
- R7: Location R7 represents the Leonard’s Services countertop store located at 3701 Webster Avenue, approximately 41 feet south of the Project site.
- R8: Location R8 represents the potential worker receptor located at 3660 Brennan Avenue, approximately 71 feet south of the Project site.

The SCAQMD recommends that the nearest sensitive receptor be considered when determining a Project’s impact. The nearest land use where an individual could remain for 24 hours to the Project site has been used to determine localized construction and operational air quality impacts for emissions of PM₁₀ and PM_{2.5} (since PM₁₀ and PM_{2.5} thresholds are based on a 24-hour averaging time).

EXHIBIT 3-B: RECEPTOR LOCATIONS



3.7 CONSTRUCTION-SOURCE EMISSIONS LST ANALYSIS

Emissions during the peak construction activity will not exceed the SCAQMD’s localized significance thresholds at the maximally exposed receptor locations for emissions of CO and NO₂ (R7) and PM₁₀ and PM_{2.5} (R2), as illustrated in Table 3-9. All other modeled locations in the study area would experience a lesser concentration and consequently a lesser impact. As such, the Project’s localized impacts during construction activity would be less than significant. Outputs from the model runs for construction LSTs are provided in Appendix 3.1 and Appendix 3.4.

TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION

Peak Construction	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	0.05	0.02	1.75E-02	0.34	0.13
Background Concentration ^A	3.3	1.8	0.066		
Total Concentration	3.35	1.82	0.08	1.06	0.41
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	NO	NO	NO	NO	NO

^AHighest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD’s LST Methodology, background concentrations are considered only for CO and NO₂.

3.8 OPERATIONAL-SOURCE EMISSIONS LST ANALYSIS

The LST analysis generally includes on-site sources (area, energy, mobile, and on-site cargo handling equipment are previously discussed in Section 3.5 of this report). However, it should be noted that the CalEEMod outputs do not separate on-site and off-site emissions from mobile sources. As such, to establish a maximum potential impact scenario for analytic purposes, the modeled emissions include all on-site Project-related stationary (area) sources and on-site Project-related mobile emissions. In order to account for on-site mobile emissions, a trip length of 1.0 mile was utilized for both trucks and passenger cars.

In order to account for any potential impacts to on-site receptors as a result of operational activity, a scenario conservatively assuming 2025 emissions was analyzed. As shown in Table 3-10 below, emissions would not exceed SCAQMD’s localized significance thresholds at the maximally exposed on-site receptors as a result of operational activities. Outputs from the model runs for construction LSTs are provided in Appendix 3.3 and Appendix 3.4.

TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS

Peak Construction	CO		NO ₂	PM ₁₀	PM _{2.5}
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	4.17E-02	2.43E-02	2.69E-03	0.09	0.04
Background Concentration ^A	1.6	0.8	0.044		
Total Concentration	1.64	0.82	0.05	0.35	0.15
SCAQMD Localized Significance Threshold	20	9	0.18	2.5	2.5
Threshold Exceeded?	NO	NO	NO	NO	NO

^A Highest concentration from the last three years of available data.

Notes: PM₁₀ and PM_{2.5} concentrations are expressed in µg/m³. All others are expressed in ppm.

Based on SCAQMD’s LST Methodology, background concentrations are considered only for CO and NO₂.

3.9 CO “HOT SPOT” ANALYSIS

As discussed below, the Project would not result in potentially adverse CO concentrations or “hot spots.” Further, detailed modeling of Project-specific CO “hot spots” is not needed to reach this conclusion. An adverse CO concentration, known as a “hot spot”, would occur if an exceedance of the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm were to occur.

It has long been recognized that CO hotspots are caused by vehicular emissions, primarily when idling at congested intersections. In response, vehicle emissions standards have become increasingly stringent in the last twenty years. Currently, the allowable CO emissions standard in California is a maximum of 3.4 grams/mile for passenger cars (there are requirements for certain vehicles that are more stringent). With the turnover of older vehicles, introduction of cleaner fuels, and implementation of increasingly sophisticated and efficient emissions control technologies, CO concentration in the SCAB is now designated as attainment. To establish a more accurate record of baseline CO concentrations affecting the SCAB, a CO “hot spot” analysis was conducted in 2003 for four busy intersections in Los Angeles at the peak morning and afternoon time periods. This “hot spot” analysis did not predict any violation of CO standards, as shown on Table 3-11.

TABLE 3-11: CO MODEL RESULTS

Intersection Location	CO Concentrations (ppm)		
	Morning 1-hour	Afternoon 1-hour	8-hour
Wilshire Boulevard/Veteran Avenue	4.6	3.5	3.7
Sunset Boulevard/Highland Avenue	4	4.5	3.5
La Cienega Boulevard/Century Boulevard	3.7	3.1	5.2
Long Beach Boulevard/Imperial Highway	3	3.1	8.4

Source: 2003 AQMP, Appendix V: Modeling and Attainment Demonstrations

Notes: Federal 1-hour standard is 35 ppm and the deferral 8-hour standard is 9.0 ppm.

Based on the SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (*1992 CO Plan*), peak carbon monoxide concentrations in the SCAB were a result of unusual meteorological and topographical conditions and not a result of traffic volumes and congestion at a particular intersection. As evidence of this, for example, 8.4 ppm 8-hr CO concentration measured at the Long Beach Blvd. and Imperial Hwy. intersection (highest CO generating intersection within the “hot spot” analysis), only 0.7 ppm was attributable to the traffic volumes and congestion at this intersection; the remaining 7.7 ppm were due to the ambient air measurements at the time the 2003 AQMP was prepared (41). In contrast, an adverse CO concentration, known as a “hot spot”, would occur if an exceedance of the state one-hour standard of 20 parts per million (ppm) or the eight-hour standard of 9 ppm were to occur.

The ambient 1-hr and 8-hr CO concentration within the Project study area is estimated to be 0.9 ppm and 0.8 ppm, respectively (data from Elsinore Valley monitoring station for 2021). Therefore, even if the traffic volumes for the proposed Project were double or even triple of the traffic volumes generated at the Long Beach Blvd. and Imperial Hwy. intersection, coupled with the on-going improvements in ambient air quality, the Project would not be capable of resulting in a CO “hot spot” at any study area intersections.

Similar considerations are also employed by other Air Districts when evaluating potential CO concentration impacts. More specifically, the Bay Area Air Quality Management District (BAAQMD) concludes that under existing and future vehicle emission rates, a given project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour (vph)—or 24,000 vph where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (42). Traffic volumes generating the CO concentrations for the “hot spot” analysis is shown on Table 3-12. The busiest intersection evaluated was that at Wilshire Boulevard and Veteran Avenue, which has a daily traffic volume of approximately 100,000 vph and AM/PM traffic volumes of 8,062 vph and 7,719 vph respectively (41). The 2003 AQMP estimated that the 1-hour concentration for this intersection was 4.6 ppm; this indicates that, should the daily traffic volume increase four times to 400,000 vehicles per day, CO concentrations ($4.6 \text{ ppm} \times 4 = 18.4 \text{ ppm}$) would still not likely exceed the most stringent 1-hour CO standard (20.0 ppm)¹⁰.

¹⁰ Based on the ratio of the CO standard (20.0 ppm) and the modeled value (4.6 ppm)

TABLE 3-12: TRAFFIC VOLUMES

Intersection Location	Peak Traffic Volumes (vph)				
	Eastbound (AM/PM)	Westbound (AM/PM)	Southbound (AM/PM)	Northbound (AM/PM)	Total (AM/PM)
Wilshire Boulevard/Veteran Avenue	4,954/2,069	1,830/3,317	721/1,400	560/933	8,062/7,719
Sunset Boulevard/Highland Avenue	1,417/1,764	1,342/1,540	2,304/1,832	1,551/2,238	6,614/5,374
La Cienega Boulevard/Century Boulevard	2,540/2,243	1,890/2,728	1,384/2,029	821/1,674	6,634/8,674
Long Beach Boulevard/Imperial Highway	1,217/2,020	1,760/1,400	479/944	756/1,150	4,212/5,514

Source: 2003 AQMP

3.10 AQMP CONSISTENCY

The Project's consistency with the AQMP is determined using the 2022 AQMP as discussed below. Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the 1993 CEQA Air Quality Handbook (43). These indicators are discussed below:

3.10.1 CONSISTENCY CRITERION NO. 1

The proposed Project would not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

The violations that Consistency Criterion No. 1 refer to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if regional or localized significance thresholds were exceeded.

Construction Impacts – Consistency Criterion 1

Consistency Criterion No. 1 refers to violations of the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if localized or regional significance thresholds were exceeded. As evaluated, the Project's localized and regional construction-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

Operational Impacts – Consistency Criterion 1

As evaluated, the Project's localized and regional operation-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

On the basis of the preceding discussion, the Project is determined to be consistent with the first criterion.

3.10.2 CONSISTENCY CRITERION NO. 2

The Project would not exceed the assumptions in the AQMP based on the years of Project build-out phase.

The AQMP demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in City of Perris General Plan is considered to be consistent with the AQMP.

Operational Impacts – Consistency Criterion 2

The City of Perris General Plan land use designation for the Project site is PVCCSP. The PVCCSP zoning designation for the Project site is Light Industrial. This designation allows a floor-area-ratio (FAR) of up to 0.75. The PVCCSP states that the Light Industrial zoning district is intended for light industrial uses and related activities including manufacturing, research, warehousing and distribution, assembly of non-hazardous materials, and retail related manufacturing.

The Project is proposed to develop the 29.5-acre site, located in the City of Perris, with a new high-cube warehouse facility and related site improvements. The Project includes construction and operation of approximately 551,922 sf of new building space. The Project's proposed uses are consistent with the site's land use designations.

Additionally, as the Project's operational-source air pollutant emissions would not exceed the regional thresholds, the Project is determined to be consistent with the second criterion.

AQMP CONSISTENCY CONCLUSION

The Project would not have the potential to result in or cause NAAQS or CAAQS violations. Additionally, the Project's proposed uses are consistent with the General Plan land use designation and therefore the Project's development intensity is consistent with the development intensities allowed under the General Plan and PVCCSP as previously stated. As such, the Project is considered to be consistent with the AQMP.

3.11 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Results of the LST analysis indicate that the Project would not exceed the SCAQMD localized significance thresholds during construction. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations during Project construction.

Additionally, the Project would not exceed the SCAQMD localized significance thresholds during operational activity. Further Project traffic would not create or result in a CO "hotspot." Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations as the result of Project operations.

3.11.1 FRIANT RANCH CASE

In December 2018, in the case of *Sierra Club v. County of Fresno* (2018) 6 Cal.5th 502, the California Supreme Court held that an Environmental Impact Report's (EIR) air quality analysis must meaningfully connect the identified air quality impacts to the human health consequences of those impacts, or meaningfully explain why that analysis cannot be provided.

Most local agencies, including the City of Perris, lack the data to do their own assessment of potential health impacts from criteria air pollutant emissions, as would be required to establish customized, locally-specific thresholds of significance based on potential health impacts from an individual development project. The use of national or "generic" data to fill the gap of missing local data would not yield accurate results because such data does not capture local air patterns, local background conditions, or local population characteristics, all of which play a role in how a population experiences air pollution. Because it is impracticable to accurately isolate the exact cause of a human disease (for example, the role a particular air pollutant plays compared to the role of other allergens and genetics in causing asthma), existing scientific tools cannot accurately estimate health impacts of the Project's air emissions without undue speculation. Instead, readers are directed to the Project's air quality impact analysis above, which provides extensive information concerning the quantifiable and non-quantifiable health risks related to the Project's construction and long-term operation.

Notwithstanding, this AQIA does evaluate the proposed Project's localized impact to air quality for emissions of CO, NO_x, PM₁₀, and PM_{2.5} by comparing the proposed Project's on-site emissions to the SCAQMD's applicable LST thresholds. The LST analysis above determined that the Project would not result in emissions exceeding SCAQMD's LSTs. Therefore, the proposed Project would not be expected to exceed the most stringent applicable federal or state ambient air quality standards for emissions of CO, NO_x, PM₁₀, and PM_{2.5}.

As the Project's emissions would comply with federal, state, and local air quality standards, the proposed Project's emissions are not sufficiently high enough to use a regional modeling program to correlate health effects on a basin-wide level and would not provide a reliable indicator of health effects if modeled.

3.12 ODORS

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming)
- Wastewater treatment plants
- Food processing plants
- Chemical plants
- Composting operations
- Refineries
- Landfills

- Dairies
- Fiberglass molding facilities

The Project does not contain land uses typically associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust and the application of asphalt and architectural coatings during construction activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's (long-term operational) uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant. It is expected that Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with current solid waste regulations. The proposed Project would also be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. Therefore, odors and other emissions (such as those leading to odors) associated with construction and operations activities of the proposed Project would be less than significant and no mitigation is required (44).

3.13 CUMULATIVE IMPACTS

As previously shown in Table 2-3, the CAAQS designate the Project site as nonattainment for O₃, PM₁₀, and PM_{2.5} while the NAAQS designates the Project site as nonattainment for O₃ and PM_{2.5}.

The SCAQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (45). In this report the SCAQMD clearly states (Page D-3):

"...the SCAQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for TAC emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those pollutants for which the SCAB is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds for project-specific impacts would be considered cumulatively considerable.

CONSTRUCTION IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project construction-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project construction-source emissions would be considered less than significant on a Project-specific and cumulative basis.

OPERATIONAL IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project operation-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project operation-source emissions would be considered less than significant on a project-specific and cumulative basis.

This page intentionally left blank

4 REFERENCES

1. **State of California.** *2020 CEQA California Environmental Quality Act.* 2020.
2. **South Coast Air Quality Management District.** Southern California Air Basins. [Online] <https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf>.
3. —. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning.* 2005.
4. **St. Croix Sensory, Inc.** *The "Gray Line" Between Odor Nuisance and Health Effects.* 2000.
5. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2016. <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>.
6. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . *EPA.* [Online] <https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8>.
7. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2018. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-monitoring-network-plan/annual-air-quality-monitoring-network-plan-v2.pdf?sfvrsn=2>.
8. **Air Resources Board.** *Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards.* 2024.
9. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] <https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year>.
10. **Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. <https://www.epa.gov/environmental-topics/air-topics>.
11. —. Air Pollution and the Clean Air Act. [Online] <http://www.epa.gov/air/caa/>.
12. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i>.
13. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii>.
14. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] <http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm>.
15. **California Energy Commission.** Energy Commission Adopts Updated Building Standards to Improve Efficiency, Reduce Emissions from Homes and Businesses. [Online] August 11, 2021. <https://www.energy.ca.gov/news/2021-08/energy-commission-adopts-updated-building-standards-improve-efficiency-reduce-0>.
16. **California Department of General Services.** 2022 CALGreen Code. *CALGreen.* [Online] <https://codes.iccsafe.org/content/CAGBC2022P1>.
17. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11>.
18. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocial-plan_0.pdf?1606001176.

19. **South Coast Air Quality Management District.** RULE 403. FUGITIVE DUST. [Online] <https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403.pdf?sfvrsn=4>.
20. —. RULE 1113. Architectural Coatings. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf>.
21. **Air Resources Board.** ARB's Drayage Truck Regulatory Activities. [Online] <http://www.arb.ca.gov/msprog/onroad/porttruck/porttruck.htm>.
22. —. Truck and Bus Regulation. *On-Road Heavy-Duty Diesel Vehicles (In-Use) Regulation*. [Online] <http://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm>.
23. **The Port of Los Angeles.** Clean Truck Program. [Online] http://www.portoflosangeles.org/ctp/idx_ctp.asp.
24. **City of Perris.** *Draft Perris Valley Commerce Center Environmental Impact Report*. Perris : s.n., 2011.
25. **South Coast Air Quality Management District.** *Air Quality Management Plan*. 2012.
26. **California Air Resources Board.** *The California Almanac of Emissions and Air Quality*. 2013.
27. **South Coast AQMD.** South Coast Air Basin Ozone Trend. [Online] <https://www.aqmd.gov/home/air-quality/historical-air-quality-data/historic-ozone-air-quality-trends>.
28. **California Air Resources Board.** iADAM: Air Quality Data Statistics. *California Air Resources Board*. [Online] <https://arb.ca.gov/adam/topfour/topfour1.php>.
29. **Environmental Protection Agency.** Approval and Promulgation of Implementation Plans; California; South Coast Serious Area Plan for the 2006 PM2.5. [Online] 2019. <https://www.federalregister.gov/documents/2019/02/12/2019-01922/approval-and-promulgation-of-implementation-plans-california-south-coast-serious-area-plan-for-the>.
30. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan. *South Coast Air Quality Management District*. [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf>.
31. **South coast Air Quality Management District.** *CEQA Air Quality Handbook (1993)*. 1993.
32. **California Environmental Protection Agency Air Resources Board.** Nitrogen Dioxide- Overview. [Online] <http://www.arb.ca.gov/research/aaqs/caaqs/no2-1/no2-1.htm>.
33. **Ralph Propper, Patrick Wong, Son Bui, Jeff Austin, William Vance, Alvaro Alvarado, Bart Croes, and Dongmin Luo.** Ambient and Emission Trends of Toxic Air Contaminants in California. *American Chemical Society: Environmental Science & Technology*. 2015.
34. **South Coast Air Quality Management District.** Transfer Funds, Appropriate Funding, Execute Purchase Orders, Execute Contrat and Authorize Release of RFQs for the Fifth Multiple Air Toxics Exposure Study. *South Coast Air Quality Management District*. [Online] 2017. <http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2017/2017-jul7-009.pdf?sfvrsn=7>.
35. —. Executive Summary. *MATES V Final Report*. [Online] 2021. <http://www.aqmd.gov/docs/default-source/planning/mates-v/mates-v-final-report-9-24-21.pdf?sfvrsn=6>.
36. **South Coast Air Quality Management District (SCAQMD).** SCAQMD Air Quality Significance Thresholds. [Online] <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2>.

37. **California Air Pollution Control Officers Association (CAPCOA)**. California Emissions Estimator Model (CalEEMod). [Online] May 2022. www.caleemod.com.
38. **EPD Solutions**. *Ramona and Webster Perris Traffic Impact Analysis* . 2023.
39. **Lake Environmental**. US EPA Models. *Lake Environmental*. [Online] http://www.weblakes.com/download/us_epa.html.
40. **South Coast Air Quality Management District**. *Localized Significance Thresholds Methodology*. s.l. : South Coast Air Quality Management District, 2008.
41. —. 2003 Air Quality Management Plan. [Online] 2003. <https://www.aqmd.gov/home/air-quality/clean-air-plans/air-quality-mgt-plan/2003-aqmp>.
42. **Bay Area Air Quality Management District**. California Environmental Quality Act - Air Quality Guidelines. [Online] https://www.baaqmd.gov/~media/files/planning-and-research/ceqa/ceqa_guidelines_may2017-pdf.pdf?la=en.
43. **South coast Air Quality Management District**. *CEQA Air Quality Handbook (1993)*. 1993.
44. **South Coast Air Quality Management District**. RULE 402 NUISANCE. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf>.
45. **Goss, Tracy A and Kroeger, Amy**. White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. <http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf>.

This page intentionally left blank

5 CERTIFICATIONS

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Perris DC 11. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – CARB • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 2.1:
STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS

Appendix C
Maps and Tables of Area Designations for State and National
Ambient Air Quality Standards

Appendix C

Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

Ambient Air Quality Standards						
Pollutant	Averaging Time	California Standards ¹		National Standards ²		
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m ³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m ³)		0.070 ppm (137 µg/m ³)		
Respirable Particulate Matter (PM ₁₀) ⁹	24 Hour	50 µg/m ³	Gravimetric or Beta Attenuation	150 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m ³		—		
Fine Particulate Matter (PM _{2.5}) ⁹	24 Hour	—	—	35 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m ³	Gravimetric or Beta Attenuation	12.0 µg/m ³	15 µg/m ³	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m ³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m ³)		9 ppm (10 mg/m ³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m ³)		—	—	
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m ³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m ³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m ³)		0.053 ppm (100 µg/m ³)	Same as Primary Standard	
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m ³)	Ultraviolet Fluorescence	75 ppb (196 µg/m ³)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m ³)	
	24 Hour	0.04 ppm (105 µg/m ³)		0.14 ppm (for certain areas) ¹¹	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹	—	
Lead ^{12,13}	30 Day Average	1.5 µg/m ³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m ³ (for certain areas) ¹²	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m ³		
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards		
Sulfates	24 Hour	25 µg/m ³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m ³)	Ultraviolet Fluorescence			
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m ³)	Gas Chromatography			

See footnotes on next page ...

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu\text{g}/\text{m}^3$ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 $\mu\text{g}/\text{m}^3$ to 12.0 $\mu\text{g}/\text{m}^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu\text{g}/\text{m}^3$, as was the annual secondary standard of 15 $\mu\text{g}/\text{m}^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu\text{g}/\text{m}^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu\text{g}/\text{m}^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

Area Designations for the State Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment-transitional, or unclassified for each pollutant, as shown below:

Designation	Abbreviation
Attainment	A
Nonattainment	N
Nonattainment-Transitional	NA-T
Unclassified	U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

Figure 1

**2023
Area Designations for State
Ambient Air Quality Standards
OZONE**



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

**Table 1
California Ambient Air Quality Standards Area Designations for
Ozone¹**

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County	N			
Mono County	N			
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN		NA-T		
MOJAVE DESERT AIR BASIN	N			
MOUNTAIN COUNTIES AIR BASIN				
Amador County		NA-T		
Calaveras County		NA-T		
El Dorado County (portion)	N			
Mariposa County	N			
Nevada County	N			
Placer County (portion)		NA-T		
Plumas County			U	
Sierra County			U	
Tuolumne County		NA-T		
NORTH CENTRAL COAST AIR BASIN				A
NORTH COAST AIR BASIN				A
NORTHEAST PLATEAU AIR BASIN				A

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County		NA-T		
Colusa and Glenn Counties				A
Shasta County	N			
Sutter/Yuba Counties				
Sutter Buttes		NA-T		
Remainder of Sutter County		NA-T		
Yuba County		NA-T		
Yolo/Solano Counties		NA-T		
Remainder of Air Basin	N			
SALTON SEA AIR BASIN	N			
SAN DIEGO AIR BASIN	N			
SAN FRANCISCO BAY AREA AIR BASIN		NA-T		
SAN JOAQUIN VALLEY AIR BASIN	N			
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County	N			
Santa Barbara County		NA-T		
Ventura County	N			
SOUTH COAST AIR BASIN	N			

¹ AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

Figure 2

**2023
Area Designations for State
Ambient Air Quality Standards
PM10**



Last Updated: November 2023
Air Quality Planning and Science Division, CARB


**Table 2
California Ambient Air Quality Standards Area Designations for
Suspended Particulate Matter (PM₁₀)**

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN	N		
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN	N		
MOJAVE DESERT AIR BASIN	N		
MOUNTAIN COUNTIES AIR BASIN			
Amador County		U	
Calaveras County	N		
El Dorado County (portion)	N		
Mariposa County			
- Yosemite National Park	N		
- Remainder of County		U	
Nevada County	N		
Placer County (portion)	N		
Plumas County	N		
Sierra County	N		
Tuolumne County		U	

Area	N	U	A
NORTH CENTRAL COAST AIR BASIN	N		
NORTH COAST AIR BASIN			
Del Norte, Mendocino, Sonoma (portion) and Trinity Counties			A
Remainder of Air Basin	N		
NORTHEAST PLATEAU AIR BASIN			
Siskiyou County			A
Remainder of Air Basin		U	
SACRAMENTO VALLEY AIR BASIN			
Shasta County			A
Remainder of Air Basin	N		
SALTON SEA AIR BASIN	N		
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN	N		
SOUTH COAST AIR BASIN	N		

Figure 3

2023
 Area Designations for State
 Ambient Air Quality Standards
 PM_{2.5}



Last Updated: November 2023
 Air Quality Planning and Science Division, CARB

**Table 3
California Ambient Air Quality Standards Area Designations for
Fine Particulate Matter (PM_{2.5})**

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			
Plumas County			
- Portola Valley ¹	N		
- Remainder Plumas County		U	
Remainder of Air Basin		U	
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			
Butte County			A
Colusa County			A
Glenn County			A
Placer County (portion)			A
Sacramento County			A
Shasta County			A
Sutter and Yuba Counties	N		
Remainder of Air Basin		U	

Area	N	U	A
SALTON SEA AIR BASIN			
Imperial County			
- City of Calexico ²	N		
Remainder of Air Basin			A
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN	N		

¹ California Code of Regulations, title 17, section 60200(c)

² California Code of Regulations, title 17, section 60200(a)

Figure 4

2023
 Area Designations for State
 Ambient Air Quality Standards
 CARBON MONOXIDE



Last Updated: November 2023
 Air Quality Planning and Science Division, CARB

**Table 4
California Ambient Air Quality Standards Area Designations for
Carbon Monoxide***

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN				A
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)				A
Riverside County (portion)			U	
San Bernardino County (portion)				A
MOUNTAIN COUNTIES AIR BASIN				
Amador County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County				A
Sierra County			U	
Tuolumne County				A
NORTH CENTRAL COAST AIR BASIN				
Monterey County				A
San Benito County			U	
Santa Cruz County			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County				A
Sonoma County (portion)			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN				
Butte County				A
Colusa County			U	
Glenn County			U	
Placer County (portion)				A
Sacramento County				A
Shasta County			U	
Solano County (portion)				A
Sutter County				A
Tehama County			U	
Yolo County				A
Yuba County			U	
SALTON SEA AIR BASIN				A
SAN DIEGO AIR BASIN				A
SAN FRANCISCO BAY AREA AIR BASIN				A
SAN JOAQUIN VALLEY AIR BASIN				
Fresno County				A
Kern County (portion)				A
Kings County			U	
Madera County			U	
Merced County			U	
San Joaquin County				A
Stanislaus County				A
Tulare County				A
SOUTH CENTRAL COAST AIR BASIN				A
SOUTH COAST AIR BASIN				A

* The area designated for carbon monoxide is a county or portion of a county

Figure 5

**2023
Area Designations for State
Ambient Air Quality Standards
NITROGEN DIOXIDE**



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

**Table 5
California Ambient Air Quality Standards Area Designations for
Nitrogen Dioxide**

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			
CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties			A
Remainder of Air Basin			A

Figure 6

**2023
Area Designations for State
Ambient Air Quality Standards
SULFUR DIOXIDE**



Last Updated: November 2023
 Air Quality Planning and Science Division, CARB

**Table 6
California Ambient Air Quality Standards Area Designations for
Sulfur Dioxide***

Area	N	A
GREAT BASIN VALLEYS AIR BASIN		A
LAKE COUNTY AIR BASIN		A
LAKE TAHOE AIR BASIN		A
MOJAVE DESERT AIR BASIN		A
MOUNTAIN COUNTIES AIR BASIN		A
NORTH CENTRAL COAST AIR BASIN		A
NORTH COAST AIR BASIN		A
NORTHEAST PLATEAU AIR BASIN		A

Area	N	A
SACRAMENTO VALLEY AIR BASIN		A
SALTON SEA AIR BASIN		A
SAN DIEGO AIR BASIN		A
SAN FRANCISCO BAY AREA AIR BASIN		A
SAN JOAQUIN VALLEY AIR BASIN		A
SOUTH CENTRAL COAST AIR BASIN		A
SOUTH COAST AIR BASIN		A

* The area designated for sulfur dioxide is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 7

2023
Area Designations for State
Ambient Air Quality Standards
SULFATES



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

**Table 7
California Ambient Air Quality Standards Area Designations for
Sulfates**

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

Figure 8

2023
Area Designations for State
Ambient Air Quality Standards
LEAD



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

**Table 8
California Ambient Air Quality Standards Area Designations for
Lead (particulate)***


Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A

Area	N	U	A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

* The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 9

2023
**Area Designations for State Ambient Air Quality Standards
 HYDROGEN SULFIDE**



Last Updated: November 2023
 Air Quality Planning and Science Division, CARB

**Table 9
California Ambient Air Quality Standards Area Designations for
Hydrogen Sulfide***

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)			U	
Riverside County (portion)			U	
San Bernardino County (portion)				
- Searles Valley Planning Area ¹	N			
- Remainder of County			U	
MOUNTAIN COUNTIES AIR BASIN				
Amador County				
- City of Sutter Creek	N			
- Remainder of County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County			U	
Sierra County			U	
Tuolumne County			U	

Area	N	NA-T	U	A
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County			U	
Sonoma County (portion)				
- Geyser Geothermal Area ²				A
- Remainder of County			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN				
Riverside County (portion)	N			
Imperial County			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County				A
Santa Barbara County				A
Ventura County			U	
SOUTH COAST AIR BASIN			U	

* The area designated for hydrogen sulfide is a county or portion of a county

¹ 52 Federal Register 29384 (August 7, 1987)

² California Code of Regulations, title 17, section 60200(d)

Figure 10

**2023
Area Designations for State
Ambient Air Quality Standards
VISIBILITY REDUCING PARTICLES**



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

**Table 10
California Ambient Air Quality Standards Area Designations for
Visibility Reducing Particles**

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN			U	
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN			U	
MOUNTAIN COUNTIES AIR BASIN			U	
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN			U	
SOUTH COAST AIR BASIN			U	

Area Designations for the National Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. EPA website:

<https://www.epa.gov/green-book>

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

<https://www.epa.gov/criteria-air-pollutants>

Designation Categories

Suspended Particulate Matter (PM₁₀). The U.S. EPA uses three categories to designate areas with respect to PM₁₀:

- Attainment (A)
- Nonattainment (N)
- Unclassifiable (U)

Ozone, Fine Suspended Particulate Matter (PM_{2.5}), Carbon Monoxide (CO), and Nitrogen Dioxide (NO₂). The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment (N)
- Unclassifiable/Attainment (U/A)

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Area designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary PM_{2.5} standard of 12.0 µg/m³. Area designations were finalized in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0 µg/m³ as well as the 24-hour standard of 35 µg/m³, revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO₂ standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb. Designations for the primary NO₂ standard became effective on February 29, 2012. All areas of California meet this standard.

Sulfur Dioxide (SO₂). The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment (N),
- Unclassifiable (U), and
- Unclassifiable/Attainment (U/A).

On June 2, 2010, the U.S. EPA established a new primary 1-hour SO₂ standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual average standards. Area designations for the 1-hour SO₂ standard were finalized on December 21, 2017 and are reflected in the area designations map.


Lead (particulate). The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 µg/m³. Designations were made for this standard in November 2010.

Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at: https://ecfr.io/Title-40/se40.20.81_1305

Figure 11

Area Designations for National Ambient Air Quality Standards 8-HOUR OZONE



Last Updated: November 2023
 Map reflects the 2015 8-hour ozone standard of 0.070 ppm
 Air Quality Planning and Science Division, CARB

**Table 11
National Ambient Air Quality Standards Area Designations for
8-Hour Ozone***

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Amador County	N	
Calaveras County	N	
El Dorado County (portion) ¹	N	
Mariposa County	N	
Nevada County		
- Western Nevada County	N	
- Remainder of County		U/A
Placer County (portion) ¹	N	
Plumas County		U/A
Sierra County		U/A
Tuolumne County	N	
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Butte County	N	
Colusa County		U/A
Glenn County		U/A
Sacramento Metro Area ¹	N	
Shasta County		U/A
Sutter County		
- Sutter Buttes	N	
- Southern portion of Sutter County ¹	N	
- Remainder of Sutter County		U/A
Tehama County		
- Tuscan Buttes	N	
- Remainder of Tehama County		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN (cont.)		
Yolo County ¹	N	
Yuba County		U/A
SAN DIEGO COUNTY	N	
SAN FRANCISCO BAY AREA AIR BASIN	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN ²		
San Luis Obispo County		
- Eastern San Luis Obispo County	N	
- Remainder of County		U/A
Santa Barbara County		U/A
Ventura County		
- Area excluding Anacapa and San Nicolas Islands	N	
- Channel Islands ²		U/A
SOUTH COAST AIR BASIN ²	N	
SOUTHEAST DESERT AIR BASIN		
Kern County (portion)	N	
- Indian Wells Valley		U/A
Imperial County	N	
Los Angeles County (portion)	N	
Riverside County (portion)		
- Coachella Valley	N	
- Non-AQMA portion		U/A
San Bernardino County		
- Western portion (AQMA)	N	
- Eastern portion (non-AQMA)		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

NOTE: This map and Table reflect the 2015 8-hour ozone standard of 0.070 ppm.

¹ For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

² South Central Coast Air Basin Channel Islands:

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.


Ventura County includes Anacapa and San Nicolas Islands.

South Coast Air Basin:

Los Angeles County includes San Clemente and Santa Catalina Islands.

Figure 12

**Area Designations for National Ambient Air Quality Standards
PM10**



Last Updated: November 2023
 Air Quality Planning and Science Division

**Table 12
National Ambient Air Quality Standards Area Designations for
Suspended Particulate Matter (PM₁₀)***

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			
Alpine County		U	
Inyo County			
- Owens Valley Planning Area	N		
- Coso Junction			A
- Remainder of County		U	
Mono County			
- Mammoth Lake Planning Area			A
- Mono Lake Basin	N		
- Remainder of County		U	
LAKE COUNTY AIR BASIN		U	
LAKE TAHOE AIR BASIN		U	
MOUNTAIN COUNTIES AIR BASIN		U	
NORTH CENTRAL COAST AIR BASIN		U	
NORTH COAST AIR BASIN		U	
NORTHEAST PLATEAU AIR BASIN		U	
SACRAMENTO VALLEY AIR BASIN			
Sacramento County ¹			A
Remainder of Air Basin		U	
SAN DIEGO COUNTY		U	

Area	N	U	A
SAN FRANCISCO BAY AREA AIR BASIN		U	
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN		U	
SOUTH COAST AIR BASIN			A
SOUTHEAST DESERT AIR BASIN			
Eastern Kern County			
- Indian Wells Valley			A
- Portion within San Joaquin Valley Planning Area	N		
- Remainder of County		U	
Imperial County			
- Imperial Valley Planning Area ²			A
- Remainder of County		U	
Los Angeles County (portion)		U	
Riverside County (portion)			
- Coachella Valley	N		
- Non-AQMA portion		U	
San Bernardino County			
- Trona	N		
- Remainder of County	N		

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

¹ Air quality in Sacramento County meets the national PM₁₀ standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

² The request for redesignation to attainment for the Imperial Valley Planning Area was approved by U.S. EPA in September 2020, effective October 2020.

Figure 13

**Area Designations for National Ambient Air Quality Standards
PM_{2.5}**



Last Updated: November 2023
Air Quality Planning and Science Division

**Table 13
National Ambient Air Quality Standards Area Designations for
Fine Particulate Matter (PM_{2.5})**

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Plumas County		
- Portola Valley Portion of Plumas County	N	
- Remainder of Plumas County		U/A
Remainder of Air Basin		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Sacramento Metro Area ¹	N	
Remainder of Air Basin		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN ²	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN ³	N	
SOUTHEAST DESERT AIR BASIN		
Imperial County (portion) ⁴	N	
Remainder of Air Basin		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour PM_{2.5} standard as well as the 1997 and 2012 PM_{2.5} annual standards.

¹ For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

² Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

³ Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

⁴ That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national PM_{2.5} standards. A Determination of Attainment for the 2006 24-hour PM_{2.5} standard was made by U.S. EPA in June 2017.

Figure 14

**Area Designations for National Ambient Air Quality Standards
CARBON MONOXIDE**



Last Updated: November 2023
Air Quality Planning and Science Division

**Table 14
National Ambient Air Quality Standards Area Designations for
Carbon Monoxide***


Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 15

**Area Designations for National Ambient Air Quality Standards
NITROGEN DIOXIDE**



Last Updated: November 2023
Air Quality Planning and Science Division

**Table 15
National Ambient Air Quality Standards Area Designations for
Nitrogen Dioxide***


Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 16

**Area Designations for National Ambient Air Quality Standards
SULFUR DIOXIDE**



Last Updated: November 2023
 Air Quality Planning and Science Division

**Table 16
National Ambient Air Quality Standards Area Designations for
Sulfur Dioxide***


Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN ¹		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
NOTE: This map and table reflect the 2010 1-hour SO₂ standard of 75 ppb.

¹ South Central Coast Air Basin Channel Islands:
Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
Ventura County includes Anacapa and San Nicolas Islands.
Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

Figure 17

**Area Designations for National Ambient Air Quality Standards
LEAD**



Last Updated: November 2023
Air Quality Planning and Science Division

Table 17
National Ambient Air Quality Standards Area Designations for
Lead (particulate)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		
Los Angeles County (portion) ¹	N	
Remainder of Air Basin		U/A
SOUTHEAST DESERT AIR BASIN		U/A

¹ Portion of County in Air Basin, not including Channel Islands

This page intentionally left blank

APPENDIX 3.1:

CALEEMOD PROJECT CONSTRUCTION EMISSIONS MODEL OUTPUTS

Ramona and Webster (Construction - Unmitigated) Detailed Report

Table of Contents

1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
3. Construction Emissions Details
 - 3.1. Site Preparation (2025) - Unmitigated
 - 3.3. Grading (2025) - Unmitigated
 - 3.5. Building Construction (2025) - Unmitigated
 - 3.7. Building Construction (2026) - Unmitigated
 - 3.9. Paving (2026) - Unmitigated
 - 3.11. Architectural Coating (2025) - Unmitigated

3.13. Architectural Coating (2026) - Unmitigated

3.15. Trenching (2025) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Ramona and Webster (Construction - Unmitigated)
Construction Start Date	3/4/2025
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	9.00
Location	33.842376, -117.242592
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5580
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.14

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	414	1000sqft	13.3	413,942	164,700	—	—	—

Refrigerated Warehouse-No Rail	138	1000sqft	3.17	137,981	0.00	—	—	—
Parking Lot	483	Space	4.19	0.00	0.00	—	—	—
Other Asphalt Surfaces	8.40	Acre	8.40	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.99	1.68	39.5	42.7	0.18	0.52	7.70	8.22	0.51	2.38	2.89	—	25,029	25,029	0.62	2.90	39.8	25,949
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.73	42.1	21.3	45.1	0.06	0.27	5.96	6.06	0.25	2.76	2.87	—	9,992	9,992	0.33	0.48	0.52	10,143
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.02	6.66	11.4	19.6	0.04	0.13	2.69	2.82	0.13	0.78	0.91	—	6,465	6,465	0.21	0.53	5.15	6,635
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.19	1.21	2.08	3.57	0.01	0.02	0.49	0.51	0.02	0.14	0.17	—	1,070	1,070	0.03	0.09	0.85	1,098

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.99	1.68	39.5	42.7	0.18	0.52	7.70	8.22	0.51	2.38	2.89	—	25,029	25,029	0.62	2.90	39.8	25,949
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	2.26	40.7	16.0	34.8	0.05	0.18	5.96	6.06	0.17	2.76	2.87	—	8,400	8,400	0.33	0.46	0.52	8,547
2026	2.73	42.1	21.3	45.1	0.06	0.27	4.39	4.65	0.25	1.05	1.31	—	9,992	9,992	0.28	0.48	0.49	10,143
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.02	2.08	11.4	19.6	0.04	0.13	2.69	2.82	0.13	0.78	0.91	—	6,465	6,465	0.21	0.53	5.15	6,635
2026	0.40	6.66	2.99	6.61	0.01	0.04	0.69	0.72	0.03	0.16	0.20	—	1,501	1,501	0.04	0.08	1.30	1,526
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.19	0.38	2.08	3.57	0.01	0.02	0.49	0.51	0.02	0.14	0.17	—	1,070	1,070	0.03	0.09	0.85	1,098
2026	0.07	1.21	0.55	1.21	< 0.005	0.01	0.13	0.13	0.01	0.03	0.04	—	248	248	0.01	0.01	0.21	253

3. Construction Emissions Details

3.1. Site Preparation (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Construction - Unmitigated) Detailed Report, 6/27/2023

Off-Road Equipment	0.68	0.68	15.7	30.0	0.05	0.10	—	0.10	0.10	—	0.10	—	5,528	5,528	0.22	0.04	—	5,547
Dust From Material Movement:	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.86	1.64	< 0.005	0.01	—	0.01	0.01	—	0.01	—	303	303	0.01	< 0.005	—	304
Dust From Material Movement:	—	—	—	—	—	—	0.31	0.31	—	0.15	0.15	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.16	0.30	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	50.2	50.2	< 0.005	< 0.005	—	50.3
Dust From Material Movement:	—	—	—	—	—	—	0.06	0.06	—	0.03	0.03	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.09	1.05	0.00	0.00	0.24	0.24	0.00	0.06	0.06	—	233	233	0.01	0.01	0.02	236

Vendor	0.01	< 0.005	0.25	0.08	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	214	214	< 0.005	0.03	0.02	224
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.01	0.06	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	12.9	12.9	< 0.005	< 0.005	0.02	13.1
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.7	11.7	< 0.005	< 0.005	0.01	12.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.14	2.14	< 0.005	< 0.005	< 0.005	2.17
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.94	1.94	< 0.005	< 0.005	< 0.005	2.03
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.97	19.4	36.2	0.06	0.17	—	0.17	0.17	—	0.17	—	6,715	6,715	0.27	0.05	—	6,738
Dust From Material Movement	—	—	—	—	—	—	2.70	2.70	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.12	2.39	4.47	0.01	0.02	—	0.02	0.02	—	0.02	—	828	828	0.03	0.01	—	831
Dust From Material Movement	—	—	—	—	—	—	0.33	0.33	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.44	0.82	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	137	137	0.01	< 0.005	—	138
Dust From Material Movement	—	—	—	—	—	—	0.06	0.06	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.09	0.09	1.54	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	282	282	0.01	0.01	1.04	286
Vendor	0.02	0.01	0.50	0.16	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	459	459	0.01	0.07	1.30	481
Hauling	0.74	0.28	19.5	4.76	0.12	0.34	4.62	4.95	0.34	1.29	1.63	—	17,573	17,573	0.33	2.77	37.5	18,443
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.15	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	32.4	32.4	< 0.005	< 0.005	0.06	32.8
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	56.6	56.6	< 0.005	0.01	0.07	59.3

Hauling	0.09	0.03	2.54	0.59	0.01	0.04	0.57	0.61	0.04	0.16	0.20	—	2,167	2,167	0.04	0.34	1.98	2,272
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.36	5.36	< 0.005	< 0.005	0.01	5.43
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	9.37	9.37	< 0.005	< 0.005	0.01	9.81
Hauling	0.02	0.01	0.46	0.11	< 0.005	0.01	0.10	0.11	0.01	0.03	0.04	—	359	359	0.01	0.06	0.33	376

3.5. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.65	0.59	9.96	16.4	0.03	0.12	—	0.12	0.11	—	0.11	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.65	0.59	9.96	16.4	0.03	0.12	—	0.12	0.11	—	0.11	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.23	3.86	6.34	0.01	0.05	—	0.05	0.04	—	0.04	—	1,019	1,019	0.04	0.01	—	1,023
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.05	0.04	0.70	1.16	< 0.005	0.01	—	0.01	0.01	—	0.01	—	169	169	0.01	< 0.005	—	169
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.25	1.04	1.02	17.9	0.00	0.00	3.03	3.03	0.00	0.71	0.71	—	3,270	3,270	0.14	0.12	12.0	3,319
Vendor	0.09	0.04	2.18	0.68	0.01	0.03	0.56	0.59	0.03	0.15	0.18	—	1,989	1,989	0.04	0.30	5.64	2,085
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.10	0.98	1.12	13.5	0.00	0.00	3.03	3.03	0.00	0.71	0.71	—	3,006	3,006	0.14	0.12	0.31	3,044
Vendor	0.09	0.04	2.29	0.70	0.01	0.03	0.56	0.59	0.03	0.15	0.18	—	1,990	1,990	0.04	0.30	0.15	2,081
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.42	0.37	0.47	5.55	0.00	0.00	1.17	1.17	0.00	0.27	0.27	—	1,180	1,180	0.05	0.04	2.01	1,196
Vendor	0.03	0.02	0.88	0.27	0.01	0.01	0.21	0.23	0.01	0.06	0.07	—	771	771	0.02	0.12	0.95	807
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	1.01	0.00	0.00	0.21	0.21	0.00	0.05	0.05	—	195	195	0.01	0.01	0.33	198
Vendor	0.01	< 0.005	0.16	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	128	128	< 0.005	0.02	0.16	134
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.64	0.58	9.92	16.3	0.03	0.11	—	0.11	0.11	—	0.11	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.09	1.59	2.62	< 0.005	0.02	—	0.02	0.02	—	0.02	—	422	422	0.02	< 0.005	—	423
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.29	0.48	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	69.9	69.9	< 0.005	< 0.005	—	70.1
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.04	0.93	1.02	12.6	0.00	0.00	3.03	3.03	0.00	0.71	0.71	—	2,942	2,942	0.05	0.12	0.28	2,978
Vendor	0.09	0.04	2.18	0.67	0.01	0.03	0.56	0.59	0.03	0.15	0.18	—	1,958	1,958	0.04	0.30	0.14	2,049
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.15	0.18	2.12	0.00	0.00	0.48	0.48	0.00	0.11	0.11	—	478	478	0.01	0.02	0.75	485
Vendor	0.01	0.01	0.35	0.11	< 0.005	< 0.005	0.09	0.09	< 0.005	0.02	0.03	—	314	314	0.01	0.05	0.37	329
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.39	0.00	0.00	0.09	0.09	0.00	0.02	0.02	—	79.2	79.2	< 0.005	< 0.005	0.12	80.2
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	52.0	52.0	< 0.005	0.01	0.06	54.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Paving (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.45	6.75	10.6	0.01	0.10	—	0.10	0.09	—	0.09	—	1,511	1,511	0.06	0.01	—	1,516
Paving	—	0.94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.65	1.02	< 0.005	0.01	—	0.01	0.01	—	0.01	—	145	145	0.01	< 0.005	—	145
Paving	—	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.12	0.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	24.0	24.0	< 0.005	< 0.005	—	24.1	
Paving	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.07	0.06	0.07	0.82	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	190	190	< 0.005	0.01	0.02	193	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	0.01	0.01	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	18.5	18.5	< 0.005	< 0.005	0.03	18.7	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.06	3.06	< 0.005	< 0.005	< 0.005	3.10	
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00	

3.11. Architectural Coating (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.21	0.17	1.18	1.52	< 0.005	0.04	—	0.04	0.03	—	0.03	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	—	38.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.04	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.57	5.57	< 0.005	< 0.005	—	5.59
Architectural Coatings	—	1.21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.92	0.92	< 0.005	< 0.005	—	0.93
Architectural Coatings	—	0.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.22	0.19	0.22	2.68	0.00	0.00	0.60	0.60	0.00	0.14	0.14	—	596	596	0.03	0.02	0.06	604
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	18.9	18.9	< 0.005	< 0.005	0.03	19.2
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.13	3.13	< 0.005	< 0.005	0.01	3.17
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Architectural Coating (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.16	1.14	1.51	< 0.005	0.03	—	0.03	0.03	—	0.03	—	178	178	0.01	< 0.005	—	179

Architect Coatings	—	38.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.18	0.24	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.6	28.6	< 0.005	< 0.005	—	28.7
Architect ural Coatings	—	6.22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.03	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.73	4.73	< 0.005	< 0.005	—	4.75
Architect ural Coatings	—	1.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.21	0.18	0.20	2.50	0.00	0.00	0.60	0.60	0.00	0.14	0.14	—	583	583	0.01	0.02	0.06	590
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.03	0.03	0.04	0.42	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	94.8	94.8	< 0.005	< 0.005	0.15	96.1
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	15.7	15.7	< 0.005	< 0.005	0.02	15.9
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Trenching (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.90	0.77	8.89	11.2	0.02	0.24	—	0.24	0.22	—	0.22	—	1,653	1,653	0.07	0.01	—	1,659
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.24	0.31	< 0.005	0.01	—	0.01	0.01	—	0.01	—	45.3	45.3	< 0.005	< 0.005	—	45.4
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.50	7.50	< 0.005	< 0.005	—	7.52

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.15	0.14	2.55	0.00	0.00	0.43	0.43	0.00	0.10	0.10	—	465	465	0.02	0.02	1.71	472
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.8	91.8	< 0.005	0.01	0.26	96.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.06	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.9	11.9	< 0.005	< 0.005	0.02	12.0
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.52	2.52	< 0.005	< 0.005	< 0.005	2.63
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.96	1.96	< 0.005	< 0.005	< 0.005	1.99
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.42	0.42	< 0.005	< 0.005	< 0.005	0.44
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Site Preparation	Site Preparation	3/4/2025	3/31/2025	5.00	20.0	—
Grading	Grading	4/1/2025	6/2/2025	5.00	45.0	—
Building Construction	Building Construction	6/17/2025	3/23/2026	5.00	200	—
Paving	Paving	2/3/2026	3/23/2026	5.00	35.0	—
Architectural Coating	Architectural Coating	12/16/2025	3/23/2026	5.00	70.0	—
Trenching	Trenching	6/3/2025	6/16/2025	5.00	10.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Interim	3.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Tier 4 Interim	4.00	8.00	87.0	0.43
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Crawler Tractors	Diesel	Tier 4 Interim	2.00	8.00	87.0	0.43

Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	8.00	367	0.29
Building Construction	Forklifts	Diesel	Tier 4 Interim	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	3.00	8.00	84.0	0.37
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Tier 4 Interim	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48
Trenching	Dumpers/Tenders	Diesel	Average	2.00	8.00	16.0	0.38
Trenching	Excavators	Diesel	Average	4.00	8.00	36.0	0.38
Trenching	Plate Compactors	Diesel	Average	4.00	8.00	8.00	0.43
Trenching	Skid Steer Loaders	Diesel	Tier 4 Interim	1.00	8.00	71.0	0.37
Trenching	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Site Preparation	—	—	—	—
Site Preparation	Worker	18.0	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	7.00	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	0.00	0.00	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2

Grading	Vendor	15.0	10.2	HHDT,MHDT
Grading	Hauling	255	20.0	HHDT
Grading	Onsite truck	0.00	0.00	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	232	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	65.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	0.00	0.00	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	0.00	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	0.00	0.00	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	46.0	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	0.00	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	0.00	0.00	HHDT
Trenching	—	—	—	—
Trenching	Worker	33.0	18.5	LDA,LDT1,LDT2
Trenching	Vendor	3.00	10.2	HHDT,MHDT
Trenching	Hauling	0.00	20.0	HHDT
Trenching	Onsite truck	0.00	0.00	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	827,885	275,962	32,905

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Site Preparation	—	—	70.0	0.00	—
Grading	91,735	—	180	0.00	—
Paving	0.00	0.00	0.00	0.00	12.6

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Unrefrigerated Warehouse-No Rail	0.00	0%
Refrigerated Warehouse-No Rail	0.00	0%
Parking Lot	4.19	100%
Other Asphalt Surfaces	8.40	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.1	annual days of extreme heat

Extreme Precipitation	1.95	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	6.36	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	53.3
AQ-DPM	47.8
Drinking Water	10.2
Lead Risk Housing	22.0
Pesticides	58.8

Toxic Releases	37.7
Traffic	81.9
Effect Indicators	—
CleanUp Sites	69.4
Groundwater	0.00
Haz Waste Facilities/Generators	53.5
Impaired Water Bodies	0.00
Solid Waste	40.1
Sensitive Population	—
Asthma	65.6
Cardio-vascular	90.6
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—
Education	74.7
Housing	57.9
Linguistic	53.4
Poverty	64.5
Unemployment	15.8

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	36.04516874
Employed	38.00846914
Median HI	53.00911074
Education	—

Bachelor's or higher	28.6154241
High school enrollment	100
Preschool enrollment	5.440780187
Transportation	—
Auto Access	94.58488387
Active commuting	6.723983062
Social	—
2-parent households	87.71974849
Voting	9.636853587
Neighborhood	—
Alcohol availability	84.04978827
Park access	11.88245862
Retail density	29.21852945
Supermarket access	12.06210702
Tree canopy	0.590273322
Housing	—
Homeownership	79.23777749
Housing habitability	40.67753112
Low-inc homeowner severe housing cost burden	12.19042731
Low-inc renter severe housing cost burden	27.61452586
Uncrowded housing	47.8121391
Health Outcomes	—
Insured adults	26.49813936
Arthritis	79.8
Asthma ER Admissions	42.9
High Blood Pressure	64.8
Cancer (excluding skin)	87.6

Asthma	27.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	52.6
Life Expectancy at Birth	37.8
Cognitively Disabled	88.7
Physically Disabled	83.0
Heart Attack ER Admissions	7.5
Mental Health Not Good	28.5
Chronic Kidney Disease	64.9
Obesity	17.5
Pedestrian Injuries	92.5
Physical Health Not Good	37.9
Stroke	70.4
Health Risk Behaviors	—
Binge Drinking	30.9
Current Smoker	25.4
No Leisure Time for Physical Activity	29.5
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	35.2
Elderly	90.4
English Speaking	42.3
Foreign-born	59.5
Outdoor Workers	11.9
Climate Change Adaptive Capacity	—

Impervious Surface Cover	72.4
Traffic Density	65.3
Traffic Access	23.0
Other Indices	—
Hardship	70.6
Other Decision Support	—
2016 Voting	23.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	69.0
Healthy Places Index Score for Project Location (b)	30.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
--------	---------------

Land Use	Total Project area is 29.05 acres
Construction: Construction Phases	Construction anticipated to start March 2025 and end March 2026
Construction: Off-Road Equipment	Crawler Tractors used in lieu of Tractors/Loaders/Backhoes
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Site Preparation, Grading, Trenching, and Building Construction
Construction: Architectural Coatings	Rule 1113

This page intentionally left blank

APPENDIX 3.2:

CALEEMOD PROJECT REGIONAL OPERATIONAL EMISSIONS MODEL OUTPUTS

Ramona and Webster (Cold Storage Operations) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Ramona and Webster (Cold Storage Operations)
Operational Year	2026
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	9.00
Location	33.842376, -117.242592
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5580
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.21

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Refrigerated Warehouse-No Rail	138	1000sqft	3.17	137,981	0.00	—	—	—

User Defined Industrial	138	User Defined Unit	0.00	0.00	0.00	—	—	—
-------------------------	-----	-------------------	------	------	------	---	---	---

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.52	5.58	4.95	16.7	0.05	0.12	2.97	3.09	0.12	0.77	0.88	131	8,540	8,671	13.7	0.73	158	9,389
Mit.	2.52	5.58	4.95	16.7	0.05	0.12	2.97	3.09	0.12	0.77	0.88	131	8,540	8,671	13.7	0.73	158	9,389
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.41	4.55	5.11	9.28	0.05	0.11	2.97	3.08	0.11	0.77	0.88	131	8,376	8,507	13.7	0.74	141	9,210
Mit.	1.41	4.55	5.11	9.28	0.05	0.11	2.97	3.08	0.11	0.77	0.88	131	8,376	8,507	13.7	0.74	141	9,210
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.61	4.75	3.44	10.8	0.04	0.07	2.16	2.23	0.06	0.56	0.62	131	6,914	7,045	13.6	0.59	146	7,707

Mit.	1.61	4.75	3.44	10.8	0.04	0.07	2.16	2.23	0.06	0.56	0.62	131	6,914	7,045	13.6	0.59	146	7,707
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.29	0.87	0.63	1.96	0.01	0.01	0.39	0.41	0.01	0.10	0.11	21.7	1,145	1,166	2.26	0.10	24.2	1,276
Mit.	0.29	0.87	0.63	1.96	0.01	0.01	0.39	0.41	0.01	0.10	0.11	21.7	1,145	1,166	2.26	0.10	24.2	1,276
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.14	1.00	4.10	9.98	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,300	5,300	0.13	0.55	17.7	5,484
Area	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	2.52	5.58	4.95	16.7	0.05	0.12	2.97	3.09	0.12	0.77	0.88	131	8,540	8,671	13.7	0.73	158	9,389
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.09	0.96	4.30	8.55	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,161	5,161	0.13	0.55	0.46	5,329
Area	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Cold Storage Operations) Detailed Report, 2/15/2024

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	1.41	4.55	5.11	9.28	0.05	0.11	2.97	3.08	0.11	0.77	0.88	131	8,376	8,507	13.7	0.74	141	9,210
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.80	0.69	3.19	6.45	0.04	0.05	2.16	2.21	0.05	0.56	0.61	—	3,788	3,788	0.10	0.40	5.58	3,916
Area	0.73	3.98	0.03	4.11	< 0.005	0.01	—	0.01	0.01	—	0.01	—	16.9	16.9	< 0.005	< 0.005	—	17.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Total	1.61	4.75	3.44	10.8	0.04	0.07	2.16	2.23	0.06	0.56	0.62	131	6,914	7,045	13.6	0.59	146	7,707
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.15	0.13	0.58	1.18	0.01	0.01	0.39	0.40	0.01	0.10	0.11	—	627	627	0.02	0.07	0.92	648
Area	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	474	474	0.05	0.01	—	477
Water	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
Waste	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Stationary	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.29	0.87	0.63	1.96	0.01	0.01	0.39	0.41	0.01	0.10	0.11	21.7	1,145	1,166	2.26	0.10	24.2	1,276

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.14	1.00	4.10	9.98	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,300	5,300	0.13	0.55	17.7	5,484
Area	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	2.52	5.58	4.95	16.7	0.05	0.12	2.97	3.09	0.12	0.77	0.88	131	8,540	8,671	13.7	0.73	158	9,389
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.09	0.96	4.30	8.55	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,161	5,161	0.13	0.55	0.46	5,329
Area	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	1.41	4.55	5.11	9.28	0.05	0.11	2.97	3.08	0.11	0.77	0.88	131	8,376	8,507	13.7	0.74	141	9,210
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	0.80	0.69	3.19	6.45	0.04	0.05	2.16	2.21	0.05	0.56	0.61	—	3,788	3,788	0.10	0.40	5.58	3,916
Area	0.73	3.98	0.03	4.11	< 0.005	0.01	—	0.01	0.01	—	0.01	—	16.9	16.9	< 0.005	< 0.005	—	17.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Total	1.61	4.75	3.44	10.8	0.04	0.07	2.16	2.23	0.06	0.56	0.62	131	6,914	7,045	13.6	0.59	146	7,707
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.15	0.13	0.58	1.18	0.01	0.01	0.39	0.40	0.01	0.10	0.11	—	627	627	0.02	0.07	0.92	648
Area	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	474	474	0.05	0.01	—	477
Water	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
Waste	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Stationary	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.29	0.87	0.63	1.96	0.01	0.01	0.39	0.41	0.01	0.10	0.11	21.7	1,145	1,166	2.26	0.10	24.2	1,276

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Ramona and Webster (Cold Storage Operations) Detailed Report, 2/15/2024

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.96	0.89	0.44	8.72	0.02	0.01	1.78	1.78	0.01	0.45	0.46	—	1,844	1,844	0.07	0.05	6.03	1,866
User Defined Industrial	0.18	0.11	3.66	1.26	0.03	0.06	1.19	1.26	0.06	0.32	0.38	—	3,456	3,456	0.06	0.50	11.6	3,618
Total	1.14	1.00	4.10	9.98	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,300	5,300	0.13	0.55	17.7	5,484
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.92	0.84	0.48	7.28	0.02	0.01	1.78	1.78	0.01	0.45	0.46	—	1,704	1,704	0.07	0.05	0.16	1,721
User Defined Industrial	0.18	0.11	3.82	1.26	0.03	0.06	1.19	1.26	0.06	0.32	0.38	—	3,457	3,457	0.06	0.50	0.30	3,608
Total	1.09	0.96	4.30	8.55	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,161	5,161	0.13	0.55	0.46	5,329
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.12	0.11	0.07	1.01	< 0.005	< 0.005	0.24	0.24	< 0.005	0.06	0.06	—	209	209	0.01	0.01	0.32	211
User Defined Industrial	0.02	0.01	0.52	0.17	< 0.005	0.01	0.16	0.17	0.01	0.04	0.05	—	418	418	0.01	0.06	0.61	437
Total	0.15	0.13	0.58	1.18	0.01	0.01	0.39	0.40	0.01	0.10	0.11	—	627	627	0.02	0.07	0.92	648

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.96	0.89	0.44	8.72	0.02	0.01	1.78	1.78	0.01	0.45	0.46	—	1,844	1,844	0.07	0.05	6.03	1,866
User Defined Industrial	0.18	0.11	3.66	1.26	0.03	0.06	1.19	1.26	0.06	0.32	0.38	—	3,456	3,456	0.06	0.50	11.6	3,618
Total	1.14	1.00	4.10	9.98	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,300	5,300	0.13	0.55	17.7	5,484
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.92	0.84	0.48	7.28	0.02	0.01	1.78	1.78	0.01	0.45	0.46	—	1,704	1,704	0.07	0.05	0.16	1,721
User Defined Industrial	0.18	0.11	3.82	1.26	0.03	0.06	1.19	1.26	0.06	0.32	0.38	—	3,457	3,457	0.06	0.50	0.30	3,608
Total	1.09	0.96	4.30	8.55	0.05	0.07	2.97	3.04	0.07	0.77	0.83	—	5,161	5,161	0.13	0.55	0.46	5,329
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.12	0.11	0.07	1.01	< 0.005	< 0.005	0.24	0.24	< 0.005	0.06	0.06	—	209	209	0.01	0.01	0.32	211

User Defined Industrial	0.02	0.01	0.52	0.17	< 0.005	0.01	0.16	0.17	0.01	0.04	0.05	—	418	418	0.01	0.06	0.61	437
Total	0.15	0.13	0.58	1.18	0.01	0.01	0.39	0.40	0.01	0.10	0.11	—	627	627	0.02	0.07	0.92	648

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architect Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.07	0.99	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Total	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.13	0.12	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Total	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
--------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.07	0.99	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Total	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.13	0.12	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Total	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse- No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse- No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147

Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Refrigerated Warehouse-No Rail	248	21.0	8.39	66,191	2,551	216	86.3	680,720
User Defined Industrial	48.0	4.06	1.63	12,812	1,368	116	46.4	365,132

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Refrigerated Warehouse-No Rail	248	21.0	8.39	66,191	2,551	216	86.3	680,720
User Defined Industrial	48.0	4.06	1.63	12,812	1,368	116	46.4	365,132

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	206,972	68,991	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	3,017,582	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	3,017,566	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	31,908,106	0.00
User Defined Industrial	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	31,908,106	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	130	—
User Defined Industrial	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	130	—

User Defined Industrial	0.00	—
-------------------------	------	---

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	0.50	50.0	350	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.1	annual days of extreme heat
Extreme Precipitation	1.95	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	6.36	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	53.3
AQ-DPM	47.8
Drinking Water	10.2
Lead Risk Housing	22.0
Pesticides	58.8
Toxic Releases	37.7
Traffic	81.9
Effect Indicators	—
CleanUp Sites	69.4
Groundwater	0.00
Haz Waste Facilities/Generators	53.5
Impaired Water Bodies	0.00
Solid Waste	40.1
Sensitive Population	—
Asthma	65.6
Cardio-vascular	90.6
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—

Education	74.7
Housing	57.9
Linguistic	53.4
Poverty	64.5
Unemployment	15.8

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	36.04516874
Employed	38.00846914
Median HI	53.00911074
Education	—
Bachelor's or higher	28.6154241
High school enrollment	100
Preschool enrollment	5.440780187
Transportation	—
Auto Access	94.58488387
Active commuting	6.723983062
Social	—
2-parent households	87.71974849
Voting	9.636853587
Neighborhood	—
Alcohol availability	84.04978827
Park access	11.88245862
Retail density	29.21852945

Supermarket access	12.06210702
Tree canopy	0.590273322
Housing	—
Homeownership	79.23777749
Housing habitability	40.67753112
Low-inc homeowner severe housing cost burden	12.19042731
Low-inc renter severe housing cost burden	27.61452586
Uncrowded housing	47.8121391
Health Outcomes	—
Insured adults	26.49813936
Arthritis	79.8
Asthma ER Admissions	42.9
High Blood Pressure	64.8
Cancer (excluding skin)	87.6
Asthma	27.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	52.6
Life Expectancy at Birth	37.8
Cognitively Disabled	88.7
Physically Disabled	83.0
Heart Attack ER Admissions	7.5
Mental Health Not Good	28.5
Chronic Kidney Disease	64.9
Obesity	17.5
Pedestrian Injuries	92.5
Physical Health Not Good	37.9

Stroke	70.4
Health Risk Behaviors	—
Binge Drinking	30.9
Current Smoker	25.4
No Leisure Time for Physical Activity	29.5
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	35.2
Elderly	90.4
English Speaking	42.3
Foreign-born	59.5
Outdoor Workers	11.9
Climate Change Adaptive Capacity	—
Impervious Surface Cover	72.4
Traffic Density	65.3
Traffic Access	23.0
Other Indices	—
Hardship	70.6
Other Decision Support	—
2016 Voting	23.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	69.0
Healthy Places Index Score for Project Location (b)	30.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes

Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
 b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	The Project will not use natural gas
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater

Ramona and Webster (Fulfillment Center Operations) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

2.6. Operations Emissions by Sector, Mitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Ramona and Webster (Fulfillment Center Operations)
Operational Year	2026
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	9.00
Location	33.842376, -117.242592
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5580
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.21

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	414	1000sqft	13.3	413,942	164,700	—	—	—

User Defined Industrial	414	User Defined Unit	0.00	0.00	0.00	—	—	—
Parking Lot	483	Space	4.19	0.00	0.00	—	—	—
Other Asphalt Surfaces	8.40	Acre	8.40	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.73	16.1	12.2	48.2	0.15	0.24	8.72	8.96	0.24	2.25	2.49	393	17,965	18,358	40.4	2.02	51.3	20,021
Mit.	6.73	16.1	12.2	48.2	0.15	0.24	8.72	8.96	0.24	2.25	2.49	393	17,965	18,358	40.4	2.02	51.3	20,021
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.40	13.0	12.6	25.9	0.14	0.22	8.72	8.94	0.21	2.25	2.46	393	17,474	17,867	40.4	2.03	1.33	19,483
Mit.	3.40	13.0	12.6	25.9	0.14	0.22	8.72	8.94	0.21	2.25	2.46	393	17,474	17,867	40.4	2.03	1.33	19,483
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.60	14.1	9.31	31.7	0.10	0.17	6.34	6.51	0.16	1.64	1.80	393	13,539	13,932	40.3	1.61	16.2	15,436
Mit.	4.60	14.1	9.31	31.7	0.10	0.17	6.34	6.51	0.16	1.64	1.80	393	13,539	13,932	40.3	1.61	16.2	15,436
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.84	2.58	1.70	5.78	0.02	0.03	1.16	1.19	0.03	0.30	0.33	65.1	2,241	2,307	6.67	0.27	2.68	2,556
Mit.	0.84	2.58	1.70	5.78	0.02	0.03	1.16	1.19	0.03	0.30	0.33	65.1	2,241	2,307	6.67	0.27	2.68	2,556
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	3.39	2.99	11.7	29.8	0.15	0.20	8.72	8.92	0.19	2.25	2.44	—	15,238	15,238	0.37	1.54	51.3	15,758
Area	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	6.73	16.1	12.2	48.2	0.15	0.24	8.72	8.96	0.24	2.25	2.49	393	17,965	18,358	40.4	2.02	51.3	20,021
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Mobile	3.26	2.86	12.3	25.5	0.14	0.20	8.72	8.92	0.19	2.25	2.44	—	14,821	14,821	0.38	1.55	1.33	15,294
Area	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	3.40	13.0	12.6	25.9	0.14	0.22	8.72	8.94	0.21	2.25	2.46	393	17,474	17,867	40.4	2.03	1.33	19,483
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.37	2.07	9.11	19.2	0.10	0.14	6.34	6.49	0.14	1.64	1.78	—	10,881	10,881	0.28	1.14	16.2	11,242
Area	2.19	12.0	0.10	12.3	< 0.005	0.02	—	0.02	0.02	—	0.02	—	50.7	50.7	< 0.005	< 0.005	—	50.9
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.04	0.03	0.09	0.12	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	17.3	17.3	< 0.005	< 0.005	0.00	17.3
Total	4.60	14.1	9.31	31.7	0.10	0.17	6.34	6.51	0.16	1.64	1.80	393	13,539	13,932	40.3	1.61	16.2	15,436
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.43	0.38	1.66	3.51	0.02	0.03	1.16	1.18	0.03	0.30	0.32	—	1,801	1,801	0.05	0.19	2.68	1,861
Area	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	324	324	0.03	< 0.005	—	326
Water	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
Waste	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
Stationary	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.84	2.58	1.70	5.78	0.02	0.03	1.16	1.19	0.03	0.30	0.33	65.1	2,241	2,307	6.67	0.27	2.68	2,556

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	3.39	2.99	11.7	29.8	0.15	0.20	8.72	8.92	0.19	2.25	2.44	—	15,238	15,238	0.37	1.54	51.3	15,758
Area	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	6.73	16.1	12.2	48.2	0.15	0.24	8.72	8.96	0.24	2.25	2.49	393	17,965	18,358	40.4	2.02	51.3	20,021
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	3.26	2.86	12.3	25.5	0.14	0.20	8.72	8.92	0.19	2.25	2.44	—	14,821	14,821	0.38	1.55	1.33	15,294
Area	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	3.40	13.0	12.6	25.9	0.14	0.22	8.72	8.94	0.21	2.25	2.46	393	17,474	17,867	40.4	2.03	1.33	19,483
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.37	2.07	9.11	19.2	0.10	0.14	6.34	6.49	0.14	1.64	1.78	—	10,881	10,881	0.28	1.14	16.2	11,242
Area	2.19	12.0	0.10	12.3	< 0.005	0.02	—	0.02	0.02	—	0.02	—	50.7	50.7	< 0.005	< 0.005	—	50.9

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.04	0.03	0.09	0.12	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	17.3	17.3	< 0.005	< 0.005	0.00	17.3
Total	4.60	14.1	9.31	31.7	0.10	0.17	6.34	6.51	0.16	1.64	1.80	393	13,539	13,932	40.3	1.61	16.2	15,436
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.43	0.38	1.66	3.51	0.02	0.03	1.16	1.18	0.03	0.30	0.32	—	1,801	1,801	0.05	0.19	2.68	1,861
Area	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	324	324	0.03	< 0.005	—	326
Water	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
Waste	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
Stationary	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.84	2.58	1.70	5.78	0.02	0.03	1.16	1.19	0.03	0.30	0.33	65.1	2,241	2,307	6.67	0.27	2.68	2,556

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Unrefrigerated Warehouse-No	2.87	2.66	1.31	26.1	0.05	0.02	5.33	5.35	0.02	1.35	1.37	—	5,533	5,533	0.21	0.14	18.1	5,598
User Defined Industrial	0.52	0.33	10.4	3.64	0.09	0.17	3.39	3.56	0.17	0.91	1.08	—	9,706	9,706	0.16	1.40	33.2	10,159
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	3.39	2.99	11.7	29.8	0.15	0.20	8.72	8.92	0.19	2.25	2.44	—	15,238	15,238	0.37	1.54	51.3	15,758
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.75	2.53	1.45	21.8	0.05	0.02	5.33	5.35	0.02	1.35	1.37	—	5,113	5,113	0.22	0.15	0.47	5,164
User Defined Industrial	0.51	0.32	10.9	3.65	0.09	0.17	3.39	3.56	0.17	0.91	1.08	—	9,709	9,709	0.16	1.40	0.86	10,130
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	3.26	2.86	12.3	25.5	0.14	0.20	8.72	8.92	0.19	2.25	2.44	—	14,821	14,821	0.38	1.55	1.33	15,294
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.36	0.34	0.20	3.03	0.01	< 0.005	0.71	0.71	< 0.005	0.18	0.18	—	626	626	0.03	0.02	0.95	634

User Defined Industrial	0.07	0.04	1.46	0.48	0.01	0.02	0.45	0.47	0.02	0.12	0.14	—	1,175	1,175	0.02	0.17	1.74	1,228
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.43	0.38	1.66	3.51	0.02	0.03	1.16	1.18	0.03	0.30	0.32	—	1,801	1,801	0.05	0.19	2.68	1,861

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.87	2.66	1.31	26.1	0.05	0.02	5.33	5.35	0.02	1.35	1.37	—	5,533	5,533	0.21	0.14	18.1	5,598
User Defined Industrial	0.52	0.33	10.4	3.64	0.09	0.17	3.39	3.56	0.17	0.91	1.08	—	9,706	9,706	0.16	1.40	33.2	10,159
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	3.39	2.99	11.7	29.8	0.15	0.20	8.72	8.92	0.19	2.25	2.44	—	15,238	15,238	0.37	1.54	51.3	15,758
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrige Warehouse-No Rail	2.75	2.53	1.45	21.8	0.05	0.02	5.33	5.35	0.02	1.35	1.37	—	5,113	5,113	0.22	0.15	0.47	5,164
User Defined Industrial	0.51	0.32	10.9	3.65	0.09	0.17	3.39	3.56	0.17	0.91	1.08	—	9,709	9,709	0.16	1.40	0.86	10,130
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	3.26	2.86	12.3	25.5	0.14	0.20	8.72	8.92	0.19	2.25	2.44	—	14,821	14,821	0.38	1.55	1.33	15,294
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehouse-No Rail	0.36	0.34	0.20	3.03	0.01	< 0.005	0.71	0.71	< 0.005	0.18	0.18	—	626	626	0.03	0.02	0.95	634
User Defined Industrial	0.07	0.04	1.46	0.48	0.01	0.02	0.45	0.47	0.02	0.12	0.14	—	1,175	1,175	0.02	0.17	1.74	1,228
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.43	0.38	1.66	3.51	0.02	0.03	1.16	1.18	0.03	0.30	0.32	—	1,801	1,801	0.05	0.19	2.68	1,861

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated	—	—	—	—	—	—	—	—	—	—	—	—	299	299	0.03	< 0.005	—	301
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.3
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	324	324	0.03	< 0.005	—	326

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	299	299	0.03	< 0.005	—	301
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.3
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	324	324	0.03	< 0.005	—	326

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.20	2.96	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Total	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural	—	0.20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Total	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.20	2.96	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Total	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Total	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	—	734

Ramona and Webster (Fulfillment Center Operations) Detailed Report, 2/15/2024

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove d	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	744	63.0	25.2	198,572	7,652	648	259	2,042,155
User Defined Industrial	136	11.5	4.59	36,292	3,875	328	131	1,034,309
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	744	63.0	25.2	198,572	7,652	648	259	2,042,155
User Defined Industrial	136	11.5	4.59	36,292	3,875	328	131	1,034,309
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	620,913	206,971	32,905

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
----------	----------------------	-----	-----	-----	-----------------------

Unrefrigerated Warehouse-No Rail	1,905,107	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	159,884	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,905,091	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	159,884	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	95,724,088	2,611,436
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	95,724,088	2,611,436

User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	389	—
User Defined Industrial	0.00	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	389	—
User Defined Industrial	0.00	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	0.50	50.0	150	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.1	annual days of extreme heat
Extreme Precipitation	1.95	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	6.36	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	53.3
AQ-DPM	47.8

Drinking Water	10.2
Lead Risk Housing	22.0
Pesticides	58.8
Toxic Releases	37.7
Traffic	81.9
Effect Indicators	—
CleanUp Sites	69.4
Groundwater	0.00
Haz Waste Facilities/Generators	53.5
Impaired Water Bodies	0.00
Solid Waste	40.1
Sensitive Population	—
Asthma	65.6
Cardio-vascular	90.6
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—
Education	74.7
Housing	57.9
Linguistic	53.4
Poverty	64.5
Unemployment	15.8

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	36.04516874

Employed	38.00846914
Median HI	53.00911074
Education	—
Bachelor's or higher	28.6154241
High school enrollment	100
Preschool enrollment	5.440780187
Transportation	—
Auto Access	94.58488387
Active commuting	6.723983062
Social	—
2-parent households	87.71974849
Voting	9.636853587
Neighborhood	—
Alcohol availability	84.04978827
Park access	11.88245862
Retail density	29.21852945
Supermarket access	12.06210702
Tree canopy	0.590273322
Housing	—
Homeownership	79.23777749
Housing habitability	40.67753112
Low-inc homeowner severe housing cost burden	12.19042731
Low-inc renter severe housing cost burden	27.61452586
Uncrowded housing	47.8121391
Health Outcomes	—
Insured adults	26.49813936
Arthritis	79.8

Asthma ER Admissions	42.9
High Blood Pressure	64.8
Cancer (excluding skin)	87.6
Asthma	27.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	52.6
Life Expectancy at Birth	37.8
Cognitively Disabled	88.7
Physically Disabled	83.0
Heart Attack ER Admissions	7.5
Mental Health Not Good	28.5
Chronic Kidney Disease	64.9
Obesity	17.5
Pedestrian Injuries	92.5
Physical Health Not Good	37.9
Stroke	70.4
Health Risk Behaviors	—
Binge Drinking	30.9
Current Smoker	25.4
No Leisure Time for Physical Activity	29.5
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	35.2
Elderly	90.4
English Speaking	42.3

Foreign-born	59.5
Outdoor Workers	11.9
Climate Change Adaptive Capacity	—
Impervious Surface Cover	72.4
Traffic Density	65.3
Traffic Access	23.0
Other Indices	—
Hardship	70.6
Other Decision Support	—
2016 Voting	23.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	69.0
Healthy Places Index Score for Project Location (b)	30.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Project area (without Cold Storage) is 25.88 acres
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	The Project will not use natural gas
Operations: Emergency Generators and Fire Pumps	Information provided by Client

This page intentionally left blank

APPENDIX 3.3:

CALEEMOD PROJECT LOCALIZED OPERATIONAL EMISSIONS MODEL OUTPUTS

Ramona and Webster (Cold Storage Operational LSTs) Detailed Report

Table of Contents

1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Ramona and Webster (Cold Storage Operational LSTs)
Operational Year	2026
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	9.00
Location	33.842376, -117.242592
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5580
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.21

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Refrigerated Warehouse-No Rail	138	1000sqft	3.17	137,981	0.00	—	—	—

User Defined Industrial	138	User Defined Unit	0.00	0.00	0.00	—	—	—
-------------------------	-----	-------------------	------	------	------	---	---	---

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.15	5.31	1.53	9.17	0.01	0.06	0.21	0.27	0.05	0.05	0.11	131	3,619	3,750	13.6	0.23	142	4,301
Mit.	2.15	5.31	1.53	9.17	0.01	0.06	0.21	0.27	0.05	0.05	0.11	131	3,619	3,750	13.6	0.23	142	4,301
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.05	4.28	1.52	3.26	< 0.005	0.05	0.21	0.26	0.05	0.05	0.10	131	3,582	3,713	13.6	0.23	141	4,263
Mit.	1.05	4.28	1.52	3.26	< 0.005	0.05	0.21	0.26	0.05	0.05	0.10	131	3,582	3,713	13.6	0.23	141	4,263
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.35	4.56	0.77	6.19	< 0.005	0.02	0.16	0.18	0.02	0.04	0.06	131	3,395	3,526	13.6	0.22	141	4,072

Mit.	1.35	4.56	0.77	6.19	< 0.005	0.02	0.16	0.18	0.02	0.04	0.06	131	3,395	3,526	13.6	0.22	141	4,072
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.25	0.83	0.14	1.13	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	21.7	562	584	2.25	0.04	23.3	674
Mit.	0.25	0.83	0.14	1.13	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	21.7	562	584	2.25	0.04	23.3	674
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.77	0.74	0.68	2.44	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	379	379	0.05	0.04	1.00	395
Area	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	2.15	5.31	1.53	9.17	0.01	0.06	0.21	0.27	0.05	0.05	0.11	131	3,619	3,750	13.6	0.23	142	4,301
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.73	0.69	0.72	2.53	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	367	367	0.05	0.05	0.03	382
Area	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Cold Storage Operational LSTs) Detailed Report, 2/19/2024

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	1.05	4.28	1.52	3.26	< 0.005	0.05	0.21	0.26	0.05	0.05	0.10	131	3,582	3,713	13.6	0.23	141	4,263
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.53	0.50	0.52	1.88	< 0.005	< 0.005	0.16	0.16	< 0.005	0.04	0.04	—	269	269	0.04	0.03	0.31	281
Area	0.73	3.98	0.03	4.11	< 0.005	0.01	—	0.01	0.01	—	0.01	—	16.9	16.9	< 0.005	< 0.005	—	17.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Total	1.35	4.56	0.77	6.19	< 0.005	0.02	0.16	0.18	0.02	0.04	0.06	131	3,395	3,526	13.6	0.22	141	4,072
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.10	0.09	0.09	0.34	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	44.6	44.6	0.01	0.01	0.05	46.5
Area	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	474	474	0.05	0.01	—	477
Water	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
Waste	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Stationary	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.25	0.83	0.14	1.13	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	21.7	562	584	2.25	0.04	23.3	674

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.77	0.74	0.68	2.44	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	379	379	0.05	0.04	1.00	395
Area	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	2.15	5.31	1.53	9.17	0.01	0.06	0.21	0.27	0.05	0.05	0.11	131	3,619	3,750	13.6	0.23	142	4,301
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.73	0.69	0.72	2.53	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	367	367	0.05	0.05	0.03	382
Area	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	1.05	4.28	1.52	3.26	< 0.005	0.05	0.21	0.26	0.05	0.05	0.10	131	3,582	3,713	13.6	0.23	141	4,263
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	0.53	0.50	0.52	1.88	< 0.005	< 0.005	0.16	0.16	< 0.005	0.04	0.04	—	269	269	0.04	0.03	0.31	281
Area	0.73	3.98	0.03	4.11	< 0.005	0.01	—	0.01	0.01	—	0.01	—	16.9	16.9	< 0.005	< 0.005	—	17.0
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,862	2,862	0.27	0.03	—	2,879
Water	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Waste	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Stationary	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Total	1.35	4.56	0.77	6.19	< 0.005	0.02	0.16	0.18	0.02	0.04	0.06	131	3,395	3,526	13.6	0.22	141	4,072
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.10	0.09	0.09	0.34	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	44.6	44.6	0.01	0.01	0.05	46.5
Area	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	474	474	0.05	0.01	—	477
Water	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
Waste	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Stationary	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.25	0.83	0.14	1.13	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	21.7	562	584	2.25	0.04	23.3	674

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Ramona and Webster (Cold Storage Operational LSTs) Detailed Report, 2/19/2024

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.72	0.70	0.16	2.07	< 0.005	< 0.005	0.17	0.17	< 0.005	0.04	0.05	—	216	216	0.04	0.02	0.59	223
User Defined Industrial	0.05	0.03	0.52	0.36	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	164	164	0.01	0.03	0.41	172
Total	0.77	0.74	0.68	2.44	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	379	379	0.05	0.04	1.00	395
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.69	0.66	0.17	2.16	< 0.005	< 0.005	0.17	0.17	< 0.005	0.04	0.05	—	202	202	0.04	0.02	0.02	210
User Defined Industrial	0.04	0.03	0.55	0.38	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	165	165	0.01	0.03	0.01	173
Total	0.73	0.69	0.72	2.53	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	367	367	0.05	0.05	0.03	382
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.09	0.09	0.02	0.29	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	24.8	24.8	0.01	< 0.005	0.03	25.7
User Defined Industrial	0.01	< 0.005	0.07	0.05	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	19.9	19.9	< 0.005	< 0.005	0.02	20.8
Total	0.10	0.09	0.09	0.34	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	44.6	44.6	0.01	0.01	0.05	46.5

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.72	0.70	0.16	2.07	< 0.005	< 0.005	0.17	0.17	< 0.005	0.04	0.05	—	216	216	0.04	0.02	0.59	223
User Defined Industrial	0.05	0.03	0.52	0.36	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	164	164	0.01	0.03	0.41	172
Total	0.77	0.74	0.68	2.44	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	379	379	0.05	0.04	1.00	395
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.69	0.66	0.17	2.16	< 0.005	< 0.005	0.17	0.17	< 0.005	0.04	0.05	—	202	202	0.04	0.02	0.02	210
User Defined Industrial	0.04	0.03	0.55	0.38	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	165	165	0.01	0.03	0.01	173
Total	0.73	0.69	0.72	2.53	< 0.005	< 0.005	0.21	0.22	< 0.005	0.05	0.06	—	367	367	0.05	0.05	0.03	382
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.09	0.09	0.02	0.29	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	24.8	24.8	0.01	< 0.005	0.03	25.7

User Defined Industrial	0.01	< 0.005	0.07	0.05	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	19.9	19.9	< 0.005	< 0.005	0.02	20.8
Total	0.10	0.09	0.09	0.34	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	44.6	44.6	0.01	0.01	0.05	46.5

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,862	2,862	0.27	0.03	—	2,879
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	474	474	0.05	0.01	—	477

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architect Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.07	0.99	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Total	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.13	0.12	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Total	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
--------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Ramona and Webster (Cold Storage Operational LSTs) Detailed Report, 2/19/2024

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	1.07	0.99	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Total	1.07	4.29	0.05	6.00	< 0.005	0.01	—	0.01	0.01	—	0.01	—	24.7	24.7	< 0.005	< 0.005	—	24.8
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	2.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	3.30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	0.54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.13	0.12	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81
Total	0.13	0.73	0.01	0.75	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.80	2.80	< 0.005	< 0.005	—	2.81

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469	
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00	
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469	
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469	

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	61.1	206	267	6.29	0.15	—	469
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	10.1	34.1	44.2	1.04	0.03	—	77.7

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	69.9	0.00	69.9	6.99	0.00	—	245
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	11.6	0.00	11.6	1.16	0.00	—	40.5

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse- No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141	141
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse- No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23.3	23.3

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147

Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Total	0.32	0.29	0.80	0.73	< 0.005	0.04	0.00	0.04	0.04	0.00	0.04	0.00	147	147	0.01	< 0.005	0.00	147
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Daily, Winter (Max)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Annual	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Daily, Winter (Max)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Annual	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VM/Weekday	VM/Saturday	VM/Sunday	VM/Year
Refrigerated Warehouse-No Rail	248	21.0	8.39	66,191	248	21.0	8.39	66,191
User Defined Industrial	48.0	4.06	1.63	12,812	48.0	4.06	1.63	12,812

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VM/Weekday	VM/Saturday	VM/Sunday	VM/Year
Refrigerated Warehouse-No Rail	248	21.0	8.39	66,191	248	21.0	8.39	66,191
User Defined Industrial	48.0	4.06	1.63	12,812	48.0	4.06	1.63	12,812

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	206,972	68,991	—

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	3,017,582	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	3,017,566	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	31,908,106	0.00
User Defined Industrial	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	31,908,106	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	130	—
User Defined Industrial	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	130	—

User Defined Industrial	0.00	—
-------------------------	------	---

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	0.50	50.0	350	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.1	annual days of extreme heat
Extreme Precipitation	1.95	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	6.36	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	53.3
AQ-DPM	47.8
Drinking Water	10.2
Lead Risk Housing	22.0
Pesticides	58.8
Toxic Releases	37.7
Traffic	81.9
Effect Indicators	—
CleanUp Sites	69.4
Groundwater	0.00
Haz Waste Facilities/Generators	53.5
Impaired Water Bodies	0.00
Solid Waste	40.1
Sensitive Population	—
Asthma	65.6
Cardio-vascular	90.6
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—

Education	74.7
Housing	57.9
Linguistic	53.4
Poverty	64.5
Unemployment	15.8

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	36.04516874
Employed	38.00846914
Median HI	53.00911074
Education	—
Bachelor's or higher	28.6154241
High school enrollment	100
Preschool enrollment	5.440780187
Transportation	—
Auto Access	94.58488387
Active commuting	6.723983062
Social	—
2-parent households	87.71974849
Voting	9.636853587
Neighborhood	—
Alcohol availability	84.04978827
Park access	11.88245862
Retail density	29.21852945

Supermarket access	12.06210702
Tree canopy	0.590273322
Housing	—
Homeownership	79.23777749
Housing habitability	40.67753112
Low-inc homeowner severe housing cost burden	12.19042731
Low-inc renter severe housing cost burden	27.61452586
Uncrowded housing	47.8121391
Health Outcomes	—
Insured adults	26.49813936
Arthritis	79.8
Asthma ER Admissions	42.9
High Blood Pressure	64.8
Cancer (excluding skin)	87.6
Asthma	27.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	52.6
Life Expectancy at Birth	37.8
Cognitively Disabled	88.7
Physically Disabled	83.0
Heart Attack ER Admissions	7.5
Mental Health Not Good	28.5
Chronic Kidney Disease	64.9
Obesity	17.5
Pedestrian Injuries	92.5
Physical Health Not Good	37.9

Stroke	70.4
Health Risk Behaviors	—
Binge Drinking	30.9
Current Smoker	25.4
No Leisure Time for Physical Activity	29.5
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	35.2
Elderly	90.4
English Speaking	42.3
Foreign-born	59.5
Outdoor Workers	11.9
Climate Change Adaptive Capacity	—
Impervious Surface Cover	72.4
Traffic Density	65.3
Traffic Access	23.0
Other Indices	—
Hardship	70.6
Other Decision Support	—
2016 Voting	23.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	69.0
Healthy Places Index Score for Project Location (b)	30.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes

Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	The Project will not use natural gas
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
 - 2.6. Operations Emissions by Sector, Mitigated
- 4. Operations Emissions Details
 - 4.1. Mobile Emissions by Land Use
 - 4.1.1. Unmitigated
 - 4.1.2. Mitigated
 - 4.2. Energy
 - 4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	Ramona and Webster (Fulfillment Center Operational LSTs)
Operational Year	2026
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	9.00
Location	33.842376, -117.242592
County	Riverside-South Coast
City	Perris
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5580
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.21

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	414	1000sqft	13.3	413,942	164,700	—	—	—

User Defined Industrial	414	User Defined Unit	0.00	0.00	0.00	—	—	—
Parking Lot	483	Space	4.19	0.00	0.00	—	—	—
Other Asphalt Surfaces	8.40	Acre	8.40	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	5.64	15.3	2.44	25.7	0.01	0.05	0.64	0.69	0.06	0.16	0.22	393	3,834	4,227	40.2	0.61	2.93	5,415
Mit.	5.64	15.3	2.44	25.7	0.01	0.05	0.64	0.69	0.06	0.16	0.22	393	3,834	4,227	40.2	0.61	2.93	5,415
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.32	12.2	2.40	7.98	0.01	0.03	0.64	0.67	0.03	0.16	0.19	393	3,723	4,116	40.2	0.61	0.08	5,302
Mit.	2.32	12.2	2.40	7.98	0.01	0.03	0.64	0.67	0.03	0.16	0.19	393	3,723	4,116	40.2	0.61	0.08	5,302
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.81	13.6	1.68	18.0	0.01	0.03	0.46	0.49	0.04	0.12	0.15	393	3,443	3,837	40.1	0.57	0.92	5,012
Mit.	3.81	13.6	1.68	18.0	0.01	0.03	0.46	0.49	0.04	0.12	0.15	393	3,443	3,837	40.1	0.57	0.92	5,012
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.70	2.47	0.31	3.29	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	65.1	570	635	6.64	0.10	0.15	830
Mit.	0.70	2.47	0.31	3.29	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	65.1	570	635	6.64	0.10	0.15	830
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	—	—	—	< 0.5%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.30	2.20	1.94	7.26	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,107	1,107	0.15	0.13	2.93	1,152
Area	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	5.64	15.3	2.44	25.7	0.01	0.05	0.64	0.69	0.06	0.16	0.22	393	3,834	4,227	40.2	0.61	2.93	5,415
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Mobile	2.18	2.08	2.05	7.54	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,070	1,070	0.16	0.13	0.08	1,114
Area	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	2.32	12.2	2.40	7.98	0.01	0.03	0.64	0.67	0.03	0.16	0.19	393	3,723	4,116	40.2	0.61	0.08	5,302
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.58	1.50	1.48	5.59	0.01	0.01	0.46	0.47	0.01	0.12	0.13	—	786	786	0.12	0.10	0.92	818
Area	2.19	12.0	0.10	12.3	< 0.005	0.02	—	0.02	0.02	—	0.02	—	50.7	50.7	< 0.005	< 0.005	—	50.9
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.04	0.03	0.09	0.12	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	17.3	17.3	< 0.005	< 0.005	0.00	17.3
Total	3.81	13.6	1.68	18.0	0.01	0.03	0.46	0.49	0.04	0.12	0.15	393	3,443	3,837	40.1	0.57	0.92	5,012
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.29	0.27	0.27	1.02	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	—	130	130	0.02	0.02	0.15	136
Area	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	324	324	0.03	< 0.005	—	326
Water	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
Waste	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
Stationary	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.70	2.47	0.31	3.29	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	65.1	570	635	6.64	0.10	0.15	830

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.30	2.20	1.94	7.26	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,107	1,107	0.15	0.13	2.93	1,152
Area	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	5.64	15.3	2.44	25.7	0.01	0.05	0.64	0.69	0.06	0.16	0.22	393	3,834	4,227	40.2	0.61	2.93	5,415
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	2.18	2.08	2.05	7.54	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,070	1,070	0.16	0.13	0.08	1,114
Area	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	2.32	12.2	2.40	7.98	0.01	0.03	0.64	0.67	0.03	0.16	0.19	393	3,723	4,116	40.2	0.61	0.08	5,302
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.58	1.50	1.48	5.59	0.01	0.01	0.46	0.47	0.01	0.12	0.13	—	786	786	0.12	0.10	0.92	818
Area	2.19	12.0	0.10	12.3	< 0.005	0.02	—	0.02	0.02	—	0.02	—	50.7	50.7	< 0.005	< 0.005	—	50.9

Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,959	1,959	0.19	0.02	—	1,970
Water	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Waste	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Stationary	0.04	0.03	0.09	0.12	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	17.3	17.3	< 0.005	< 0.005	0.00	17.3
Total	3.81	13.6	1.68	18.0	0.01	0.03	0.46	0.49	0.04	0.12	0.15	393	3,443	3,837	40.1	0.57	0.92	5,012
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.29	0.27	0.27	1.02	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	—	130	130	0.02	0.02	0.15	136
Area	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	324	324	0.03	< 0.005	—	326
Water	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
Waste	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
Stationary	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.70	2.47	0.31	3.29	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	65.1	570	635	6.64	0.10	0.15	830

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Unrefrigerated Warehouse-No	2.17	2.11	0.48	6.22	0.01	0.01	0.52	0.52	< 0.005	0.13	0.14	—	647	647	0.11	0.06	1.76	669
User Defined Industrial	0.14	0.10	1.46	1.04	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	460	460	0.04	0.07	1.17	483
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.30	2.20	1.94	7.26	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,107	1,107	0.15	0.13	2.93	1,152
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.06	1.99	0.52	6.47	0.01	0.01	0.52	0.52	< 0.005	0.13	0.14	—	607	607	0.13	0.06	0.05	629
User Defined Industrial	0.13	0.09	1.54	1.07	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	463	463	0.04	0.07	0.03	485
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.18	2.08	2.05	7.54	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,070	1,070	0.16	0.13	0.08	1,114
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.27	0.26	0.07	0.88	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	74.3	74.3	0.02	0.01	0.09	77.0

User Defined Industrial	0.02	0.01	0.20	0.14	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	55.8	55.8	< 0.005	0.01	0.06	58.6
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.29	0.27	0.27	1.02	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	—	130	130	0.02	0.02	0.15	136

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	2.17	2.11	0.48	6.22	0.01	0.01	0.52	0.52	< 0.005	0.13	0.14	—	647	647	0.11	0.06	1.76	669
User Defined Industrial	0.14	0.10	1.46	1.04	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	460	460	0.04	0.07	1.17	483
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.30	2.20	1.94	7.26	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,107	1,107	0.15	0.13	2.93	1,152
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrige Warehouse-No Rail	2.06	1.99	0.52	6.47	0.01	0.01	0.52	0.52	< 0.005	0.13	0.14	—	607	607	0.13	0.06	0.05	629
User Defined Industrial	0.13	0.09	1.54	1.07	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	463	463	0.04	0.07	0.03	485
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.18	2.08	2.05	7.54	0.01	0.01	0.64	0.65	0.01	0.16	0.17	—	1,070	1,070	0.16	0.13	0.08	1,114
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrige rated Warehouse-No Rail	0.27	0.26	0.07	0.88	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	74.3	74.3	0.02	0.01	0.09	77.0
User Defined Industrial	0.02	0.01	0.20	0.14	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	55.8	55.8	< 0.005	0.01	0.06	58.6
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.29	0.27	0.27	1.02	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	—	130	130	0.02	0.02	0.15	136

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
----------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated	—	—	—	—	—	—	—	—	—	—	—	—	299	299	0.03	< 0.005	—	301
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.3
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	324	324	0.03	< 0.005	—	326

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,807	1,807	0.17	0.02	—	1,817
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	152	152	0.01	< 0.005	—	153
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,959	1,959	0.19	0.02	—	1,970
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	299	299	0.03	< 0.005	—	301
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	25.1	25.1	< 0.005	< 0.005	—	25.3
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	324	324	0.03	< 0.005	—	326

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.20	2.96	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Total	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural	—	0.20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Total	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.20	2.96	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Total	3.20	13.0	0.15	18.0	< 0.005	0.02	—	0.02	0.03	—	0.03	—	74.0	74.0	< 0.005	< 0.005	—	74.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	8.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	1.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	9.99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	—	1.62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	—	0.20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.40	0.37	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43
Total	0.40	2.19	0.02	2.25	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.40	8.40	< 0.005	< 0.005	—	8.43

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	183	631	815	18.9	0.45	—	1,422
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	30.4	105	135	3.12	0.08	—	235

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e	
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	—	734

Ramona and Webster (Fulfillment Center Operational LSTs) Detailed Report, 2/19/2024

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	210	0.00	210	21.0	0.00	—	734
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	34.7	0.00	34.7	3.47	0.00	—	121

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Total	0.14	0.12	0.34	0.45	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	63.0	63.0	< 0.005	< 0.005	0.00	63.2
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87
Total	0.01	0.01	0.02	0.02	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	2.86	2.86	< 0.005	< 0.005	0.00	2.87

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
------------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
---------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	744	63.0	25.2	198,572	744	63.0	25.2	198,572
User Defined Industrial	136	11.5	4.59	36,292	136	11.5	4.59	36,292
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	744	63.0	25.2	198,572	744	63.0	25.2	198,572
User Defined Industrial	136	11.5	4.59	36,292	136	11.5	4.59	36,292
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	620,913	206,971	32,905

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
----------	----------------------	-----	-----	-----	-----------------------

Unrefrigerated Warehouse-No Rail	1,905,107	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	159,884	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,905,091	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Parking Lot	159,884	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	95,724,088	2,611,436
User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	95,724,088	2,611,436

User Defined Industrial	0.00	0.00
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	389	—
User Defined Industrial	0.00	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	389	—
User Defined Industrial	0.00	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
---------------	----------------	-------------	-----	---------------	----------------------	-------------------	----------------

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
----------------	-----------	-------------	----------------	---------------	------------	-------------

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	0.50	50.0	150	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
----------------	-----------	--------	--------------------------	------------------------------	------------------------------

5.17. User Defined

Equipment Type	Fuel Type
—	—

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres
--------------------------	----------------------	---------------	-------------

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres
--------------------	---------------	-------------

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)
-----------	--------	------------------------------	------------------------------

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.1	annual days of extreme heat
Extreme Precipitation	1.95	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	6.36	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	97.6
AQ-PM	53.3
AQ-DPM	47.8

Drinking Water	10.2
Lead Risk Housing	22.0
Pesticides	58.8
Toxic Releases	37.7
Traffic	81.9
Effect Indicators	—
CleanUp Sites	69.4
Groundwater	0.00
Haz Waste Facilities/Generators	53.5
Impaired Water Bodies	0.00
Solid Waste	40.1
Sensitive Population	—
Asthma	65.6
Cardio-vascular	90.6
Low Birth Weights	62.9
Socioeconomic Factor Indicators	—
Education	74.7
Housing	57.9
Linguistic	53.4
Poverty	64.5
Unemployment	15.8

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	36.04516874

Employed	38.00846914
Median HI	53.00911074
Education	—
Bachelor's or higher	28.6154241
High school enrollment	100
Preschool enrollment	5.440780187
Transportation	—
Auto Access	94.58488387
Active commuting	6.723983062
Social	—
2-parent households	87.71974849
Voting	9.636853587
Neighborhood	—
Alcohol availability	84.04978827
Park access	11.88245862
Retail density	29.21852945
Supermarket access	12.06210702
Tree canopy	0.590273322
Housing	—
Homeownership	79.23777749
Housing habitability	40.67753112
Low-inc homeowner severe housing cost burden	12.19042731
Low-inc renter severe housing cost burden	27.61452586
Uncrowded housing	47.8121391
Health Outcomes	—
Insured adults	26.49813936
Arthritis	79.8

Asthma ER Admissions	42.9
High Blood Pressure	64.8
Cancer (excluding skin)	87.6
Asthma	27.9
Coronary Heart Disease	81.5
Chronic Obstructive Pulmonary Disease	59.8
Diagnosed Diabetes	52.6
Life Expectancy at Birth	37.8
Cognitively Disabled	88.7
Physically Disabled	83.0
Heart Attack ER Admissions	7.5
Mental Health Not Good	28.5
Chronic Kidney Disease	64.9
Obesity	17.5
Pedestrian Injuries	92.5
Physical Health Not Good	37.9
Stroke	70.4
Health Risk Behaviors	—
Binge Drinking	30.9
Current Smoker	25.4
No Leisure Time for Physical Activity	29.5
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	35.2
Elderly	90.4
English Speaking	42.3

Foreign-born	59.5
Outdoor Workers	11.9
Climate Change Adaptive Capacity	—
Impervious Surface Cover	72.4
Traffic Density	65.3
Traffic Access	23.0
Other Indices	—
Hardship	70.6
Other Decision Support	—
2016 Voting	23.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	69.0
Healthy Places Index Score for Project Location (b)	30.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Total Project area (without Cold Storage) is 25.88 acres
Operations: Vehicle Data	Trip characteristics based on information provided in the Traffic analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on the CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, & MCY). Truck Mix based on information in the Traffic analysis
Operations: Energy Use	The Project will not use natural gas
Operations: Emergency Generators and Fire Pumps	Information provided by Client

This page intentionally left blank

APPENDIX 3.3:
AERMOD MODELING OUTPUT

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   CO\15496 Cons CO.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1 8
22 URBANOPT 2189641 Riverside_County
23 POLLUTID CO
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Cons CO.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0070440743	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0070440743	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0070440743	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0070440743	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0070440743	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0070440743	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0070440743	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0070440743	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0070440743	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0070440743	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0070440743	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0070440743	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0070440743	5.000	9.349	1.400

198	SRCPARAM	VOL80	0.0070440743	5.000	9.349	1.400
199	SRCPARAM	VOL81	0.0070440743	5.000	9.349	1.400
200	URBANSRC	ALL				
201						
202	**	Variable Emissions Type:	"By Hour / Day (HRDOW)"			
203	**	Variable Emission Scenario:	"Scenario 1"			
204	**	WeekDays:				
205	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
206	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
207	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
208	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
209	**	Saturday:				
210	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
211	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
212	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	**	Sunday:				
215	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	**	WeekDays:				
220	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
222	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
223	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
224	**	Saturday:				
225	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
227	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	**	Sunday:				
230	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	**	WeekDays:				
235	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
237	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
238	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
239	**	Saturday:				
240	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
242	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	**	Sunday:				
245	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	**	WeekDays:				
250	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
252	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
253	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
254	**	Saturday:				
255	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
257	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	**	Sunday:				
260	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

330	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	** Sunday:	
335	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	** WeekDays:	
340	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
342	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
343	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	** Saturday:	
345	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	** Sunday:	
350	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	** WeekDays:	
355	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
357	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
358	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	** Saturday:	
360	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	** Sunday:	
365	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	** WeekDays:	
370	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
372	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
373	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	** Saturday:	
375	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	** Sunday:	
380	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	** WeekDays:	
385	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
387	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
388	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	** Saturday:	
390	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	** Sunday:	
395	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	** WeekDays:	
400	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
402	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
403	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	** Saturday:	
405	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	** Sunday:	
410	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	** WeekDays:	
415	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
417	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
418	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	** Saturday:	
420	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	** Sunday:	
425	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	** WeekDays:	
430	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
432	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
433	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	** Saturday:	
435	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	** Sunday:	
440	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	** WeekDays:	
445	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
447	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
448	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	** Saturday:	
450	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	** Sunday:	
455	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	** WeekDays:	
460	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL18	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

462	EMISFACT VOL18	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
463	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
464	** Saturday:	
465	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
466	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
467	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
468	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
469	** Sunday:	
470	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
471	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
472	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
473	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
474	** WeekDays:	
475	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
476	EMISFACT VOL19	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
477	EMISFACT VOL19	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
478	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
479	** Saturday:	
480	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
481	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
482	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
483	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
484	** Sunday:	
485	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
486	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
487	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
488	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
489	** WeekDays:	
490	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
491	EMISFACT VOL20	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
492	EMISFACT VOL20	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
493	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
494	** Saturday:	
495	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
496	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
497	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
498	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
499	** Sunday:	
500	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
501	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
502	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
503	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
504	** WeekDays:	
505	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
506	EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
507	EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
508	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
509	** Saturday:	
510	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
511	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
512	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
513	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
514	** Sunday:	
515	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
516	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
517	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
518	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
519	** WeekDays:	
520	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
521	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
522	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
523	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
524	** Saturday:	
525	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
526	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
527	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
529	**	Sunday:							
530	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
531	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
532	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
533	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
534	**	WeekDays:							
535	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
536	EMISFACT	VOL23	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
537	EMISFACT	VOL23	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
538	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
539	**	Saturday:							
540	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
541	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
542	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
543	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
544	**	Sunday:							
545	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
546	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
547	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
548	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
549	**	WeekDays:							
550	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
551	EMISFACT	VOL24	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
552	EMISFACT	VOL24	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
553	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
554	**	Saturday:							
555	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
556	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
557	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
558	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
559	**	Sunday:							
560	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
561	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
562	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
563	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
564	**	WeekDays:							
565	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
566	EMISFACT	VOL25	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
567	EMISFACT	VOL25	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
568	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
569	**	Saturday:							
570	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
571	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
572	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
573	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
574	**	Sunday:							
575	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
576	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
577	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
578	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
579	**	WeekDays:							
580	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
581	EMISFACT	VOL26	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
582	EMISFACT	VOL26	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
583	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
584	**	Saturday:							
585	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
586	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
587	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
588	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
589	**	Sunday:							
590	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
591	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
592	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
593	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	** Sunday:	
665	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	** WeekDays:	
670	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
672	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
673	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	** Saturday:	
675	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	** Sunday:	
680	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	** WeekDays:	
685	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
687	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
688	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	** Saturday:	
690	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	** Sunday:	
695	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	** WeekDays:	
700	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
702	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
703	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	** Saturday:	
705	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	** Sunday:	
710	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	** WeekDays:	
715	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
717	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
718	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	** Saturday:	
720	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	** Sunday:	
725	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	** WeekDays:	
730	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
732	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
733	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	** Saturday:	
735	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	** Sunday:	
740	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	** WeekDays:	
745	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
747	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
748	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	** Saturday:	
750	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	** Sunday:	
755	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	** WeekDays:	
760	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
762	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
763	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	** Saturday:	
765	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	** Sunday:	
770	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	** WeekDays:	
775	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
777	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
778	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	** Saturday:	
780	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	** Sunday:	
785	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	** WeekDays:	
790	EMISFACT VOL40	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL40	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

792	EMISFACT	VOL40	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
793	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
794	**	Saturday:							
795	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
796	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
797	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
798	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
799	**	Sunday:							
800	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
801	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
802	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
803	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
804	**	WeekDays:							
805	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
806	EMISFACT	VOL41	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
807	EMISFACT	VOL41	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
808	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
809	**	Saturday:							
810	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
811	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
812	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
813	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
814	**	Sunday:							
815	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
816	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
817	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
818	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
819	**	WeekDays:							
820	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
821	EMISFACT	VOL42	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
822	EMISFACT	VOL42	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
823	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
824	**	Saturday:							
825	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
826	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
827	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
828	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
829	**	Sunday:							
830	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
831	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
832	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
833	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
834	**	WeekDays:							
835	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
836	EMISFACT	VOL43	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
837	EMISFACT	VOL43	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
838	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
839	**	Saturday:							
840	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
841	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
842	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
843	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
844	**	Sunday:							
845	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
846	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
847	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
848	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
849	**	WeekDays:							
850	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
851	EMISFACT	VOL44	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
852	EMISFACT	VOL44	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
853	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
854	**	Saturday:							
855	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
856	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
857	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	** Sunday:	
860	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	** WeekDays:	
865	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
867	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
868	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	** Saturday:	
870	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	** Sunday:	
875	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	** WeekDays:	
880	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
882	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
883	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	** Saturday:	
885	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	** Sunday:	
890	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	** WeekDays:	
895	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
897	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
898	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	** Saturday:	
900	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	** Sunday:	
905	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	** WeekDays:	
910	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
912	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
913	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	** Saturday:	
915	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	** Sunday:	
920	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	** Sunday:	
995	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	** WeekDays:	
1000	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1002	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1003	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	** Saturday:	
1005	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	** Sunday:	
1010	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	** WeekDays:	
1015	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1017	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1018	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	** Saturday:	
1020	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	** Sunday:	
1025	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	** WeekDays:	
1030	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1032	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1033	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	** Saturday:	
1035	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	** Sunday:	
1040	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	** WeekDays:	
1045	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1047	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1048	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	** Saturday:	
1050	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	** Sunday:	
1055	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1056	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1057	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1058	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1059	**	WeekDays:							
1060	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1061	EMISFACT	VOL58	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1062	EMISFACT	VOL58	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1063	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1064	**	Saturday:							
1065	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1066	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1067	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1068	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1069	**	Sunday:							
1070	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1071	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1072	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1073	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1074	**	WeekDays:							
1075	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1076	EMISFACT	VOL59	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1077	EMISFACT	VOL59	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1078	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1079	**	Saturday:							
1080	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1081	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1082	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1083	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1084	**	Sunday:							
1085	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1086	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1087	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1088	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1089	**	WeekDays:							
1090	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1091	EMISFACT	VOL60	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1092	EMISFACT	VOL60	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1093	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1094	**	Saturday:							
1095	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1096	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1097	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1098	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1099	**	Sunday:							
1100	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1101	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1102	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1103	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1104	**	WeekDays:							
1105	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1106	EMISFACT	VOL61	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1107	EMISFACT	VOL61	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1108	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1109	**	Saturday:							
1110	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1111	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1112	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1113	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1114	**	Sunday:							
1115	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1116	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1117	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1118	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1119	**	WeekDays:							
1120	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1121	EMISFACT	VOL62	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0

1122	EMISFACT VOL62	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1123	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1124	** Saturday:	
1125	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1126	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1127	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1128	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1129	** Sunday:	
1130	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1131	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1132	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1133	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1134	** WeekDays:	
1135	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1136	EMISFACT VOL63	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1137	EMISFACT VOL63	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1138	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1139	** Saturday:	
1140	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1141	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1142	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1143	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1144	** Sunday:	
1145	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1146	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1147	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1148	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1149	** WeekDays:	
1150	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1151	EMISFACT VOL64	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1152	EMISFACT VOL64	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1153	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1154	** Saturday:	
1155	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1156	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1157	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1158	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1159	** Sunday:	
1160	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1161	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1162	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1163	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1164	** WeekDays:	
1165	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1166	EMISFACT VOL65	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1167	EMISFACT VOL65	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1168	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1169	** Saturday:	
1170	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1171	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1172	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1173	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1174	** Sunday:	
1175	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1176	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1177	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1178	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1179	** WeekDays:	
1180	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1181	EMISFACT VOL66	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1182	EMISFACT VOL66	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1183	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1184	** Saturday:	
1185	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1186	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1187	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1189	** Sunday:	
1190	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1191	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1192	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1193	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1194	** WeekDays:	
1195	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1196	EMISFACT VOL67	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1197	EMISFACT VOL67	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1198	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1199	** Saturday:	
1200	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1201	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1202	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1203	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1204	** Sunday:	
1205	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1206	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1207	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1208	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1209	** WeekDays:	
1210	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1211	EMISFACT VOL68	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1212	EMISFACT VOL68	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1213	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1214	** Saturday:	
1215	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1216	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1217	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1218	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1219	** Sunday:	
1220	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1221	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1222	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1223	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1224	** WeekDays:	
1225	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1226	EMISFACT VOL69	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1227	EMISFACT VOL69	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1228	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1229	** Saturday:	
1230	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1231	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1232	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1233	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1234	** Sunday:	
1235	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1236	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1237	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1238	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1239	** WeekDays:	
1240	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1241	EMISFACT VOL70	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1242	EMISFACT VOL70	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1243	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1244	** Saturday:	
1245	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1246	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1247	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1248	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1249	** Sunday:	
1250	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1251	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1252	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1253	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1320	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	** Sunday:	
1325	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	** WeekDays:	
1330	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1332	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1333	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	** Saturday:	
1335	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	** Sunday:	
1340	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	** WeekDays:	
1345	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1347	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1348	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	** Saturday:	
1350	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	** Sunday:	
1355	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	** WeekDays:	
1360	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1362	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1363	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	** Saturday:	
1365	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	** Sunday:	
1370	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	** WeekDays:	
1375	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1377	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1378	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	** Saturday:	
1380	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	** Sunday:	
1385	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389 ** WeekDays:
1390     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1392     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1393     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394 ** Saturday:
1395     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399 ** Sunday:
1400     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404 ** WeekDays:
1405     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1407     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1408     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409 ** Saturday:
1410     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414 ** Sunday:
1415     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     SRCGROUP ALL
1420 SO FINISHED
1421 **
1422 *****
1423 ** AERMOD Receptor Pathway
1424 *****
1425 **
1426 **
1427 RE STARTING
1428     INCLUDED "15496 Cons CO.rou"
1429 RE FINISHED
1430 **
1431 *****
1432 ** AERMOD Meteorology Pathway
1433 *****
1434 **
1435 **
1436 ME STARTING
1437     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1438     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1439     SURFDATA 3171 2010
1440     UAIRDATA 3190 2010
1441     SITEDATA 99999 2010
1442     PROFBASE 442.0 METERS
1443 ME FINISHED
1444 **
1445 *****
1446 ** AERMOD Output Pathway
1447 *****
1448 **
1449 **
1450 OU STARTING
1451     RECTABLE ALLAVE 1ST

```

```
1452     RECTABLE 1 1ST
1453     RECTABLE 8 1ST
1454 ** Auto-Generated Plotfiles
1455     PLOTFILE 1 ALL 1ST "15496 CONS CO.AD\01H1GALL.PLT" 31
1456     PLOTFILE 8 ALL 1ST "15496 CONS CO.AD\08H1GALL.PLT" 32
1457     SUMMFILE "15496 Cons CO.sum"
1458 OU FINISHED
1459 **
1460 *****
1461 ** Project Parameters
1462 *****
1463 ** PROJCTN  CoordinateSystemUTM
1464 ** DESCPTN  UTM: Universal Transverse Mercator
1465 ** DATUM    North American Datum 1983
1466 ** DTMRGN   CONUS
1467 ** UNITS    m
1468 ** ZONE     11
1469 ** ZONEINX  0
1470 **
1471
```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   CO\15496 Cons CO.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1 8
22 URBANOPT 2189641 Riverside_County
23 POLLUTID CO
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Cons CO.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0070440743	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0070440743	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0070440743	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0070440743	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0070440743	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0070440743	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0070440743	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0070440743	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0070440743	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0070440743	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0070440743	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0070440743	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0070440743	5.000	9.349	1.400

198	SRCPARAM	VOL80	0.0070440743	5.000	9.349	1.400
199	SRCPARAM	VOL81	0.0070440743	5.000	9.349	1.400
200	URBANSRC	ALL				
201						
202	**	Variable Emissions Type:	"By Hour / Day (HRDOW)"			
203	**	Variable Emission Scenario:	"Scenario 1"			
204	**	WeekDays:				
205	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
206	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
207	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
208	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
209	**	Saturday:				
210	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
211	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
212	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	**	Sunday:				
215	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	**	WeekDays:				
220	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
222	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
223	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
224	**	Saturday:				
225	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
227	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	**	Sunday:				
230	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	**	WeekDays:				
235	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
237	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
238	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
239	**	Saturday:				
240	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
242	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	**	Sunday:				
245	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	**	WeekDays:				
250	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
252	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
253	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
254	**	Saturday:				
255	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
257	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	**	Sunday:				
260	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

330	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	** Sunday:	
335	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	** WeekDays:	
340	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
342	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
343	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	** Saturday:	
345	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	** Sunday:	
350	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	** WeekDays:	
355	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
357	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
358	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	** Saturday:	
360	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	** Sunday:	
365	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	** WeekDays:	
370	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
372	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
373	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	** Saturday:	
375	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	** Sunday:	
380	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	** WeekDays:	
385	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
387	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
388	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	** Saturday:	
390	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	** Sunday:	
395	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	** WeekDays:	
400	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
402	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
403	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	** Saturday:	
405	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	** Sunday:	
410	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	** WeekDays:	
415	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
417	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
418	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	** Saturday:	
420	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	** Sunday:	
425	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	** WeekDays:	
430	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
432	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
433	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	** Saturday:	
435	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	** Sunday:	
440	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	** WeekDays:	
445	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
447	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
448	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	** Saturday:	
450	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	** Sunday:	
455	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	** WeekDays:	
460	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL18	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

462	EMISFACT VOL18	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
463	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
464	** Saturday:	
465	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
466	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
467	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
468	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
469	** Sunday:	
470	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
471	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
472	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
473	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
474	** WeekDays:	
475	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
476	EMISFACT VOL19	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
477	EMISFACT VOL19	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
478	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
479	** Saturday:	
480	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
481	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
482	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
483	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
484	** Sunday:	
485	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
486	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
487	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
488	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
489	** WeekDays:	
490	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
491	EMISFACT VOL20	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
492	EMISFACT VOL20	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
493	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
494	** Saturday:	
495	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
496	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
497	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
498	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
499	** Sunday:	
500	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
501	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
502	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
503	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
504	** WeekDays:	
505	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
506	EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
507	EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
508	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
509	** Saturday:	
510	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
511	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
512	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
513	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
514	** Sunday:	
515	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
516	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
517	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
518	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
519	** WeekDays:	
520	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
521	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
522	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
523	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
524	** Saturday:	
525	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
526	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
527	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
529	**	Sunday:							
530	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
531	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
532	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
533	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
534	**	WeekDays:							
535	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
536	EMISFACT	VOL23	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
537	EMISFACT	VOL23	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
538	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
539	**	Saturday:							
540	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
541	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
542	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
543	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
544	**	Sunday:							
545	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
546	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
547	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
548	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
549	**	WeekDays:							
550	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
551	EMISFACT	VOL24	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
552	EMISFACT	VOL24	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
553	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
554	**	Saturday:							
555	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
556	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
557	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
558	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
559	**	Sunday:							
560	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
561	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
562	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
563	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
564	**	WeekDays:							
565	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
566	EMISFACT	VOL25	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
567	EMISFACT	VOL25	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
568	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
569	**	Saturday:							
570	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
571	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
572	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
573	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
574	**	Sunday:							
575	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
576	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
577	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
578	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
579	**	WeekDays:							
580	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
581	EMISFACT	VOL26	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
582	EMISFACT	VOL26	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
583	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
584	**	Saturday:							
585	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
586	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
587	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
588	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
589	**	Sunday:							
590	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
591	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
592	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
593	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	** Sunday:	
665	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	** WeekDays:	
670	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
672	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
673	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	** Saturday:	
675	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	** Sunday:	
680	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	** WeekDays:	
685	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
687	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
688	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	** Saturday:	
690	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	** Sunday:	
695	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	** WeekDays:	
700	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
702	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
703	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	** Saturday:	
705	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	** Sunday:	
710	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	** WeekDays:	
715	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
717	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
718	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	** Saturday:	
720	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	** Sunday:	
725	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	** WeekDays:	
730	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
732	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
733	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	** Saturday:	
735	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	** Sunday:	
740	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	** WeekDays:	
745	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
747	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
748	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	** Saturday:	
750	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	** Sunday:	
755	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	** WeekDays:	
760	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
762	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
763	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	** Saturday:	
765	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	** Sunday:	
770	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	** WeekDays:	
775	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
777	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
778	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	** Saturday:	
780	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	** Sunday:	
785	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	** WeekDays:	
790	EMISFACT VOL40	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL40	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

792	EMISFACT	VOL40	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
793	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
794	**	Saturday:							
795	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
796	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
797	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
798	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
799	**	Sunday:							
800	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
801	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
802	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
803	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
804	**	WeekDays:							
805	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
806	EMISFACT	VOL41	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
807	EMISFACT	VOL41	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
808	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
809	**	Saturday:							
810	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
811	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
812	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
813	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
814	**	Sunday:							
815	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
816	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
817	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
818	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
819	**	WeekDays:							
820	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
821	EMISFACT	VOL42	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
822	EMISFACT	VOL42	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
823	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
824	**	Saturday:							
825	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
826	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
827	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
828	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
829	**	Sunday:							
830	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
831	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
832	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
833	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
834	**	WeekDays:							
835	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
836	EMISFACT	VOL43	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
837	EMISFACT	VOL43	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
838	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
839	**	Saturday:							
840	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
841	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
842	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
843	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
844	**	Sunday:							
845	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
846	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
847	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
848	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
849	**	WeekDays:							
850	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
851	EMISFACT	VOL44	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
852	EMISFACT	VOL44	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
853	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
854	**	Saturday:							
855	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
856	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
857	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	** Sunday:	
860	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	** WeekDays:	
865	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
867	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
868	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	** Saturday:	
870	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	** Sunday:	
875	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	** WeekDays:	
880	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
882	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
883	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	** Saturday:	
885	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	** Sunday:	
890	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	** WeekDays:	
895	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
897	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
898	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	** Saturday:	
900	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	** Sunday:	
905	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	** WeekDays:	
910	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
912	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
913	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	** Saturday:	
915	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	** Sunday:	
920	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	** Sunday:	
995	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	** WeekDays:	
1000	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1002	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1003	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	** Saturday:	
1005	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	** Sunday:	
1010	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	** WeekDays:	
1015	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1017	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1018	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	** Saturday:	
1020	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	** Sunday:	
1025	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	** WeekDays:	
1030	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1032	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1033	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	** Saturday:	
1035	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	** Sunday:	
1040	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	** WeekDays:	
1045	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1047	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1048	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	** Saturday:	
1050	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	** Sunday:	
1055	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1056	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1057	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1058	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1059	** WeekDays:	
1060	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1061	EMISFACT VOL58	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1062	EMISFACT VOL58	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1063	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1064	** Saturday:	
1065	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1066	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1067	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1068	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1069	** Sunday:	
1070	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1071	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1072	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1073	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1074	** WeekDays:	
1075	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1076	EMISFACT VOL59	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1077	EMISFACT VOL59	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1078	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1079	** Saturday:	
1080	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1081	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1082	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1083	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1084	** Sunday:	
1085	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1086	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1087	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1088	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1089	** WeekDays:	
1090	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1091	EMISFACT VOL60	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1092	EMISFACT VOL60	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1093	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1094	** Saturday:	
1095	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1096	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1097	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1098	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1099	** Sunday:	
1100	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1101	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1102	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1103	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1104	** WeekDays:	
1105	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1106	EMISFACT VOL61	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1107	EMISFACT VOL61	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1108	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1109	** Saturday:	
1110	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1111	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1112	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1113	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1114	** Sunday:	
1115	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1116	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1117	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1118	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1119	** WeekDays:	
1120	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1121	EMISFACT VOL62	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

1122	EMISFACT VOL62	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1123	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1124	** Saturday:	
1125	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1126	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1127	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1128	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1129	** Sunday:	
1130	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1131	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1132	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1133	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1134	** WeekDays:	
1135	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1136	EMISFACT VOL63	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1137	EMISFACT VOL63	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1138	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1139	** Saturday:	
1140	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1141	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1142	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1143	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1144	** Sunday:	
1145	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1146	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1147	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1148	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1149	** WeekDays:	
1150	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1151	EMISFACT VOL64	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1152	EMISFACT VOL64	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1153	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1154	** Saturday:	
1155	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1156	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1157	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1158	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1159	** Sunday:	
1160	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1161	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1162	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1163	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1164	** WeekDays:	
1165	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1166	EMISFACT VOL65	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1167	EMISFACT VOL65	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1168	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1169	** Saturday:	
1170	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1171	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1172	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1173	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1174	** Sunday:	
1175	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1176	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1177	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1178	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1179	** WeekDays:	
1180	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1181	EMISFACT VOL66	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1182	EMISFACT VOL66	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1183	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1184	** Saturday:	
1185	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1186	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1187	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	**	Sunday:							
1190	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	**	WeekDays:							
1195	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1197	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1198	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	**	Saturday:							
1200	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	**	Sunday:							
1205	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	**	WeekDays:							
1210	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1212	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1213	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	**	Saturday:							
1215	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	**	Sunday:							
1220	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	**	WeekDays:							
1225	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1227	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1228	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	**	Saturday:							
1230	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	**	Sunday:							
1235	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	**	WeekDays:							
1240	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1242	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1243	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	**	Saturday:							
1245	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	**	Sunday:							
1250	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	** Sunday:	
1325	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	** WeekDays:	
1330	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1332	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1333	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	** Saturday:	
1335	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	** Sunday:	
1340	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	** WeekDays:	
1345	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1347	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1348	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	** Saturday:	
1350	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	** Sunday:	
1355	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	** WeekDays:	
1360	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1362	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1363	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	** Saturday:	
1365	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	** Sunday:	
1370	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	** WeekDays:	
1375	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1377	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1378	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	** Saturday:	
1380	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	** Sunday:	
1385	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0


```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389 ** WeekDays:
1390     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1392     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1393     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394 ** Saturday:
1395     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399 ** Sunday:
1400     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404 ** WeekDays:
1405     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1407     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1408     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409 ** Saturday:
1410     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414 ** Sunday:
1415     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     SRCGROUP ALL
1420 SO FINISHED
1421 **
1422 *****
1423 ** AERMOD Receptor Pathway
1424 *****
1425 **
1426 **
1427 RE STARTING
1428     INCLUDED "15496 Cons CO.rou"
1429 RE FINISHED
1430 **
1431 *****
1432 ** AERMOD Meteorology Pathway
1433 *****
1434 **
1435 **
1436 ME STARTING
1437     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1438     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1439     SURFDATA 3171 2010
1440     UAIRDATA 3190 2010
1441     SITEDATA 99999 2010
1442     PROFBASE 442.0 METERS
1443 ME FINISHED
1444 **
1445 *****
1446 ** AERMOD Output Pathway
1447 *****
1448 **
1449 **
1450 OU STARTING
1451     RECTABLE ALLAVE 1ST

```

```

1452     RECTABLE 1 1ST
1453     RECTABLE 8 1ST
1454 ** Auto-Generated Plotfiles
1455     PLOTFILE 1 ALL 1ST "15496 CONS CO.AD\01H1GALL.PLT" 31
1456     PLOTFILE 8 ALL 1ST "15496 CONS CO.AD\08H1GALL.PLT" 32
1457     SUMMFILE "15496 Cons CO.sum"
1458 OU FINISHED
1459
1460
1461     *** Message Summary For AERMOD Model Setup ***
1462
1463     ----- Summary of Total Messages -----
1464
1465     A Total of           0 Fatal Error Message(s)
1466     A Total of           2 Warning Message(s)
1467     A Total of           0 Informational Message(s)
1468
1469
1470     ***** FATAL ERROR MESSAGES *****
1471             *** NONE ***
1472
1473
1474     ***** WARNING MESSAGES *****
1475     ME W186     1443           MEOpen: THRESH_LMIN 1-min ASOS wind speed threshold
1476     used                0.50
1477
1478     ME W187     1443           MEOpen: ADJ_U* Option for Stable Low Winds used in
1479     AERMET
1480
1481
1482     *****
1483     *** SETUP Finishes Successfully ***
1484     *****
1485
1486     *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1487     Ramona and Webster\15496 ***      04/23/24
1488
1489     *** AERMET - VERSION 16216 ***
1490
1491     ***
1492     10:35:33
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

```

```

1511
1512 **Model Calculates 2 Short Term Average(s) of: 1-HR 8-HR
1513
1514 **This Run Includes: 81 Source(s); 1 Source Group(s); and 66 Receptor(s)
1515
1516 with: 0 POINT(s), including
1517 0 POINTCAP(s) and 0 POINTHOR(s)
1518 and: 81 VOLUME source(s)
1519 and: 0 AREA type source(s)
1520 and: 0 LINE source(s)
1521 and: 0 RLINE/RLINEXT source(s)
1522 and: 0 OPENPIT source(s)
1523 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
1524 and: 0 SWPOINT source(s)
1525
1526
1527 **Model Set To Continue RUNNING After the Setup Testing.
1528
1529 **The AERMET Input Meteorological Data Version Date: 16216
1530
1531 **Output Options Selected:
1532 Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
1533 Keyword)
1534 Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1535 Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1536
1537 **NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
1538 m for Missing Hours
1539 b for Both Calm and
1540 Missing Hours
1541
1542 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.
1543 = 0.000 ; Rot. Angle = 0.0
1544 Emission Units = GRAMS/SEC ; Emission
1545 Rate Unit Factor = 0.10000E+07
1546 Output Units = MICROGRAMS/M**3
1547
1548 **Approximate Storage Requirements of Model = 3.6 MB of RAM.
1549
1550 **Input Runstream File:
1551 aermod.inp
1552
1553 **Output Print File:
1554 aermod.out
1555
1556 **Detailed Error/Message File: 15496 Cons
1557 CO.err
1558 **File for Summary of Results: 15496 Cons
1559 CO.sum
1560
1561 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAS\15496
1562 Ramona and Webster\15496 *** 04/23/24
1563
1564 *** AERMET - VERSION 16216 ***
1565 ***
1566 10:35:33
1567
1568
1569 PAGE 2
1570 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1571
1572
1573 *** VOLUME SOURCE DATA ***
1574
1575 NUMBER EMISSION RATE BASE RELEASE INIT.
1576 INIT. URBAN EMISSION RATE AIRCRAFT
1577 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT SY
1578 SZ SOURCE SCALAR VARY

```

1561	ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
1562	(METERS)			BY					
1563									
1564	VOL1		0	0.70441E-02	477827.9	3744751.3	448.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1565	VOL2		0	0.70441E-02	477788.0	3744752.1	448.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1566	VOL3		0	0.70441E-02	477747.5	3744752.6	448.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1567	VOL4		0	0.70441E-02	477707.6	3744753.6	449.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1568	VOL5		0	0.70441E-02	477666.9	3744753.8	449.1	5.00	9.35
	1.40	YES	HRDOW		NO				
1569	VOL6		0	0.70441E-02	477468.7	3744902.9	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1570	VOL7		0	0.70441E-02	477509.6	3744902.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1571	VOL8		0	0.70441E-02	477550.0	3744901.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1572	VOL9		0	0.70441E-02	477590.9	3744901.9	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1573	VOL10		0	0.70441E-02	477621.3	3744901.9	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1574	VOL11		0	0.70441E-02	477621.3	3744861.0	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1575	VOL12		0	0.70441E-02	477580.4	3744861.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1576	VOL13		0	0.70441E-02	477540.0	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1577	VOL14		0	0.70441E-02	477499.6	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1578	VOL15		0	0.70441E-02	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1579	VOL16		0	0.70441E-02	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1580	VOL17		0	0.70441E-02	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1581	VOL18		0	0.70441E-02	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1582	VOL19		0	0.70441E-02	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1583	VOL20		0	0.70441E-02	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1584	VOL21		0	0.70441E-02	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES	HRDOW		NO				
1585	VOL22		0	0.70441E-02	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1586	VOL23		0	0.70441E-02	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1587	VOL24		0	0.70441E-02	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1588	VOL25		0	0.70441E-02	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1589	VOL26		0	0.70441E-02	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1590	VOL27		0	0.70441E-02	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES	HRDOW		NO				
1591	VOL28		0	0.70441E-02	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1592	VOL29		0	0.70441E-02	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1593	VOL30		0	0.70441E-02	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1594	VOL31		0	0.70441E-02	477620.2	3744699.4	450.0	5.00	9.35

```

1595 1.40 YES HRDOW NO
VOL32 0 0.70441E-02 477580.5 3744700.2 450.0 5.00 9.35
1596 1.40 YES HRDOW NO
VOL33 0 0.70441E-02 477540.5 3744700.4 450.1 5.00 9.35
1597 1.40 YES HRDOW NO
VOL34 0 0.70441E-02 477500.6 3744700.7 450.7 5.00 9.35
1598 1.40 YES HRDOW NO
VOL35 0 0.70441E-02 477468.8 3744700.7 451.0 5.00 9.35
1599 1.40 YES HRDOW NO
VOL36 0 0.70441E-02 477469.1 3744661.0 451.0 5.00 9.35
1600 1.40 YES HRDOW NO
VOL37 0 0.70441E-02 477509.0 3744660.7 451.0 5.00 9.35
1601 1.40 YES HRDOW NO
VOL38 0 0.70441E-02 477549.0 3744660.5 450.0 5.00 9.35
1602 1.40 YES HRDOW NO
VOL39 0 0.70441E-02 477588.9 3744660.5 450.0 5.00 9.35
1603 1.40 YES HRDOW NO
VOL40 0 0.70441E-02 477620.7 3744660.7 450.0 5.00 9.35
1604 FF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1605 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

```

```

1606
PAGE 3
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

1607
1608
1609

```

```

1610 *** VOLUME SOURCE DATA ***
1611
1612 NUMBER EMISSION RATE BASE RELEASE INIT.
SOURCE INIT. URBAN EMISSION RATE AIRCRAFT
SZ SOURCE SCALAR VARY X Y ELEV. HEIGHT SY
1613 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS) BY
1614
1615

```

```

1616
1617 VOL41 0 0.70441E-02 477620.7 3744620.8 450.0 5.00 9.35
1.40 YES HRDOW NO
1618 VOL42 0 0.70441E-02 477580.8 3744620.5 450.0 5.00 9.35
1.40 YES HRDOW NO
1619 VOL43 0 0.70441E-02 477540.8 3744620.3 450.9 5.00 9.35
1.40 YES HRDOW NO
1620 VOL44 0 0.70441E-02 477500.8 3744620.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1621 VOL45 0 0.70441E-02 477468.8 3744620.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1622 VOL46 0 0.70441E-02 477469.1 3744580.5 451.1 5.00 9.35
1.40 YES HRDOW NO
1623 VOL47 0 0.70441E-02 477509.0 3744580.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1624 VOL48 0 0.70441E-02 477549.2 3744580.3 451.0 5.00 9.35
1.40 YES HRDOW NO
1625 VOL49 0 0.70441E-02 477588.7 3744580.5 450.7 5.00 9.35
1.40 YES HRDOW NO
1626 VOL50 0 0.70441E-02 477621.0 3744580.8 450.0 5.00 9.35
1.40 YES HRDOW NO
1627 VOL51 0 0.70441E-02 477620.7 3744540.8 450.3 5.00 9.35
1.40 YES HRDOW NO
1628 VOL52 0 0.70441E-02 477581.0 3744540.2 451.0 5.00 9.35
1.40 YES HRDOW NO
1629 VOL53 0 0.70441E-02 477540.9 3744540.1 451.0 5.00 9.35
1.40 YES HRDOW NO

```

1630	VOL54		0	0.70441E-02	477500.6	3744540.3	451.3	5.00	9.35
	1.40	YES	HRDOW	NO					
1631	VOL55		0	0.70441E-02	477469.0	3744540.5	451.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1632	VOL56		0	0.70441E-02	477468.7	3744500.2	452.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1633	VOL57		0	0.70441E-02	477508.8	3744500.2	451.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1634	VOL58		0	0.70441E-02	477549.1	3744499.8	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1635	VOL59		0	0.70441E-02	477589.6	3744500.0	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1636	VOL60		0	0.70441E-02	477620.2	3744500.2	450.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1637	VOL61		0	0.70441E-02	477660.7	3744510.6	450.2	5.00	9.35
	1.40	YES	HRDOW	NO					
1638	VOL62		0	0.70441E-02	477700.6	3744510.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1639	VOL63		0	0.70441E-02	477741.1	3744510.4	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1640	VOL64		0	0.70441E-02	477781.2	3744510.2	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1641	VOL65		0	0.70441E-02	477821.9	3744510.4	449.5	5.00	9.35
	1.40	YES	HRDOW	NO					
1642	VOL66		0	0.70441E-02	477823.4	3744451.3	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1643	VOL67		0	0.70441E-02	477783.1	3744451.3	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1644	VOL68		0	0.70441E-02	477742.6	3744451.3	450.3	5.00	9.35
	1.40	YES	HRDOW	NO					
1645	VOL69		0	0.70441E-02	477702.5	3744451.1	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1646	VOL70		0	0.70441E-02	477662.4	3744451.1	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1647	VOL71		0	0.70441E-02	477621.7	3744451.3	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1648	VOL72		0	0.70441E-02	477822.1	3744480.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1649	VOL73		0	0.70441E-02	477781.8	3744480.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1650	VOL74		0	0.70441E-02	477741.3	3744480.4	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1651	VOL75		0	0.70441E-02	477701.0	3744480.4	450.5	5.00	9.35
	1.40	YES	HRDOW	NO					
1652	VOL76		0	0.70441E-02	477660.5	3744480.4	450.7	5.00	9.35
	1.40	YES	HRDOW	NO					
1653	VOL77		0	0.70441E-02	477620.6	3744480.4	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1654	VOL78		0	0.70441E-02	477581.6	3744484.2	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1655	VOL79		0	0.70441E-02	477541.1	3744484.6	451.6	5.00	9.35
	1.40	YES	HRDOW	NO					
1656	VOL80		0	0.70441E-02	477501.2	3744484.2	452.0	5.00	9.35
	1.40	YES	HRDOW	NO					

1657 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1658 *** AERMET - VERSION 16216 ***

10:35:33

1659

PAGE 4

1660 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1661

1662

1663

*** VOLUME SOURCE DATA ***

1664

1665 NUMBER EMISSION RATE BASE RELEASE INIT.
 1666 INIT. URBAN EMISSION RATE AIRCRAFT
 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT SY
 SZ SOURCE SCALAR VARY
 1667 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
 (METERS) BY

1668 - - - - -
 1669
 1670 VOL81 0 0.70441E-02 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES HRDOW NO
 1671 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1672 *** AERMET - VERSION 16216 ***

 10:35:33

1673
 1674 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1675
 1676
 1677 *** SOURCE IDs DEFINING SOURCE GROUPS ***
 1678

1679	SRCGROUP ID		SOURCE IDs					
1680	-----		-----					
1683	ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,	
	VOL6	, VOL7	, VOL8	,				
1684		VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,	
1685		VOL14	, VOL15	, VOL16	,			
1686		VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,	
1687		VOL22	, VOL23	, VOL24	,			
1688		VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,	
1689		VOL30	, VOL31	, VOL32	,			
1690		VOL33	, VOL34	, VOL35	, VOL36	, VOL37	,	
1691		VOL38	, VOL39	, VOL40	,			
1692		VOL41	, VOL42	, VOL43	, VOL44	, VOL45	,	
1693		VOL46	, VOL47	, VOL48	,			
1694		VOL49	, VOL50	, VOL51	, VOL52	, VOL53	,	
1695		VOL54	, VOL55	, VOL56	,			
1696		VOL57	, VOL58	, VOL59	, VOL60	, VOL61	,	
1697		VOL62	, VOL63	, VOL64	,			
1698		VOL65	, VOL66	, VOL67	, VOL68	, VOL69	,	
1699		VOL70	, VOL71	, VOL72	,			
1700		VOL73	, VOL74	, VOL75	, VOL76	, VOL77	,	
1701		VOL78	, VOL79	, VOL80	,			
1702		VOL81	,					

1704 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1705 *** AERMET - VERSION 16216 ***

 10:35:33

1706
 1707 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 PAGE 6

1708

1709

1710

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

1711

1712

URBAN ID URBAN POP

SOURCE IDs

1713

1714

1715

1716

2189641. VOL1 , VOL2 , VOL3 , VOL4 ,

VOL5 , VOL6 , VOL7 ,

1717 VOL8 ,

1718

1719

VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,

VOL14 , VOL15 , VOL16 ,

1720

1721

VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,

VOL22 , VOL23 , VOL24 ,

1722

1723

VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,

VOL30 , VOL31 , VOL32 ,

1724

1725

VOL33 , VOL34 , VOL35 , VOL36 , VOL37 ,

VOL38 , VOL39 , VOL40 ,

1726

1727

VOL41 , VOL42 , VOL43 , VOL44 , VOL45 ,

VOL46 , VOL47 , VOL48 ,

1728

1729

VOL49 , VOL50 , VOL51 , VOL52 , VOL53 ,

VOL54 , VOL55 , VOL56 ,

1730

1731

VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,

VOL62 , VOL63 , VOL64 ,

1732

1733

VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,

VOL70 , VOL71 , VOL72 ,

1734

1735

VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,

VOL78 , VOL79 , VOL80 ,

1736

1737

VOL81 ,

1738 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1739 *** AERMET - VERSION 16216 ***

10:35:33

1740

PAGE 7

1741 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1742

1743

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1744

1745 SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

1746 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

1747 SCALAR HOUR SCALAR HOUR SCALAR

1748

DAY OF WEEK = WEEKDAY

1749 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1750 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

1751 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1752

DAY OF WEEK = SATURDAY

1753 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

1792 DAY OF WEEK = WEEKDAY
 1793 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1794 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1795 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1796 DAY OF WEEK = SATURDAY
 1797 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1798 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1799 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1800 DAY OF WEEK = SUNDAY
 1801 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1802 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1803 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1804 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1805 *** AERMET - VERSION 16216 ***

 10:35:33

1806 PAGE 10
 1807 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1808

1809 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1810 SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
 1811 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 1812 SCALAR HOUR SCALAR HOUR SCALAR

1814 DAY OF WEEK = WEEKDAY
 1815 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1816 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1817 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1818 DAY OF WEEK = SATURDAY
 1819 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1820 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1821 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1822 DAY OF WEEK = SUNDAY
 1823 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1824 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1825 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1826 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1827 *** AERMET - VERSION 16216 ***

 10:35:33

1828

1829 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1830
1831 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1832
1833 SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :
1834 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1835 SCALAR HOUR SCALAR HOUR SCALAR

1836 DAY OF WEEK = WEEKDAY
1837 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1838 .0000E+00 7 .0000E+00 8 .0000E+00
1838 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
1839 .1000E+01 15 .1000E+01 16 .1000E+01
1839 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1840 .0000E+00 23 .0000E+00 24 .0000E+00

1840 DAY OF WEEK = SATURDAY
1841 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1842 .0000E+00 7 .0000E+00 8 .0000E+00
1842 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1843 .0000E+00 15 .0000E+00 16 .0000E+00
1843 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1844 .0000E+00 23 .0000E+00 24 .0000E+00

1844 DAY OF WEEK = SUNDAY
1845 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1846 .0000E+00 7 .0000E+00 8 .0000E+00
1846 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1847 .0000E+00 15 .0000E+00 16 .0000E+00
1847 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1848 .0000E+00 23 .0000E+00 24 .0000E+00

1848 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1849 Ramona and Webster\15496 *** 04/23/24

1849 *** AERMET - VERSION 16216 ***

10:35:33

1851 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1852
1853 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1854
1855 SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
1856 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1857 SCALAR HOUR SCALAR HOUR SCALAR

1858 DAY OF WEEK = WEEKDAY
1859 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1860 .0000E+00 7 .0000E+00 8 .0000E+00
1860 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
1861 .1000E+01 15 .1000E+01 16 .1000E+01
1861 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1862 .0000E+00 23 .0000E+00 24 .0000E+00

1862 DAY OF WEEK = SATURDAY
1863 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1864 .0000E+00 7 .0000E+00 8 .0000E+00
1864 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1865 .0000E+00 15 .0000E+00 16 .0000E+00
1865 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1866 .0000E+00 23 .0000E+00 24 .0000E+00

1866 DAY OF WEEK = SUNDAY
1867 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1867 .0000E+00 7 .0000E+00 8 .0000E+00

1868 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1869 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
1870 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1871 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

1872
PAGE 13
1873 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1874
1875 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1876
1877 SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
1878 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
1879 - - - - -

DAY OF WEEK = WEEKDAY
1880
1881 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1882 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1883 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1884
1885 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1886 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1887 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1888
1889 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1890 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1891 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1892 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1893 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

1894
PAGE 14
1895 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1896
1897 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1898
1899 SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
1900 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
1901 - - - - -

DAY OF WEEK = WEEKDAY
1902
1903 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1904 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1905 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1906 DAY OF WEEK = SATURDAY
 1907 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1908 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1909 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1910 DAY OF WEEK = SUNDAY
 1911 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1912 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1913 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1914 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1915 *** AERMET - VERSION 16216 ***

 10:35:33

1916 PAGE 15
 1917 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1918
 1919 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1920 SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
 1921 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 1922 SCALAR HOUR SCALAR HOUR SCALAR
 1923 - - - - -

1924 DAY OF WEEK = WEEKDAY
 1925 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1926 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1927 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1928 DAY OF WEEK = SATURDAY
 1929 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1930 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1931 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1932 DAY OF WEEK = SUNDAY
 1933 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1934 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1935 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1936 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1937 *** AERMET - VERSION 16216 ***

 10:35:33

1938 PAGE 16
 1939 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1940
 1941 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1942 SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
 1943 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 1944 SCALAR HOUR SCALAR HOUR SCALAR

```

1945  - - - - - SCALAR  HOUR  SCALAR  HOUR  SCALAR  - - - - -
1946  - - - - -
1947  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1948  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
1949 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1950  - - - - - DAY OF WEEK = SATURDAY
1951  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1952  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
1953 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1954  - - - - - DAY OF WEEK = SUNDAY
1955  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1956  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
1957 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1958  *** AERMOD - VERSION 23132 ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***   04/23/24
1959  *** AERMET - VERSION 16216 ***
      ***
      10:35:33
1960
      PAGE 17
1961  *** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
1962
1963  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
1964
1965  SOURCE ID = VOL11          ; SOURCE TYPE = VOLUME      :
1966  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
1967  - - - - -
1968  - - - - - DAY OF WEEK = WEEKDAY
1969  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1970  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
1971 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1972  - - - - - DAY OF WEEK = SATURDAY
1973  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1974  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
1975 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1976  - - - - - DAY OF WEEK = SUNDAY
1977  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
1978  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
1979 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
1980  *** AERMOD - VERSION 23132 ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***   04/23/24
1981  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:35:33

1982

1983 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1984

1985 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1986

1987 SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :

1988 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1989 SCALAR HOUR SCALAR HOUR SCALAR

1989

1990 DAY OF WEEK = WEEKDAY

1991 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1992 .0000E+00 7 .0000E+00 8 .0000E+00

1992 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
1993 .1000E+01 15 .1000E+01 16 .1000E+01

1993 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1994 .0000E+00 23 .0000E+00 24 .0000E+00

1994 DAY OF WEEK = SATURDAY

1995 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1996 .0000E+00 7 .0000E+00 8 .0000E+00

1996 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1997 .0000E+00 15 .0000E+00 16 .0000E+00

1997 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1998 .0000E+00 23 .0000E+00 24 .0000E+00

1998 DAY OF WEEK = SUNDAY

1999 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2000 .0000E+00 7 .0000E+00 8 .0000E+00

2000 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2001 .0000E+00 15 .0000E+00 16 .0000E+00

2001 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2002 .0000E+00 23 .0000E+00 24 .0000E+00

2002 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2003 Ramona and Webster\15496 *** 04/23/24

2003 *** AERMET - VERSION 16216 ***
*** ***

10:35:33

2004

2005 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2006

2007 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2008

2009 SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :

2010 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2011 SCALAR HOUR SCALAR HOUR SCALAR

2011

2012 DAY OF WEEK = WEEKDAY

2013 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2014 .0000E+00 7 .0000E+00 8 .0000E+00

2014 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2015 .1000E+01 15 .1000E+01 16 .1000E+01

2015 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2016 .0000E+00 23 .0000E+00 24 .0000E+00

2016 DAY OF WEEK = SATURDAY

2017 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2018 .0000E+00 7 .0000E+00 8 .0000E+00

2018 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2019 .0000E+00 15 .0000E+00 16 .0000E+00

2019 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2020 .0000E+00 23 .0000E+00 24 .0000E+00

2020 DAY OF WEEK = SUNDAY

2021 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2022 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2023 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2024 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2025 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2026
PAGE 20
2027 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2028
2029 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2030 SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
2031 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2032 SCALAR HOUR SCALAR HOUR SCALAR
2033 - - - - -

2034 DAY OF WEEK = WEEKDAY
2035 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2036 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2037 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2038 DAY OF WEEK = SATURDAY
2039 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2040 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2041 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2042 DAY OF WEEK = SUNDAY
2043 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2044 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2045 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2046 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2047 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2048
PAGE 21
2049 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2050
2051 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2052 SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
2053 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2054 SCALAR HOUR SCALAR HOUR SCALAR
2055 - - - - -

2056 DAY OF WEEK = WEEKDAY
2057 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2058 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2059 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2060
2061 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2062 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2063 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2064
2065 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2066 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2067 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2068 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2069 *** AERMET - VERSION 16216 ***

10:35:33

2070
PAGE 22

2071 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2072

2073 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2074
2075 SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
2076 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2077 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

2078
2079 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2080 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2081 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2082
2083 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2084 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2085 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2086
2087 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2088 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2089 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2090 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2091 *** AERMET - VERSION 16216 ***

10:35:33

2092
PAGE 23

2093 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2094

2095 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2096

```

2097 SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
2098 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2099 -----
2100 DAY OF WEEK = WEEKDAY
2101 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2102 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2103 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2104 DAY OF WEEK = SATURDAY
2105 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2106 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2107 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2108 DAY OF WEEK = SUNDAY
2109 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2110 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2111 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2112 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2113 *** AERMET - VERSION 16216 ***
*** ***
10:35:33
2114
PAGE 24
2115 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2116
2117 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2118
2119 SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :
2120 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2121 -----
2122 DAY OF WEEK = WEEKDAY
2123 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2124 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2125 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2126 DAY OF WEEK = SATURDAY
2127 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2128 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2129 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2130 DAY OF WEEK = SUNDAY
2131 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2132 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2133 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2134 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

2135 *** AERMET - VERSION 16216 ***

10:35:33

2136

PAGE 25

2137 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2138

2139 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2140

2141 SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

2142 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2143 SCALAR HOUR SCALAR HOUR SCALAR

2144

2144 DAY OF WEEK = WEEKDAY

2145 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2146 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2147 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2148 DAY OF WEEK = SATURDAY

2149 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2150 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2151 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2152 DAY OF WEEK = SUNDAY

2153 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2154 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2155 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2156 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2157 *** AERMET - VERSION 16216 ***

10:35:33

2158

PAGE 26

2159 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2160

2161 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2162

2163 SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

2164 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2165 SCALAR HOUR SCALAR HOUR SCALAR

2166

2166 DAY OF WEEK = WEEKDAY

2167 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2168 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2169 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2170 DAY OF WEEK = SATURDAY

2171 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2172 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2173 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00

.0000E+00 23 .0000E+00 24 .0000E+00
 2174 DAY OF WEEK = SUNDAY
 2175 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2176 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2177 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00
 2178 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2179 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

2180
 PAGE 27
 2181 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2182
 2183 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *
 2184
 2185 SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
 2186 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 2187 - - - - -
 - - - - -

2188 DAY OF WEEK = WEEKDAY
 2189 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2190 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2191 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2192 DAY OF WEEK = SATURDAY
 2193 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2194 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2195 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2196 DAY OF WEEK = SUNDAY
 2197 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2198 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2199 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2200 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2201 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

2202
 PAGE 28
 2203 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2204
 2205 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *
 2206
 2207 SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :
 2208 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 2209 - - - - -
 - - - - -

2210 DAY OF WEEK = WEEKDAY
 2211 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00

2212 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2213 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2214 DAY OF WEEK = SATURDAY
2215 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2216 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2217 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2218 DAY OF WEEK = SUNDAY
2219 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2220 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2221 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2222 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2223 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2224 PAGE 29
2225 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2226
2227 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2228 SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
2229 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2230 SCALAR HOUR SCALAR HOUR SCALAR
2231 - - - - -

2232 DAY OF WEEK = WEEKDAY
2233 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2234 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2235 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2236 DAY OF WEEK = SATURDAY
2237 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2238 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2239 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2240 DAY OF WEEK = SUNDAY
2241 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2242 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2243 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2244 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2245 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2246 PAGE 30
2247 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2248
2249 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

2250

2251 SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
 2252 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

2253 -----

2254 DAY OF WEEK = WEEKDAY
 2255 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2256 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2257 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2258 DAY OF WEEK = SATURDAY
 2259 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2260 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2261 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2262 DAY OF WEEK = SUNDAY
 2263 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2264 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2265 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2266 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2267 *** AERMET - VERSION 16216 ***

 10:35:33

2268 PAGE 31
 2269 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2270
 2271 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2272 SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
 2273 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

2275 -----

2276 DAY OF WEEK = WEEKDAY
 2277 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2278 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2279 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2280 DAY OF WEEK = SATURDAY
 2281 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2282 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2283 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2284 DAY OF WEEK = SUNDAY
 2285 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2286 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2287 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2288 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2289 *** AERMET - VERSION 16216 ***

10:35:33

2290

PAGE 32

2291 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2292

2293 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2294

2295 SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :

2296 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2297

2298 DAY OF WEEK = WEEKDAY

2299 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2300 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2301 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2302 DAY OF WEEK = SATURDAY

2303 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2304 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2305 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2306 DAY OF WEEK = SUNDAY

2307 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2308 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2309 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2310 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2311 *** AERMET - VERSION 16216 ***

10:35:33

2312

PAGE 33

2313 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2314

2315 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2316

2317 SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

2318 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2319

2320 DAY OF WEEK = WEEKDAY

2321 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2322 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2323 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2324 DAY OF WEEK = SATURDAY

2325 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2326 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
2327 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2328 DAY OF WEEK = SUNDAY

2329 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2330 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2331 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2332 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2333 *** AERMET - VERSION 16216 ***

*** 10:35:33 ***

2334

PAGE 34

2335 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2336
2337 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2338
2339 SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
2340 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2341 - - - - -
- - - - -

2342 DAY OF WEEK = WEEKDAY

2343 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2344 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2345 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2346 DAY OF WEEK = SATURDAY

2347 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2348 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2349 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2350 DAY OF WEEK = SUNDAY

2351 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2352 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2353 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2354 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2355 *** AERMET - VERSION 16216 ***

*** 10:35:33 ***

2356

PAGE 35

2357 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2358
2359 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2360
2361 SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
2362 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2363 - - - - -
- - - - -

2364 DAY OF WEEK = WEEKDAY

2365 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2366 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2367 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2368
2369 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2370 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2371 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2372
2373 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2374 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2375 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2376 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2377 *** AERMET - VERSION 16216 ***

*** ***

10:35:33

PAGE 36

2379 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2381 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2382 SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :
2383 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2384 SCALAR HOUR SCALAR HOUR SCALAR

2385 - - - - -

DAY OF WEEK = WEEKDAY

2386
2387 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2388 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2389 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2390
2391 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2392 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2393 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2394
2395 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2396 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2397 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2398 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2399 *** AERMET - VERSION 16216 ***

*** ***

10:35:33

PAGE 37

2401 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2402
2403

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2404

2405 SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
2406 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2407 - - - - -
- - - - -

2408 DAY OF WEEK = WEEKDAY
2409 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2410 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2411 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2412 DAY OF WEEK = SATURDAY
2413 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2414 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2415 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2416 DAY OF WEEK = SUNDAY
2417 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2418 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2419 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2420 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2421 *** AERMET - VERSION 16216 ***
*** **
10:35:33

2422

2423 PAGE 38
2424 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2425 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2426 SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
2427 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2429 - - - - -
- - - - -

2430 DAY OF WEEK = WEEKDAY
2431 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2432 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2433 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2434 DAY OF WEEK = SATURDAY
2435 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2436 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2437 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2438 DAY OF WEEK = SUNDAY
2439 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2440 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2441 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

2442 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2443 *** AERMET - VERSION 16216 ***

10:35:33

2444

PAGE 39

2445 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2446

2447 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2448

2449 SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

2450 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2451

DAY OF WEEK = WEEKDAY

2453 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2454 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2455 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2457 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2458 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2459 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2461 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2462 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2463 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2464 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2465 *** AERMET - VERSION 16216 ***

10:35:33

2466

PAGE 40

2467 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2468

2469 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2470

2471 SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

2472 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2473

DAY OF WEEK = WEEKDAY

2475 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2476 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2477 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2478 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

```

.0000E+00  7 .0000E+00  8 .0000E+00
2480  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2481 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2482                                     DAY OF WEEK = SUNDAY
2483  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2484  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2485 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2486 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2487 *** AERMET - VERSION 16216 ***
***
10:35:33

```

```

2488
PAGE 41
2489 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2490
2491 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2492
2493 SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
2494 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2495 - - - - -
- - - - -

```

```

2496                                     DAY OF WEEK = WEEKDAY
2497  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2498  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2499 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

2500                                     DAY OF WEEK = SATURDAY
2501  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2502  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2503 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

2504                                     DAY OF WEEK = SUNDAY
2505  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2506  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2507 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

```

2508 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2509 *** AERMET - VERSION 16216 ***
***
10:35:33

```

```

2510
PAGE 42
2511 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2512
2513 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2514
2515 SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
2516 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2517 - - - - -

```

2518 DAY OF WEEK = WEEKDAY
 2519 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2520 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2521 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2522 DAY OF WEEK = SATURDAY
 2523 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2524 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2525 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2526 DAY OF WEEK = SUNDAY
 2527 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2528 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2529 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2530 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2531 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

2532 PAGE 43
 2533 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2534

2535 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2536 SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :
 2537 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2538 SCALAR HOUR SCALAR HOUR SCALAR
 2539

2540 DAY OF WEEK = WEEKDAY
 2541 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2542 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2543 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2544 DAY OF WEEK = SATURDAY
 2545 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2546 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2547 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2548 DAY OF WEEK = SUNDAY
 2549 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2550 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2551 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2552 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2553 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

2554

2555 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2556

2557

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2558

2559 SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :

2560 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2561 SCALAR HOUR SCALAR HOUR SCALAR

2561

2562 DAY OF WEEK = WEEKDAY

2563 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2564 .0000E+00 7 .0000E+00 8 .0000E+00
2565 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2566 .1000E+01 15 .1000E+01 16 .1000E+01
2567 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2568 .0000E+00 23 .0000E+00 24 .0000E+00

2569 DAY OF WEEK = SATURDAY

2570 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2571 .0000E+00 7 .0000E+00 8 .0000E+00
2572 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2573 .0000E+00 15 .0000E+00 16 .0000E+00
2574 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2575 .0000E+00 23 .0000E+00 24 .0000E+00

2576 DAY OF WEEK = SUNDAY

2577 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2578 .0000E+00 7 .0000E+00 8 .0000E+00
2579 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2580 .0000E+00 15 .0000E+00 16 .0000E+00
2581 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2582 .0000E+00 23 .0000E+00 24 .0000E+00

2574 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2575 Ramona and Webster\15496 *** 04/23/24

2575 *** AERMET - VERSION 16216 ***

*** 10:35:33 ***

2576

2577 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2578

2579

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2580

2581 SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :

2582 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2583 SCALAR HOUR SCALAR HOUR SCALAR

2583

2584 DAY OF WEEK = WEEKDAY

2585 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2586 .0000E+00 7 .0000E+00 8 .0000E+00
2587 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2588 .1000E+01 15 .1000E+01 16 .1000E+01
2589 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2590 .0000E+00 23 .0000E+00 24 .0000E+00

2591 DAY OF WEEK = SATURDAY

2592 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2593 .0000E+00 7 .0000E+00 8 .0000E+00
2594 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2595 .0000E+00 15 .0000E+00 16 .0000E+00
2596 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2597 .0000E+00 23 .0000E+00 24 .0000E+00

2598 DAY OF WEEK = SUNDAY

2599 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2600 .0000E+00 7 .0000E+00 8 .0000E+00

2594 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2595 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2596 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2597 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2598
PAGE 46
2599 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2600
2601 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2602 SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
2603 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2604 SCALAR HOUR SCALAR HOUR SCALAR
2605 - - - - -

2606 DAY OF WEEK = WEEKDAY
2607 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2608 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2609 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2610 DAY OF WEEK = SATURDAY
2611 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2612 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2613 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2614 DAY OF WEEK = SUNDAY
2615 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2616 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2617 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2618 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2619 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

2620
PAGE 47
2621 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2622
2623 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2624 SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :
2625 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2626 SCALAR HOUR SCALAR HOUR SCALAR
2627 - - - - -

2628 DAY OF WEEK = WEEKDAY
2629 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2630 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2631 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2632 DAY OF WEEK = SATURDAY
 2633 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2634 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2635 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2636 DAY OF WEEK = SUNDAY
 2637 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2638 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2639 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2640 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2641 *** AERMET - VERSION 16216 ***

 10:35:33

2642
 2643 PAGE 48
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2644
 2645 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2646 SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :
 2647 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2648 SCALAR HOUR SCALAR HOUR SCALAR
 2649 - - - - -

2650 DAY OF WEEK = WEEKDAY
 2651 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2652 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2653 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2654 DAY OF WEEK = SATURDAY
 2655 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2656 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2657 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2658 DAY OF WEEK = SUNDAY
 2659 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2660 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2661 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2662 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2663 *** AERMET - VERSION 16216 ***

 10:35:33

2664
 2665 PAGE 49
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2666
 2667 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2668 SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
 2669 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2670 SCALAR HOUR SCALAR HOUR SCALAR


```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2671  - - - - -
2672  DAY OF WEEK = WEEKDAY
2673  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2674  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2675  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2676  DAY OF WEEK = SATURDAY
2677  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2678  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2679  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2680  DAY OF WEEK = SUNDAY
2681  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2682  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2683  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2684  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2685  *** AERMET - VERSION 16216 ***
      ***
      10:35:33
2686
      PAGE 50
2687  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2688
2689  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2690
2691  SOURCE ID = VOL44      ; SOURCE TYPE = VOLUME      :
2692  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
2693  SCALAR  HOUR  SCALAR  HOUR  SCALAR
      - - - - -
2694  DAY OF WEEK = WEEKDAY
2695  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2696  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2697  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2698  DAY OF WEEK = SATURDAY
2699  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2700  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2701  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2702  DAY OF WEEK = SUNDAY
2703  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2704  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2705  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2706  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2707  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:35:33

2708

PAGE 51

2709 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2710

2711 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2712

2713 SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

2714 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2715 SCALAR HOUR SCALAR HOUR SCALAR

2716

2717 DAY OF WEEK = WEEKDAY

2717 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2718 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2719 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2720

2721 DAY OF WEEK = SATURDAY

2721 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2722 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2723 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2724

2725 DAY OF WEEK = SUNDAY

2725 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2726 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2727 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2728 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2729 *** AERMET - VERSION 16216 ***

10:35:33

2730

PAGE 52

2731 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2732

2733 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2734

2735 SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

2736 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2737 SCALAR HOUR SCALAR HOUR SCALAR

2738

2739 DAY OF WEEK = WEEKDAY

2739 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2740 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2741 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2742

2743 DAY OF WEEK = SATURDAY

2743 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2744 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2745 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2746

DAY OF WEEK = SUNDAY

2747 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2748 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2749 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2750 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2751 *** AERMET - VERSION 16216 ***

10:35:33

2752

PAGE 53

2753 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2754

2755 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2756

2757 SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :

2758 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2759 -----

2760 DAY OF WEEK = WEEKDAY

2761 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2762 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2763 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2764 DAY OF WEEK = SATURDAY

2765 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2766 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2767 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2768 DAY OF WEEK = SUNDAY

2769 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2770 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2771 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2772 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2773 *** AERMET - VERSION 16216 ***

10:35:33

2774

PAGE 54

2775 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2776

2777 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2778

2779 SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :

2780 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2781 -----

2782 DAY OF WEEK = WEEKDAY

2783 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2784 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2785 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2786
2787 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2788 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2789 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2790
2791 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2792 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2793 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2794 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2795 *** AERMET - VERSION 16216 ***

10:35:33

2796

PAGE 55

2797 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2798

2799

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2800

2801 SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :

2802 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2803

DAY OF WEEK = WEEKDAY

2804
2805 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2806 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2807 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2808
2809 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2810 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2811 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2812
2813 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2814 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2815 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2816 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2817 *** AERMET - VERSION 16216 ***

10:35:33

2818

PAGE 56

2819 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2820

2821

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2822

```

2823 SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
2824 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2825 SCALAR HOUR SCALAR HOUR SCALAR
-----
2826 DAY OF WEEK = WEEKDAY
2827 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2828 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
2829 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2830 DAY OF WEEK = SATURDAY
2831 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2832 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
2833 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2834 DAY OF WEEK = SUNDAY
2835 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2836 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
2837 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2838 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
2839 *** AERMET - VERSION 16216 ***
      ***
      10:35:33
2840
      PAGE 57
2841 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2842
2843 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2844
2845 SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
2846 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2847 SCALAR HOUR SCALAR HOUR SCALAR
-----
2848 DAY OF WEEK = WEEKDAY
2849 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2850 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
2851 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2852 DAY OF WEEK = SATURDAY
2853 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2854 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
2855 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2856 DAY OF WEEK = SUNDAY
2857 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
2858 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
2859 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
2860 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24

```

2861 *** AERMET - VERSION 16216 ***

10:35:33

2862

PAGE 58

2863 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2864

2865 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2866

2867 SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :

2868 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2869 SCALAR HOUR SCALAR HOUR SCALAR

2870

DAY OF WEEK = WEEKDAY

2871 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2872 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2873 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2874

DAY OF WEEK = SATURDAY

2875 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2876 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2877 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2878

DAY OF WEEK = SUNDAY

2879 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2880 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2881 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2882 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2883 *** AERMET - VERSION 16216 ***

10:35:33

2884

PAGE 59

2885 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2886

2887 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2888

2889 SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :

2890 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2891 SCALAR HOUR SCALAR HOUR SCALAR

2892

DAY OF WEEK = WEEKDAY

2893 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2894 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2895 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2896

DAY OF WEEK = SATURDAY

2897 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2898 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2899 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00
2900 DAY OF WEEK = SUNDAY
2901 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2902 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2903 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2904 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2905 *** AERMET - VERSION 16216 ***

10:35:33

2906

PAGE 60

2907 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2908

2909 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2910

2911 SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
2912 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2913

2914 DAY OF WEEK = WEEKDAY

2915 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2916 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2917 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2918 DAY OF WEEK = SATURDAY

2919 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2920 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2921 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2922 DAY OF WEEK = SUNDAY

2923 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2924 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2925 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2926 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2927 *** AERMET - VERSION 16216 ***

10:35:33

2928

PAGE 61

2929 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2930

2931 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2932

2933 SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
2934 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2935

2936 DAY OF WEEK = WEEKDAY

2937 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

```

2938      9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
          .1000E+01  15 .1000E+01  16 .1000E+01
2939     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00
2940
2941      1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
          .0000E+00   7 .0000E+00   8 .0000E+00
2942      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
          .0000E+00  15 .0000E+00  16 .0000E+00
2943     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00
2944
2945      1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
          .0000E+00   7 .0000E+00   8 .0000E+00
2946      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
          .0000E+00  15 .0000E+00  16 .0000E+00
2947     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00
2948  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
2949  *** AERMET - VERSION 16216 ***
***
10:35:33

```

2950

```

                PAGE 62
2951  *** MODELOPTs:   RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2952
2953      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
          WEEK (HRDOW) *

```

```

2954
2955  SOURCE ID = VOL56      ; SOURCE TYPE = VOLUME      :
2956  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
2957  SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
-----

```

```

2958
2959      1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
          .0000E+00   7 .0000E+00   8 .0000E+00
2960      9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
          .1000E+01  15 .1000E+01  16 .1000E+01
2961     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00

```

```

2962
2963      1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
          .0000E+00   7 .0000E+00   8 .0000E+00
2964      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
          .0000E+00  15 .0000E+00  16 .0000E+00
2965     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00

```

```

2966
2967      1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
          .0000E+00   7 .0000E+00   8 .0000E+00
2968      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
          .0000E+00  15 .0000E+00  16 .0000E+00
2969     17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
          .0000E+00  23 .0000E+00  24 .0000E+00

```

```

2970  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
2971  *** AERMET - VERSION 16216 ***
***
10:35:33

```

2972

```

                PAGE 63
2973  *** MODELOPTs:   RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2974
2975      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

```


WEEK (HRDOW) *

```

2976
2977 SOURCE ID = VOL57          ; SOURCE TYPE = VOLUME      :
2978   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
2979   SCALAR  HOUR    SCALAR  HOUR    SCALAR
-----
2980                                     DAY OF WEEK = WEEKDAY
2981   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2982   .0000E+00   7 .0000E+00   8 .0000E+00
2983   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
2984   .1000E+01  15 .1000E+01  16 .1000E+01
2985   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2986   .0000E+00  23 .0000E+00  24 .0000E+00
2987                                     DAY OF WEEK = SATURDAY
2988   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2989   .0000E+00   7 .0000E+00   8 .0000E+00
2990   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2991   .0000E+00  15 .0000E+00  16 .0000E+00
2992   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2993   .0000E+00  23 .0000E+00  24 .0000E+00
2994                                     DAY OF WEEK = SUNDAY
2995   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2996   .0000E+00   7 .0000E+00   8 .0000E+00
2997   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2998   .0000E+00  15 .0000E+00  16 .0000E+00
2999   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
3000   .0000E+00  23 .0000E+00  24 .0000E+00
3001                                     DAY OF WEEK = SUNDAY
3002   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
3003   .0000E+00   7 .0000E+00   8 .0000E+00
3004   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
3005   .0000E+00  15 .0000E+00  16 .0000E+00
3006   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
3007   .0000E+00  23 .0000E+00  24 .0000E+00
3008                                     DAY OF WEEK = SATURDAY
3009   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
3010   .0000E+00   7 .0000E+00   8 .0000E+00
3011   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
3012   .0000E+00  15 .0000E+00  16 .0000E+00
3013   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
3014   .0000E+00  23 .0000E+00  24 .0000E+00

```

RAM *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

*** AERMET - VERSION 16216 ***

 10:35:33

PAGE 64
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3014 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3015 *** AERMET - VERSION 16216 ***

10:35:33

3016

PAGE 65

3017 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3018

3019 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3020

3021 SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

3022 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3023

3024 DAY OF WEEK = WEEKDAY

3025 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3026 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3027 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3028 DAY OF WEEK = SATURDAY

3029 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3030 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3031 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3032 DAY OF WEEK = SUNDAY

3033 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3034 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3035 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3036 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3037 *** AERMET - VERSION 16216 ***

10:35:33

3038

PAGE 66

3039 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3040

3041 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3042

3043 SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

3044 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3045

3046 DAY OF WEEK = WEEKDAY

3047 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3048 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3049 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3050 DAY OF WEEK = SATURDAY

3051 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3052 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
3053 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3054 DAY OF WEEK = SUNDAY

3055 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3056 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3057 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3058 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3059 *** AERMET - VERSION 16216 ***

*** 10:35:33 ***

3060

PAGE 67

3061 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3062

3063 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3064

3065 SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
3066 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3067 - - - - -

3068

DAY OF WEEK = WEEKDAY

3069 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3070 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3071 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3072

DAY OF WEEK = SATURDAY

3073 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3074 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3075 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3076

DAY OF WEEK = SUNDAY

3077 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3078 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3079 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3080 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3081 *** AERMET - VERSION 16216 ***

*** 10:35:33 ***

3082

PAGE 68

3083 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3084

3085 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3086

3087 SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
3088 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3089 - - - - -

3090

DAY OF WEEK = WEEKDAY

3091 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3092 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3093 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3094
3095 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3096 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3097 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3098
3099 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3100 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3101 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3102 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3103 *** AERMET - VERSION 16216 ***

10:35:33

3104

PAGE 69

3105 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3106

3107 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3108

3109 SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :

3110 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3111

3112 DAY OF WEEK = WEEKDAY

3113 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3114 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3115 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3116
3117 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3118 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3119 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3120
3121 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3122 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3123 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3124 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3125 *** AERMET - VERSION 16216 ***

10:35:33

3126

PAGE 70

3127 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3128
3129

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3130

3131 SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :

3132 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

3133 SCALAR HOUR SCALAR HOUR SCALAR

3134 DAY OF WEEK = WEEKDAY

3135 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3136 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

3137 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3138 DAY OF WEEK = SATURDAY

3139 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3140 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3141 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3142 DAY OF WEEK = SUNDAY

3143 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3144 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3145 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3146 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3147 *** AERMET - VERSION 16216 ***

10:35:33

3148

3149 PAGE 71

3150 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3151 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3152

3153 SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :

3154 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

3155 SCALAR HOUR SCALAR HOUR SCALAR

3156 DAY OF WEEK = WEEKDAY

3157 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3158 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

3159 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3160 DAY OF WEEK = SATURDAY

3161 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3162 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3163 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3164 DAY OF WEEK = SUNDAY

3165 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3166 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3167 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3168 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3169 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

3170
PAGE 72
3171 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3172
3173 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3174
3175 SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :
3176 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3177 - - - - -

DAY OF WEEK = WEEKDAY
3178
3179 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3180 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3181 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
3182
3183 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3184 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3185 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
3186
3187 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3188 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3189 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3190 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3191 *** AERMET - VERSION 16216 ***
*** ***
10:35:33

3192
PAGE 73
3193 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3194
3195 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3196
3197 SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :
3198 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3199 - - - - -

DAY OF WEEK = WEEKDAY
3200
3201 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3202 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3203 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
3204
3205 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00
3206 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3207 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3209 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3210 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3211 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3212 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3213 *** AERMET - VERSION 16216 ***

10:35:33

3214

PAGE 74

3215 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3216

3217 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3218

3219 SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :

3220 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3221

3222 DAY OF WEEK = WEEKDAY

3223 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3224 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3225 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3226 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3228 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3229 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3230 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3232 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3233 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3234 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3235 *** AERMET - VERSION 16216 ***

10:35:33

3236

PAGE 75

3237 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3238

3239 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3240

3241 SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :

3242 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3243

3244 DAY OF WEEK = WEEKDAY
 3245 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3246 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3247 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3248 DAY OF WEEK = SATURDAY
 3249 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3250 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3251 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3252 DAY OF WEEK = SUNDAY
 3253 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3254 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3255 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3256 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3257 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

3258 PAGE 76
 3259 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3260
 3261 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3262 SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :
 3263 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 3264 SCALAR HOUR SCALAR HOUR SCALAR
 3265 -----

3266 DAY OF WEEK = WEEKDAY
 3267 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3268 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3269 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3270 DAY OF WEEK = SATURDAY
 3271 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3272 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3273 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3274 DAY OF WEEK = SUNDAY
 3275 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3276 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3277 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3278 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3279 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

3280

3281 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3282
3283 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3284
3285 SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :
3286 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3287 SCALAR HOUR SCALAR HOUR SCALAR

3288 DAY OF WEEK = WEEKDAY
3289 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3290 .0000E+00 7 .0000E+00 8 .0000E+00
3291 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3292 .1000E+01 15 .1000E+01 16 .1000E+01
3293 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3294 .0000E+00 23 .0000E+00 24 .0000E+00

3295 DAY OF WEEK = SATURDAY
3296 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3297 .0000E+00 7 .0000E+00 8 .0000E+00
3298 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3299 .0000E+00 15 .0000E+00 16 .0000E+00
3300 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3301 .0000E+00 23 .0000E+00 24 .0000E+00

3302 DAY OF WEEK = SUNDAY
3303 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3304 .0000E+00 7 .0000E+00 8 .0000E+00
3305 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3306 .0000E+00 15 .0000E+00 16 .0000E+00
3307 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3308 .0000E+00 23 .0000E+00 24 .0000E+00

3309 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
3310 Ramona and Webster\15496 *** 04/23/24
3311 *** AERMET - VERSION 16216 ***
3312 ***
3313 10:35:33

3303 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3304
3305 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3306
3307 SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
3308 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3309 SCALAR HOUR SCALAR HOUR SCALAR

3310 DAY OF WEEK = WEEKDAY
3311 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3312 .0000E+00 7 .0000E+00 8 .0000E+00
3313 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3314 .1000E+01 15 .1000E+01 16 .1000E+01
3315 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3316 .0000E+00 23 .0000E+00 24 .0000E+00

3317 DAY OF WEEK = SATURDAY
3318 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3319 .0000E+00 7 .0000E+00 8 .0000E+00
3320 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3321 .0000E+00 15 .0000E+00 16 .0000E+00
3322 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3323 .0000E+00 23 .0000E+00 24 .0000E+00

3324 DAY OF WEEK = SUNDAY
3325 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3326 .0000E+00 7 .0000E+00 8 .0000E+00

```

3320      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3321      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3322 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3323 *** AERMET - VERSION 16216 ***
***
10:35:33

```

```

3324
                                     PAGE 79
3325 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3326
3327      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *

```

```

3328
3329 SOURCE ID = VOL73      ; SOURCE TYPE = VOLUME      :
3330 HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
3331 SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
-----

```

```

3332                                     DAY OF WEEK = WEEKDAY
3333      1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3334      9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
3335      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00

```

```

3336                                     DAY OF WEEK = SATURDAY
3337      1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3338      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3339      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00

```

```

3340                                     DAY OF WEEK = SUNDAY
3341      1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3342      9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3343      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00

```

```

3344 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3345 *** AERMET - VERSION 16216 ***
***
10:35:33

```

```

3346
                                     PAGE 80
3347 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3348
3349      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *

```

```

3350
3351 SOURCE ID = VOL74      ; SOURCE TYPE = VOLUME      :
3352 HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
3353 SCALAR  HOUR  SCALAR  HOUR  SCALAR
-----
-----

```

```

3354                                     DAY OF WEEK = WEEKDAY
3355      1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3356      9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
3357      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00

```

3358 DAY OF WEEK = SATURDAY
 3359 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3360 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3361 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3362 DAY OF WEEK = SUNDAY
 3363 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3364 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3365 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3366 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3367 *** AERMET - VERSION 16216 ***

 10:35:33

3368 PAGE 81
 3369 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3370
 3371 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3372 SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
 3373 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 3374 SCALAR HOUR SCALAR HOUR SCALAR
 3375 - - - - -

3376 DAY OF WEEK = WEEKDAY
 3377 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3378 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3379 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3380 DAY OF WEEK = SATURDAY
 3381 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3382 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3383 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3384 DAY OF WEEK = SUNDAY
 3385 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3386 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3387 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3388 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3389 *** AERMET - VERSION 16216 ***

 10:35:33

3390 PAGE 82
 3391 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3392
 3393 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3394 SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
 3395 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 3396 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
3397  - - - - -
3398  DAY OF WEEK = WEEKDAY
3399  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3400  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
3401  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3402  DAY OF WEEK = SATURDAY
3403  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3404  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3405  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3406  DAY OF WEEK = SUNDAY
3407  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3408  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3409  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3410  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
3411  *** AERMET - VERSION 16216 ***
      ***
      10:35:33
3412
      PAGE 83
3413  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3414
3415  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
3416
3417  SOURCE ID = VOL77      ; SOURCE TYPE = VOLUME      :
3418  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
3419  - - - - -
3420  DAY OF WEEK = WEEKDAY
3421  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3422  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
3423  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3424  DAY OF WEEK = SATURDAY
3425  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3426  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3427  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3428  DAY OF WEEK = SUNDAY
3429  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3430  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
3431  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
3432  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
3433  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:35:33

3434

3435 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3436

3437

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3438

3439 SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :

3440 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3441 SCALAR HOUR SCALAR HOUR SCALAR

3442

DAY OF WEEK = WEEKDAY

3443 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3444 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

3445 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3446

DAY OF WEEK = SATURDAY

3447 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3448 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3449 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3450

DAY OF WEEK = SUNDAY

3451 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3452 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3453 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3454 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496

Ramona and Webster\15496 *** 04/23/24

3455 *** AERMET - VERSION 16216 ***

10:35:33

3456

3457 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3458

3459

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3460

3461 SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :

3462 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3463 SCALAR HOUR SCALAR HOUR SCALAR

3464

DAY OF WEEK = WEEKDAY

3465 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3466 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

3467 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3468

DAY OF WEEK = SATURDAY

3469 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

3470 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

3471 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

3472

DAY OF WEEK = SUNDAY

3473 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3474 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3475 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3476 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3477 *** AERMET - VERSION 16216 ***

10:35:33

3478

PAGE 86

3479 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3480

3481 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3482

3483 SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :

3484 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3485

3486 DAY OF WEEK = WEEKDAY

3487 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3488 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3489 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3490

DAY OF WEEK = SATURDAY

3491 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3492 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3493 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3494

DAY OF WEEK = SUNDAY

3495 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3496 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3497 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3498 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3499 *** AERMET - VERSION 16216 ***

10:35:33

3500

PAGE 87

3501 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3502

3503 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3504

3505 SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :

3506 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3507

3508 DAY OF WEEK = WEEKDAY

3509 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3510 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3511 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3512
3513 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3514 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3515 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3516
3517 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3518 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3519 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3520 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3521 *** AERMET - VERSION 16216 ***

10:35:33

3522

PAGE 88

3523 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3524

3525

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

3526

3527

3528

3529 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
3744370.0, 454.0, 454.0, 2.0);
3530 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
3744278.7, 453.2, 453.2, 2.0);
3531 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
3744412.1, 451.0, 451.0, 2.0);
3532 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
3744606.0, 449.0, 449.0, 2.0);
3533 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
3744630.3, 448.9, 448.9, 2.0);
3534 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
3744794.0, 448.0, 448.0, 2.0);
3535 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
3744567.4, 448.0, 448.0, 2.0);
3536 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
3745009.3, 450.0, 450.0, 2.0);
3537 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
3744987.4, 449.0, 449.0, 2.0);
3538 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
3744991.7, 448.6, 448.6, 2.0);
3539 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,
3745069.5, 449.5, 449.5, 2.0);
3540 (477694.5, 3745066.2, 449.0, 449.0, 2.0); (477936.6,
3745026.3, 447.1, 447.1, 2.0);
3541 (477351.8, 3745113.8, 451.0, 451.0, 2.0); (477093.4,
3745114.5, 454.0, 454.0, 2.0);
3542 (479215.4, 3744652.2, 443.0, 443.0, 2.0); (479236.3,
3744561.6, 443.0, 443.0, 2.0);
3543 (479213.1, 3744725.0, 443.0, 443.0, 2.0); (479214.0,
3744782.3, 443.0, 443.0, 2.0);
3544 (479212.6, 3744856.5, 443.0, 443.0, 2.0); (480888.3,
3744253.5, 441.0, 509.0, 2.0);
3545 (477609.2, 3744101.3, 452.0, 452.0, 2.0); (477767.8,
3744413.5, 450.6, 450.6, 2.0);
3546 (477561.0, 3744446.8, 451.6, 451.6, 2.0); (477490.5,
3744456.1, 452.0, 452.0, 2.0);
3547 (477505.6, 3744456.3, 452.0, 452.0, 2.0); (477849.9,

```

3548      3745729.1,      448.0,      448.0,      2.0);
( 477843.1, 3745423.5,      448.0,      448.0,      2.0);      ( 478155.4,
3745718.9,      447.0,      447.0,      2.0);
3549      ( 477718.9, 3745130.6,      448.5,      448.5,      2.0);      ( 477462.6,
3745732.6,      450.0,      450.0,      2.0);
3550      ( 477424.5, 3746103.5,      450.0,      450.0,      2.0);      ( 477839.9,
3746309.8,      448.0,      448.0,      2.0);
3551      ( 478318.1, 3746022.0,      446.0,      446.0,      2.0);      ( 478237.5,
3745969.2,      447.0,      447.0,      2.0);
3552      ( 478308.5, 3746385.9,      446.0,      446.0,      2.0);      ( 478244.8,
3746399.1,      447.0,      447.0,      2.0);
3553      ( 478306.7, 3745794.3,      446.0,      446.0,      2.0);      ( 478467.7,
3745411.3,      445.0,      445.0,      2.0);
3554      ( 478863.9, 3745278.9,      444.0,      444.0,      2.0);      ( 478377.8,
3744389.9,      446.0,      446.0,      2.0);
3555      ( 478653.1, 3744643.6,      445.0,      445.0,      2.0);      ( 477798.9,
3744537.5,      449.4,      449.4,      2.0);
3556      ( 477800.8, 3744571.9,      449.0,      449.0,      2.0);      ( 477831.3,
3744545.5,      449.0,      449.0,      2.0);
3557      ( 477834.2, 3744604.7,      449.0,      449.0,      2.0);      ( 477841.5,
3744628.6,      448.7,      448.7,      2.0);
3558      ( 477833.7, 3744578.1,      449.0,      449.0,      2.0);      ( 477812.6,
3744396.9,      450.0,      450.0,      2.0);
3559      ( 477812.6, 3744303.8,      451.0,      451.0,      2.0);      ( 478090.6,
3744281.4,      448.0,      448.0,      2.0);
3560      ( 478163.2, 3744411.6,      448.0,      448.0,      2.0);      ( 478377.0,
3744218.7,      446.0,      446.0,      2.0);
3561      ( 478123.6, 3744085.5,      448.0,      448.0,      2.0);      ( 478322.9,
3744055.9,      447.0,      447.0,      2.0);

```

```

3562 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24

```

```

3563 *** AERMET - VERSION 16216 ***
***
10:35:33

```

3564

PAGE 89

```

3565 *** MODELOPTs:      RegDFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ_U*
3566
3567

```

```

*** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***

```

(1=YES; 0=NO)

```

3570      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3571      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3572      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3573      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3574      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3575      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3576      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3577      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1
3578

```

```

3579      NOTE:      METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
IS INCLUDED IN THE DATA FILE.

```

3580
3581
3582
3583
3584

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***

```

(METERS/SEC)

3585
 3586 1.54, 3.09, 5.14, 8.23, 10.80,
 3587 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3588 *** AERMET - VERSION 16216 ***
 *** ***
 10:35:33

3589
 3590 PAGE 90
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3591
 3592 *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

3593
 3594 Surface file:
 PERI_V9_ADJU\PERI_v9.SFC
 Met Version: 16216
 3595 Profile file:
 PERI_V9_ADJU\PERI_v9.PFL
 3596 Surface format:
 FREE

3597 Profile format:
 FREE

3598 Surface station no.: 3171 Upper air station no.: 3190
 3599 Name: UNKNOWN Name:
 UNKNOWN
 3600 Year: 2010 Year: 2010

3601 First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
REF	WS	WD	HT	REF	TA	HT									
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	
1.30	335.	9.1	282.5	5.5											
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
0.90	142.	9.1	280.9	5.5											
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
0.90	324.	9.1	280.4	5.5											
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	
0.40	294.	9.1	278.8	5.5											
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	
0.90	205.	9.1	278.1	5.5											
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	
0.40	3.	9.1	277.0	5.5											
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	
1.30	99.	9.1	277.0	5.5											
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	
0.90	319.	9.1	278.8	5.5											
10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	
0.90	239.	9.1	284.2	5.5											
10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	
0.40	188.	9.1	289.2	5.5											
10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	
2.70	310.	9.1	290.9	5.5											
10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	
2.20	357.	9.1	293.1	5.5											
10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	
2.20	356.	9.1	293.8	5.5											
10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	
2.20	50.	9.1	294.2	5.5											
10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	
1.80	53.	9.1	293.8	5.5											
10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	

```

1.80  11.   9.1  292.5   5.5
3621  10 01 01   1 17  -3.6  0.087 -9.000 -9.000 -999.   71.   15.6  0.19  0.61  0.64
0.90 351.   9.1  290.4   5.5
3622  10 01 01   1 18  -3.8  0.087 -9.000 -9.000 -999.   62.   15.2  0.19  0.61  1.00
0.90 186.   9.1  287.5   5.5
3623  10 01 01   1 19  -3.8  0.087 -9.000 -9.000 -999.   62.   15.2  0.19  0.61  1.00
0.90 275.   9.1  285.9   5.5
3624  10 01 01   1 20  -1.2  0.064 -9.000 -9.000 -999.   39.   18.1  0.19  0.61  1.00
0.40 181.   9.1  285.4   5.5
3625  10 01 01   1 21  -7.8  0.125 -9.000 -9.000 -999.  106.   21.3  0.19  0.61  1.00
1.30 318.   9.1  284.9   5.5
3626  10 01 01   1 22  -3.8  0.088 -9.000 -9.000 -999.   62.   15.1  0.19  0.61  1.00
0.90 196.   9.1  283.1   5.5
3627  10 01 01   1 23  -3.8  0.088 -9.000 -9.000 -999.   62.   15.1  0.19  0.61  1.00
0.90 330.   9.1  281.4   5.5
3628  10 01 01   1 24  -7.9  0.125 -9.000 -9.000 -999.  106.   21.2  0.19  0.61  1.00
1.30 332.   9.1  280.9   5.5

```

```

3629
3630

```

```

3631 First hour of profile data
3632 YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
3633 10 01 01 01 5.5 0 -999. -99.00 282.6 99.0 -99.00 -99.00
3634 10 01 01 01 9.1 1 335. 1.30 -999.0 99.0 -99.00 -99.00
3635

```

```

3636 F indicates top of profile (=1) or below (=0)
3637 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3638 *** AERMET - VERSION 16216 ***
***
10:35:33

```

```

3639

```

```

3640 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3641
3642 *** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES
3643 FOR SOURCE GROUP: ALL ***
3644 INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5 ,
3645 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
3646 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
3647 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

```

3648 *** DISCRETE CARTESIAN RECEPTOR POINTS ***
3649

```

```

3650 ** CONC OF CO IN **
MICROGRAMS/M**3 **
3651
3652 X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
3653 - - - - -
3654 477424.69 3744382.61 25.98480 (11010316) 477213.82
3744369.96 15.56382 (11010316)
3655 477380.46 3744305.70 15.38352 (11010316) 477400.18
3744278.74 12.73289 (11010316)
3656 477404.46 3744266.26 11.80047 (11010316) 477670.12
3744412.08 43.13222 (10121516)
3657 477815.73 3744578.06 26.75343 (10121516) 477814.74
3744606.00 23.52227 (10121516)
3658 477815.07 3744542.24 39.54630 (10121516) 477823.95
3744630.32 21.29491 (10121516)
3659 477736.85 3744808.14 30.17106 (10121516) 477789.77
3744794.01 28.32553 (10121516)

```

3660	477955.75	3744839.69	8.78154	(10121516)	477957.38
	3744567.40	11.54656	(10121516)		
3661	477954.41	3744280.72	8.44801	(10120816)	477562.65
	3745009.29	18.87882	(11121915)		
3662	477524.40	3745009.20	19.25432	(16010516)	477615.67
	3744987.44	22.53646	(10122216)		
3663	477490.45	3745035.09	18.21781	(16010516)	477713.00
	3744991.73	15.98842	(10020516)		
3664	477475.86	3745070.32	14.43806	(16010516)	477595.28
	3745069.46	12.61530	(10120316)		
3665	477694.47	3745066.20	12.40049	(10122216)	477936.57
	3745026.32	6.09727	(10121516)		
3666	477351.77	3745113.76	16.25500	(16010516)	477093.41
	3745114.53	4.60969	(10121515)		
3667	479215.36	3744652.20	0.88842	(10122916)	479236.29
	3744561.65	0.83341	(10121516)		
3668	479213.08	3744725.01	0.90802	(10122916)	479213.99
	3744782.35	0.87953	(10122916)		
3669	479212.63	3744856.52	0.84212	(10121516)	480888.33
	3744253.54	0.44691	(16122109)		
3670	477609.25	3744101.28	7.95327	(14111116)	477767.75
	3744413.46	38.90674	(10121516)		
3671	477561.01	3744446.83	55.98876	(16010616)	477490.45
	3744456.09	57.98622	(16010616)		
3672	477505.65	3744456.33	61.42417	(16010616)	477849.91
	3745729.07	1.73340	(10021916)		
3673	477843.14	3745423.53	3.36612	(10122216)	478155.38
	3745718.86	1.80174	(10122216)		
3674	477718.88	3745130.57	8.91761	(10122216)	477462.62
	3745732.62	2.08804	(14121116)		
3675	477424.48	3746103.52	1.20583	(14121116)	477839.86
	3746309.85	0.84195	(16122315)		
3676	478318.10	3746021.99	1.24435	(10122216)	478237.48
	3745969.16	1.39384	(10122216)		
3677	478308.53	3746385.91	0.93622	(10122216)	478244.77
	3746399.12	0.84861	(10122216)		
3678	478306.71	3745794.26	1.39136	(10020516)	478467.71
	3745411.31	1.49227	(10121516)		
3679	478863.94	3745278.95	1.06334	(10121516)	478377.82
	3744389.90	3.44916	(16010716)		
3680	478653.06	3744643.63	1.74691	(10121516)	477798.92
	3744537.50	46.35806	(10121516)		
3681	477800.84	3744571.93	30.09048	(10121516)	477831.33
	3744545.49	33.23165	(10121516)		
3682	477834.24	3744604.71	21.48183	(10121516)	477841.54
	3744628.64	19.63676	(10121516)		
3683	477833.74	3744578.15	24.19409	(10121516)	477812.62
	3744396.90	26.88842	(10101916)		
3684	477812.62	3744303.78	14.11652	(15120816)	478090.56
	3744281.45	5.45063	(14103116)		
3685	478163.25	3744411.63	5.68772	(16010716)	478377.04
	3744218.74	2.40830	(10121516)		
3686	478123.62	3744085.48	3.78935	(16011916)	478322.87
	3744055.89	2.70815	(14103116)		

3687 *** AERMOT - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3688 *** AERMET - VERSION 16216 ***

10:35:33

3689 PAGE 92
 3690 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3692 *** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES
 FOR SOURCE GROUP: ALL ***

3693 INCLUDING SOURCE(S): VOL1 , VOL2 ,

		VOL3		VOL4		VOL5	
3694	VOL6	, VOL7	, VOL8	, VOL9	, VOL10	, VOL11	,
	VOL11	, VOL12	, VOL13	, VOL14	, VOL15	, VOL16	,
3695	VOL14	, VOL15	, VOL16	, VOL17	, VOL18	, VOL19	,
	VOL19	, VOL20	, VOL21	, VOL22	, VOL23	, VOL24	,
3696	VOL22	, VOL23	, VOL24	, VOL25	, VOL26	, VOL27	,
	VOL27	, VOL28	, . . .	, . . .	, . . .	, . . .	,

3697
3698 *** DISCRETE CARTESIAN RECEPTOR POINTS ***
3699

3700 ** CONC OF CO IN **
MICROGRAMS/M**3 **

3701	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
3702	Y-COORD (M)	CONC	(YYMMDDHH)		
3703	-----	-----	-----	-----	-----
3704	477424.69	3744382.61	7.23843	(11010316)	477213.82
	3744369.96	2.93363	(11010316)		
3705	477380.46	3744305.70	4.11235	(16121916)	477400.18
	3744278.74	3.70684	(15012816)		
3706	477404.46	3744266.26	3.52467	(15012816)	477670.12
	3744412.08	21.57496	(14120116)		
3707	477815.73	3744578.06	10.21103	(11112416)	477814.74
	3744606.00	7.84038	(11112416)		
3708	477815.07	3744542.24	16.94153	(11112416)	477823.95
	3744630.32	6.40443	(11112416)		
3709	477736.85	3744808.14	11.72418	(11112416)	477789.77
	3744794.01	11.49469	(11112416)		
3710	477955.75	3744839.69	2.44407	(15122216)	477957.38
	3744567.40	2.96407	(16030716)		
3711	477954.41	3744280.72	3.52266c	(10102116)	477562.65
	3745009.29	11.38650	(11100516)		
3712	477524.40	3745009.20	11.68003	(16010516)	477615.67
	3744987.44	11.55973	(11100516)		
3713	477490.45	3745035.09	10.32616	(16010516)	477713.00
	3744991.73	6.36983	(11112416)		
3714	477475.86	3745070.32	8.22748	(16010516)	477595.28
	3745069.46	7.29375	(11100516)		
3715	477694.47	3745066.20	4.57598	(10100516)	477936.57
	3745026.32	2.14489	(11112416)		
3716	477351.77	3745113.76	5.74258	(16010516)	477093.41
	3745114.53	1.30135	(10121516)		
3717	479215.36	3744652.20	0.20789	(14010316)	479236.29
	3744561.65	0.20253	(14010316)		
3718	479213.08	3744725.01	0.20876	(14010316)	479213.99
	3744782.35	0.20805	(14010316)		
3719	479212.63	3744856.52	0.20617	(14010316)	480888.33
	3744253.54	0.09668	(14010316)		
3720	477609.25	3744101.28	2.34920	(16122216)	477767.75
	3744413.46	18.09122c	(10102116)		
3721	477561.01	3744446.83	22.18133	(11010316)	477490.45
	3744456.09	25.41045	(11010316)		
3722	477505.65	3744456.33	25.95081	(11010316)	477849.91
	3745729.07	0.70233	(10100516)		
3723	477843.14	3745423.53	1.21279	(10100516)	478155.38
	3745718.86	0.53354	(11030716)		
3724	477718.88	3745130.57	3.35848	(10100516)	477462.62
	3745732.62	0.94657	(10011816)		
3725	477424.48	3746103.52	0.54170	(10011816)	477839.86
	3746309.85	0.33859	(11100516)		
3726	478318.10	3746021.99	0.32627	(11030716)	478237.48
	3745969.16	0.35957	(10020916)		
3727	478308.53	3746385.91	0.27065	(10020916)	478244.77
	3746399.12	0.27660	(10020916)		
3728	478306.71	3745794.26	0.42113	(11030716)	478467.71

3729 3745411.31 0.46553c (10122116)
 478863.94 3745278.95 0.31103 (10121516) 478377.82
 3730 3744389.90 0.82760 (14040116)
 478653.06 3744643.63 0.35840 (10121516) 477798.92
 3731 3744537.50 19.25323 (11112416)
 477800.84 3744571.93 11.65955 (11112416) 477831.33
 3732 3744545.49 14.69216 (11112416)
 477834.24 3744604.71 7.18860 (11112416) 477841.54
 3733 3744628.64 5.91111 (11112416)
 477833.74 3744578.15 9.20639 (11112416) 477812.62
 3734 3744396.90 13.86365 (14120116)
 477812.62 3744303.78 7.21775 (14120116) 478090.56
 3735 3744281.45 1.62061 (16011916)
 478163.25 3744411.63 1.49000 (14040116) 478377.04
 3736 3744218.74 0.70969 (15121416)
 478123.62 3744085.48 1.41101 (16011916) 478322.87
 3737 3744055.89 0.88071 (16011916)

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3738 *** AERMET - VERSION 16216 ***

 10:35:33

3739

PAGE 93

3740 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3741

3742

*** THE SUMMARY OF HIGHEST 1-HR RESULTS

3743

3744

3745

** CONC OF CO IN
 MICROGRAMS/M**3 **

3746

3747

DATE

3748 GROUP ID AVERAGE CONC NETWORK RECEPTOR (XR,
 YR, ZELEV, ZHILL, ZFLAG) OF TYPE GRID-ID (YYMMDDHH)

3749 -----

3750

3751 ALL HIGH 1ST HIGH VALUE IS 61.42417 ON 16010616: AT (477505.65,
 3744456.33, 452.00, 452.00, 2.00) DC

3752

3753

3754 *** RECEPTOR TYPES: GC = GRIDCART
 3755 GP = GRIDPOLR
 3756 DC = DISCCART
 3757 DP = DISCPOLR

3758 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3759 *** AERMET - VERSION 16216 ***

10:35:33

3760

PAGE 94

3761 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3762

3763

*** THE SUMMARY OF HIGHEST 8-HR RESULTS

3764

3765

3766

** CONC OF CO IN
 MICROGRAMS/M**3 **

3767

3768

DATE

GROUP ID	AVERAGE CONC	NETWORK	RECEPTOR
YR, ZELEV, ZHILL, ZFLAG)	OF TYPE GRID-ID	(YYMMDDHH)	(XR,

3771
 3772 ALL HIGH 1ST HIGH VALUE IS 25.95081 ON 11010316: AT (477505.65,
 3744456.33, 452.00, 452.00, 2.00) DC

3773
 3774
 3775 *** RECEPTOR TYPES: GC = GRIDCART
 3776 GP = GRIDPOLR
 3777 DC = DISCCART
 3778 DP = DISCPOLR

3779 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3780 *** AERMET - VERSION 16216 ***

 10:35:33

3781
 3782 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3783 PAGE 95

3784 *** Message Summary : AERMOD Model Execution ***

3785 ----- Summary of Total Messages -----

3786
 3787 A Total of 0 Fatal Error Message(s)
 3788 A Total of 4 Warning Message(s)
 3789 A Total of 2028 Informational Message(s)
 3790
 3791
 3792 A Total of 43824 Hours Were Processed
 3793
 3794 A Total of 978 Calm Hours Identified
 3795
 3796 A Total of 1050 Missing Hours Identified (2.40 Percent)

3797
 3798
 3799 ***** FATAL ERROR MESSAGES *****
 3800 *** NONE ***

3801
 3802
 3803 ***** WARNING MESSAGES *****
 3804 ME W186 1443 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
 used 0.50
 3805 ME W187 1443 MEOPEN: ADJ_U* Option for Stable Low Winds used in
 AERMET
 3806 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at:
 14010101
 3807 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 2
 year gap

3808
 3809 *****
 3810 *** AERMOD Finishes Successfully ***
 3811 *****

3812
 3813

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
NOx\15496 Cons NOx.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1
22 URBANOPT 2189641 Riverside_County
23 POLLUTID NOX
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Cons NOx.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0037682938	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0037682938	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0037682938	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0037682938	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0037682938	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0037682938	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0037682938	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0037682938	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0037682938	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0037682938	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0037682938	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0037682938	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0037682938	5.000	9.349	1.400

198	SRCPARAM	VOL80	0.0037682938	5.000	9.349	1.400
199	SRCPARAM	VOL81	0.0037682938	5.000	9.349	1.400
200	URBANSRC	ALL				
201						
202	**	Variable Emissions Type:	"By Hour / Day (HRDOW)"			
203	**	Variable Emission Scenario:	"Scenario 1"			
204	**	WeekDays:				
205	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
206	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
207	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
208	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
209	**	Saturday:				
210	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
211	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
212	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	**	Sunday:				
215	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	**	WeekDays:				
220	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
222	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
223	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
224	**	Saturday:				
225	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
227	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	**	Sunday:				
230	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	**	WeekDays:				
235	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
237	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
238	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
239	**	Saturday:				
240	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
242	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	**	Sunday:				
245	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	**	WeekDays:				
250	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
252	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
253	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
254	**	Saturday:				
255	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
257	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	**	Sunday:				
260	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

330	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	** Sunday:	
335	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	** WeekDays:	
340	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
342	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
343	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	** Saturday:	
345	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	** Sunday:	
350	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	** WeekDays:	
355	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
357	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
358	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	** Saturday:	
360	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	** Sunday:	
365	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	** WeekDays:	
370	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
372	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
373	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	** Saturday:	
375	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	** Sunday:	
380	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	** WeekDays:	
385	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
387	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
388	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	** Saturday:	
390	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	** Sunday:	
395	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	** WeekDays:	
400	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
402	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
403	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	** Saturday:	
405	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	** Sunday:	
410	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	** WeekDays:	
415	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
417	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
418	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	** Saturday:	
420	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	** Sunday:	
425	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	** WeekDays:	
430	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
432	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
433	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	** Saturday:	
435	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	** Sunday:	
440	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	** WeekDays:	
445	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
447	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
448	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	** Saturday:	
450	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	** Sunday:	
455	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	** WeekDays:	
460	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL18	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

462	EMISFACT VOL18	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
463	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
464	** Saturday:	
465	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
466	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
467	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
468	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
469	** Sunday:	
470	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
471	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
472	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
473	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
474	** WeekDays:	
475	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
476	EMISFACT VOL19	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
477	EMISFACT VOL19	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
478	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
479	** Saturday:	
480	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
481	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
482	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
483	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
484	** Sunday:	
485	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
486	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
487	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
488	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
489	** WeekDays:	
490	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
491	EMISFACT VOL20	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
492	EMISFACT VOL20	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
493	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
494	** Saturday:	
495	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
496	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
497	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
498	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
499	** Sunday:	
500	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
501	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
502	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
503	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
504	** WeekDays:	
505	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
506	EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
507	EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
508	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
509	** Saturday:	
510	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
511	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
512	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
513	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
514	** Sunday:	
515	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
516	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
517	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
518	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
519	** WeekDays:	
520	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
521	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
522	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
523	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
524	** Saturday:	
525	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
526	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
527	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
529	** Sunday:	
530	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
531	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
532	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
533	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
534	** WeekDays:	
535	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
536	EMISFACT VOL23	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
537	EMISFACT VOL23	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
538	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
539	** Saturday:	
540	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
541	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
542	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
543	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
544	** Sunday:	
545	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
546	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
547	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
548	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
549	** WeekDays:	
550	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
551	EMISFACT VOL24	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
552	EMISFACT VOL24	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
553	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
554	** Saturday:	
555	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
556	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
557	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
558	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
559	** Sunday:	
560	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
561	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
562	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
563	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
564	** WeekDays:	
565	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
566	EMISFACT VOL25	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
567	EMISFACT VOL25	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
568	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
569	** Saturday:	
570	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
571	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
572	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
573	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
574	** Sunday:	
575	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
576	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
577	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
578	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
579	** WeekDays:	
580	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
581	EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
582	EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
583	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
584	** Saturday:	
585	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
586	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
587	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
588	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
589	** Sunday:	
590	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
591	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
592	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
593	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

660	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	** Sunday:	
665	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	** WeekDays:	
670	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
672	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
673	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	** Saturday:	
675	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	** Sunday:	
680	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	** WeekDays:	
685	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
687	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
688	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	** Saturday:	
690	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	** Sunday:	
695	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	** WeekDays:	
700	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
702	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
703	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	** Saturday:	
705	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	** Sunday:	
710	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	** WeekDays:	
715	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
717	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
718	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	** Saturday:	
720	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	** Sunday:	
725	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	** WeekDays:	
730	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
732	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
733	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	** Saturday:	
735	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	** Sunday:	
740	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	** WeekDays:	
745	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
747	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
748	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	** Saturday:	
750	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	** Sunday:	
755	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	** WeekDays:	
760	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
762	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
763	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	** Saturday:	
765	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	** Sunday:	
770	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	** WeekDays:	
775	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
777	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
778	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	** Saturday:	
780	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	** Sunday:	
785	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	** WeekDays:	
790	EMISFACT VOL40	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL40	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

792	EMISFACT	VOL40	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
793	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
794	**	Saturday:							
795	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
796	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
797	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
798	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
799	**	Sunday:							
800	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
801	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
802	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
803	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
804	**	WeekDays:							
805	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
806	EMISFACT	VOL41	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
807	EMISFACT	VOL41	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
808	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
809	**	Saturday:							
810	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
811	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
812	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
813	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
814	**	Sunday:							
815	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
816	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
817	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
818	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
819	**	WeekDays:							
820	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
821	EMISFACT	VOL42	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
822	EMISFACT	VOL42	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
823	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
824	**	Saturday:							
825	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
826	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
827	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
828	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
829	**	Sunday:							
830	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
831	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
832	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
833	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
834	**	WeekDays:							
835	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
836	EMISFACT	VOL43	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
837	EMISFACT	VOL43	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
838	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
839	**	Saturday:							
840	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
841	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
842	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
843	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
844	**	Sunday:							
845	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
846	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
847	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
848	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
849	**	WeekDays:							
850	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
851	EMISFACT	VOL44	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
852	EMISFACT	VOL44	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
853	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
854	**	Saturday:							
855	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
856	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
857	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	** Sunday:	
860	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	** WeekDays:	
865	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
867	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
868	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	** Saturday:	
870	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	** Sunday:	
875	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	** WeekDays:	
880	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
882	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
883	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	** Saturday:	
885	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	** Sunday:	
890	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	** WeekDays:	
895	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
897	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
898	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	** Saturday:	
900	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	** Sunday:	
905	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	** WeekDays:	
910	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
912	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
913	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	** Saturday:	
915	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	** Sunday:	
920	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	** Sunday:	
995	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	** WeekDays:	
1000	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1002	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1003	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	** Saturday:	
1005	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	** Sunday:	
1010	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	** WeekDays:	
1015	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1017	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1018	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	** Saturday:	
1020	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	** Sunday:	
1025	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	** WeekDays:	
1030	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1032	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1033	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	** Saturday:	
1035	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	** Sunday:	
1040	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	** WeekDays:	
1045	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1047	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1048	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	** Saturday:	
1050	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	** Sunday:	
1055	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1056	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1057	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1058	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1059	**	WeekDays:							
1060	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1061	EMISFACT	VOL58	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1062	EMISFACT	VOL58	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1063	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1064	**	Saturday:							
1065	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1066	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1067	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1068	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1069	**	Sunday:							
1070	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1071	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1072	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1073	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1074	**	WeekDays:							
1075	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1076	EMISFACT	VOL59	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1077	EMISFACT	VOL59	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1078	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1079	**	Saturday:							
1080	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1081	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1082	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1083	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1084	**	Sunday:							
1085	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1086	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1087	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1088	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1089	**	WeekDays:							
1090	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1091	EMISFACT	VOL60	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1092	EMISFACT	VOL60	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1093	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1094	**	Saturday:							
1095	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1096	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1097	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1098	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1099	**	Sunday:							
1100	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1101	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1102	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1103	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1104	**	WeekDays:							
1105	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1106	EMISFACT	VOL61	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1107	EMISFACT	VOL61	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1108	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1109	**	Saturday:							
1110	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1111	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1112	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1113	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1114	**	Sunday:							
1115	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1116	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1117	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1118	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1119	**	WeekDays:							
1120	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1121	EMISFACT	VOL62	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0

1122	EMISFACT	VOL62	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1123	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1124	**	Saturday:							
1125	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1126	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1127	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1128	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1129	**	Sunday:							
1130	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1131	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1132	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1133	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1134	**	WeekDays:							
1135	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1136	EMISFACT	VOL63	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1137	EMISFACT	VOL63	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1138	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1139	**	Saturday:							
1140	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1141	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1142	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1143	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1144	**	Sunday:							
1145	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1146	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1147	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1148	EMISFACT	VOL63	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1149	**	WeekDays:							
1150	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1151	EMISFACT	VOL64	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1152	EMISFACT	VOL64	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1153	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1154	**	Saturday:							
1155	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1156	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1157	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1158	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1159	**	Sunday:							
1160	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1161	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1162	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1163	EMISFACT	VOL64	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1164	**	WeekDays:							
1165	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1166	EMISFACT	VOL65	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1167	EMISFACT	VOL65	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1168	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1169	**	Saturday:							
1170	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1171	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1172	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1173	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1174	**	Sunday:							
1175	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1176	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1177	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1178	EMISFACT	VOL65	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1179	**	WeekDays:							
1180	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1181	EMISFACT	VOL66	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1182	EMISFACT	VOL66	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1183	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1184	**	Saturday:							
1185	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1186	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1187	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	**	Sunday:							
1190	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	**	WeekDays:							
1195	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1197	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1198	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	**	Saturday:							
1200	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	**	Sunday:							
1205	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	**	WeekDays:							
1210	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1212	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1213	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	**	Saturday:							
1215	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	**	Sunday:							
1220	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	**	WeekDays:							
1225	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1227	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1228	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	**	Saturday:							
1230	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	**	Sunday:							
1235	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	**	WeekDays:							
1240	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1242	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1243	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	**	Saturday:							
1245	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	**	Sunday:							
1250	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	** Sunday:	
1325	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	** WeekDays:	
1330	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1332	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1333	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	** Saturday:	
1335	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	** Sunday:	
1340	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	** WeekDays:	
1345	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1347	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1348	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	** Saturday:	
1350	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	** Sunday:	
1355	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	** WeekDays:	
1360	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1362	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1363	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	** Saturday:	
1365	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	** Sunday:	
1370	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	** WeekDays:	
1375	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1377	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1378	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	** Saturday:	
1380	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	** Sunday:	
1385	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389 ** WeekDays:
1390     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1392     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1393     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394 ** Saturday:
1395     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399 ** Sunday:
1400     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404 ** WeekDays:
1405     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1407     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1408     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409 ** Saturday:
1410     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414 ** Sunday:
1415     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     SRCGROUP ALL
1420 SO FINISHED
1421 **
1422 *****
1423 ** AERMOD Receptor Pathway
1424 *****
1425 **
1426 **
1427 RE STARTING
1428     INCLUDED "15496 Cons NOx.rou"
1429 RE FINISHED
1430 **
1431 *****
1432 ** AERMOD Meteorology Pathway
1433 *****
1434 **
1435 **
1436 ME STARTING
1437     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1438     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1439     SURFDATA 3171 2010
1440     UAIRDATA 3190 2010
1441     SITEDATA 99999 2010
1442     PROFBASE 442.0 METERS
1443 ME FINISHED
1444 **
1445 *****
1446 ** AERMOD Output Pathway
1447 *****
1448 **
1449 **
1450 OU STARTING
1451     RECTABLE ALLAVE 1ST

```

```
1452     RECTABLE 1 1ST
1453 ** Auto-Generated Plotfiles
1454     PLOTFILE 1 ALL 1ST "15496 CONS NOX.AD\01H1GALL.PLT" 31
1455     SUMMFILE "15496 Cons NOx.sum"
1456 OU FINISHED
1457 **
1458 *****
1459 ** Project Parameters
1460 *****
1461 ** PROJCTN  CoordinateSystemUTM
1462 ** DESCPTN  UTM: Universal Transverse Mercator
1463 ** DATUM    North American Datum 1983
1464 ** DTMRGN   CONUS
1465 ** UNITS    m
1466 ** ZONE     11
1467 ** ZONEINX  0
1468 **
1469
```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
NOx\15496 Cons NOx.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1
22 URBANOPT 2189641 Riverside_County
23 POLLUTID NOX
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Cons NOx.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0037682938	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0037682938	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0037682938	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0037682938	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0037682938	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0037682938	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0037682938	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0037682938	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0037682938	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0037682938	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0037682938	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0037682938	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0037682938	5.000	9.349	1.400

198	SRCPARAM	VOL80	0.0037682938	5.000	9.349	1.400
199	SRCPARAM	VOL81	0.0037682938	5.000	9.349	1.400
200	URBANSRC	ALL				
201						
202	**	Variable Emissions Type:	"By Hour / Day (HRDOW)"			
203	**	Variable Emission Scenario:	"Scenario 1"			
204	**	WeekDays:				
205	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
206	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
207	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
208	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
209	**	Saturday:				
210	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
211	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
212	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	**	Sunday:				
215	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	**	WeekDays:				
220	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
222	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
223	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
224	**	Saturday:				
225	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
227	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	**	Sunday:				
230	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	**	WeekDays:				
235	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
237	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
238	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
239	**	Saturday:				
240	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
242	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	**	Sunday:				
245	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	**	WeekDays:				
250	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
252	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
253	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
254	**	Saturday:				
255	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
257	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	**	Sunday:				
260	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

330	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	** Sunday:	
335	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	** WeekDays:	
340	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
342	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
343	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	** Saturday:	
345	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	** Sunday:	
350	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	** WeekDays:	
355	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
357	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
358	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	** Saturday:	
360	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	** Sunday:	
365	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	** WeekDays:	
370	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
372	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
373	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	** Saturday:	
375	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	** Sunday:	
380	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	** WeekDays:	
385	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
387	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
388	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	** Saturday:	
390	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	** Sunday:	
395	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	** WeekDays:	
400	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
402	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
403	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	** Saturday:	
405	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	** Sunday:	
410	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	** WeekDays:	
415	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
417	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
418	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	** Saturday:	
420	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	** Sunday:	
425	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	** WeekDays:	
430	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
432	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
433	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	** Saturday:	
435	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	** Sunday:	
440	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	** WeekDays:	
445	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
447	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
448	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	** Saturday:	
450	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	** Sunday:	
455	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	** WeekDays:	
460	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL18	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

462	EMISFACT VOL18	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
463	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
464	** Saturday:	
465	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
466	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
467	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
468	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
469	** Sunday:	
470	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
471	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
472	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
473	EMISFACT VOL18	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
474	** WeekDays:	
475	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
476	EMISFACT VOL19	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
477	EMISFACT VOL19	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
478	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
479	** Saturday:	
480	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
481	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
482	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
483	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
484	** Sunday:	
485	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
486	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
487	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
488	EMISFACT VOL19	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
489	** WeekDays:	
490	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
491	EMISFACT VOL20	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
492	EMISFACT VOL20	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
493	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
494	** Saturday:	
495	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
496	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
497	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
498	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
499	** Sunday:	
500	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
501	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
502	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
503	EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
504	** WeekDays:	
505	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
506	EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
507	EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
508	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
509	** Saturday:	
510	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
511	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
512	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
513	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
514	** Sunday:	
515	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
516	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
517	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
518	EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
519	** WeekDays:	
520	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
521	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
522	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
523	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
524	** Saturday:	
525	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
526	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
527	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
529	**	Sunday:							
530	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
531	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
532	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
533	EMISFACT	VOL22	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
534	**	WeekDays:							
535	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
536	EMISFACT	VOL23	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
537	EMISFACT	VOL23	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
538	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
539	**	Saturday:							
540	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
541	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
542	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
543	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
544	**	Sunday:							
545	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
546	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
547	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
548	EMISFACT	VOL23	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
549	**	WeekDays:							
550	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
551	EMISFACT	VOL24	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
552	EMISFACT	VOL24	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
553	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
554	**	Saturday:							
555	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
556	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
557	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
558	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
559	**	Sunday:							
560	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
561	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
562	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
563	EMISFACT	VOL24	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
564	**	WeekDays:							
565	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
566	EMISFACT	VOL25	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
567	EMISFACT	VOL25	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
568	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
569	**	Saturday:							
570	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
571	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
572	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
573	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
574	**	Sunday:							
575	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
576	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
577	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
578	EMISFACT	VOL25	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
579	**	WeekDays:							
580	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
581	EMISFACT	VOL26	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
582	EMISFACT	VOL26	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
583	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
584	**	Saturday:							
585	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
586	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
587	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
588	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
589	**	Sunday:							
590	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
591	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
592	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
593	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	** Sunday:	
665	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	** WeekDays:	
670	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
672	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
673	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	** Saturday:	
675	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	** Sunday:	
680	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	** WeekDays:	
685	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
687	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
688	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	** Saturday:	
690	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	** Sunday:	
695	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	** WeekDays:	
700	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
702	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
703	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	** Saturday:	
705	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	** Sunday:	
710	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	** WeekDays:	
715	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
717	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
718	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	** Saturday:	
720	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	** Sunday:	
725	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

726	EMISFACT VOL35	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
727	EMISFACT VOL35	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
728	EMISFACT VOL35	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
729	** WeekDays:							
730	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
731	EMISFACT VOL36	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
732	EMISFACT VOL36	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
733	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
734	** Saturday:							
735	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
736	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
737	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
738	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
739	** Sunday:							
740	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
741	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
742	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
743	EMISFACT VOL36	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
744	** WeekDays:							
745	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
746	EMISFACT VOL37	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
747	EMISFACT VOL37	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
748	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
749	** Saturday:							
750	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
751	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
752	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
753	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
754	** Sunday:							
755	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
756	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
757	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
758	EMISFACT VOL37	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
759	** WeekDays:							
760	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
761	EMISFACT VOL38	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
762	EMISFACT VOL38	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
763	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
764	** Saturday:							
765	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
766	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
767	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
768	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
769	** Sunday:							
770	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
771	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
772	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
773	EMISFACT VOL38	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
774	** WeekDays:							
775	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
776	EMISFACT VOL39	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
777	EMISFACT VOL39	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
778	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
779	** Saturday:							
780	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
781	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
782	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
783	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
784	** Sunday:							
785	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
786	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
787	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
788	EMISFACT VOL39	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
789	** WeekDays:							
790	EMISFACT VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
791	EMISFACT VOL40	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0

792	EMISFACT	VOL40	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
793	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
794	**	Saturday:							
795	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
796	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
797	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
798	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
799	**	Sunday:							
800	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
801	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
802	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
803	EMISFACT	VOL40	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
804	**	WeekDays:							
805	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
806	EMISFACT	VOL41	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
807	EMISFACT	VOL41	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
808	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
809	**	Saturday:							
810	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
811	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
812	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
813	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
814	**	Sunday:							
815	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
816	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
817	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
818	EMISFACT	VOL41	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
819	**	WeekDays:							
820	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
821	EMISFACT	VOL42	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
822	EMISFACT	VOL42	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
823	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
824	**	Saturday:							
825	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
826	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
827	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
828	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
829	**	Sunday:							
830	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
831	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
832	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
833	EMISFACT	VOL42	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
834	**	WeekDays:							
835	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
836	EMISFACT	VOL43	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
837	EMISFACT	VOL43	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
838	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
839	**	Saturday:							
840	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
841	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
842	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
843	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
844	**	Sunday:							
845	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
846	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
847	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
848	EMISFACT	VOL43	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
849	**	WeekDays:							
850	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
851	EMISFACT	VOL44	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
852	EMISFACT	VOL44	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
853	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
854	**	Saturday:							
855	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
856	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
857	EMISFACT	VOL44	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	** Sunday:	
860	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	** WeekDays:	
865	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
867	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
868	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	** Saturday:	
870	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	** Sunday:	
875	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	** WeekDays:	
880	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
882	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
883	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	** Saturday:	
885	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	** Sunday:	
890	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	** WeekDays:	
895	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
897	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
898	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	** Saturday:	
900	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	** Sunday:	
905	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	** WeekDays:	
910	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
912	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
913	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	** Saturday:	
915	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	** Sunday:	
920	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	** Sunday:	
995	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	** WeekDays:	
1000	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1002	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1003	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	** Saturday:	
1005	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	** Sunday:	
1010	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	** WeekDays:	
1015	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1017	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1018	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	** Saturday:	
1020	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	** Sunday:	
1025	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	** WeekDays:	
1030	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1032	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1033	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	** Saturday:	
1035	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	** Sunday:	
1040	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	** WeekDays:	
1045	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1047	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1048	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	** Saturday:	
1050	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	** Sunday:	
1055	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1056	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1057	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1058	EMISFACT	VOL57	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1059	**	WeekDays:							
1060	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1061	EMISFACT	VOL58	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1062	EMISFACT	VOL58	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1063	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1064	**	Saturday:							
1065	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1066	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1067	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1068	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1069	**	Sunday:							
1070	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1071	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1072	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1073	EMISFACT	VOL58	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1074	**	WeekDays:							
1075	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1076	EMISFACT	VOL59	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1077	EMISFACT	VOL59	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1078	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1079	**	Saturday:							
1080	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1081	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1082	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1083	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1084	**	Sunday:							
1085	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1086	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1087	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1088	EMISFACT	VOL59	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1089	**	WeekDays:							
1090	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1091	EMISFACT	VOL60	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1092	EMISFACT	VOL60	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1093	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1094	**	Saturday:							
1095	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1096	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1097	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1098	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1099	**	Sunday:							
1100	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1101	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1102	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1103	EMISFACT	VOL60	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1104	**	WeekDays:							
1105	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1106	EMISFACT	VOL61	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1107	EMISFACT	VOL61	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1108	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1109	**	Saturday:							
1110	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1111	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1112	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1113	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1114	**	Sunday:							
1115	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1116	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1117	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1118	EMISFACT	VOL61	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1119	**	WeekDays:							
1120	EMISFACT	VOL62	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1121	EMISFACT	VOL62	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0

1122	EMISFACT VOL62	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1123	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1124	** Saturday:	
1125	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1126	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1127	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1128	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1129	** Sunday:	
1130	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1131	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1132	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1133	EMISFACT VOL62	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1134	** WeekDays:	
1135	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1136	EMISFACT VOL63	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1137	EMISFACT VOL63	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1138	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1139	** Saturday:	
1140	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1141	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1142	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1143	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1144	** Sunday:	
1145	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1146	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1147	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1148	EMISFACT VOL63	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1149	** WeekDays:	
1150	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1151	EMISFACT VOL64	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1152	EMISFACT VOL64	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1153	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1154	** Saturday:	
1155	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1156	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1157	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1158	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1159	** Sunday:	
1160	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1161	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1162	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1163	EMISFACT VOL64	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1164	** WeekDays:	
1165	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1166	EMISFACT VOL65	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1167	EMISFACT VOL65	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1168	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1169	** Saturday:	
1170	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1171	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1172	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1173	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1174	** Sunday:	
1175	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1176	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1177	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1178	EMISFACT VOL65	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1179	** WeekDays:	
1180	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1181	EMISFACT VOL66	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1182	EMISFACT VOL66	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1183	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1184	** Saturday:	
1185	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1186	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1187	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	**	Sunday:							
1190	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	**	WeekDays:							
1195	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1197	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1198	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	**	Saturday:							
1200	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	**	Sunday:							
1205	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	**	WeekDays:							
1210	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1212	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1213	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	**	Saturday:							
1215	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	**	Sunday:							
1220	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	**	WeekDays:							
1225	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1227	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1228	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	**	Saturday:							
1230	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	**	Sunday:							
1235	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	**	WeekDays:							
1240	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1242	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1243	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	**	Saturday:							
1245	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	**	Sunday:							
1250	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	** Sunday:	
1325	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	** WeekDays:	
1330	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1332	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1333	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	** Saturday:	
1335	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	** Sunday:	
1340	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	** WeekDays:	
1345	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1347	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1348	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	** Saturday:	
1350	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	** Sunday:	
1355	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	** WeekDays:	
1360	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1362	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1363	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	** Saturday:	
1365	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	** Sunday:	
1370	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	** WeekDays:	
1375	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1377	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1378	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	** Saturday:	
1380	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	** Sunday:	
1385	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389 ** WeekDays:
1390     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1392     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1393     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394 ** Saturday:
1395     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399 ** Sunday:
1400     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404 ** WeekDays:
1405     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1407     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1408     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409 ** Saturday:
1410     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414 ** Sunday:
1415     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     SRCGROUP ALL
1420 SO FINISHED
1421 **
1422 *****
1423 ** AERMOD Receptor Pathway
1424 *****
1425 **
1426 **
1427 RE STARTING
1428     INCLUDED "15496 Cons NOx.rou"
1429 RE FINISHED
1430 **
1431 *****
1432 ** AERMOD Meteorology Pathway
1433 *****
1434 **
1435 **
1436 ME STARTING
1437     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1438     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1439     SURFDATA 3171 2010
1440     UAIRDATA 3190 2010
1441     SITEDATA 99999 2010
1442     PROFBASE 442.0 METERS
1443 ME FINISHED
1444 **
1445 *****
1446 ** AERMOD Output Pathway
1447 *****
1448 **
1449 **
1450 OU STARTING
1451     RECTABLE ALLAVE 1ST

```

```

1452 RECTABLE 1 1ST
1453 ** Auto-Generated Plotfiles
1454 PLOTFILE 1 ALL 1ST "15496 CONS NOX.AD\01H1GALL.PLT" 31
1455 SUMMFILE "15496 Cons NOx.sum"
1456 OU FINISHED
1457
1458
1459 *** Message Summary For AERMOD Model Setup ***
1460
1461 ----- Summary of Total Messages -----
1462
1463 A Total of          0 Fatal Error Message(s)
1464 A Total of          2 Warning Message(s)
1465 A Total of          0 Informational Message(s)
1466
1467
1468 ***** FATAL ERROR MESSAGES *****
1469             *** NONE ***
1470
1471
1472 ***** WARNING MESSAGES *****
1473 ME W186    1443      MEOpen: THRESH_1MIN 1-min ASOS wind speed threshold
1474 used              0.50
1475 ME W187    1443      MEOpen: ADJ_U* Option for Stable Low Winds used in
1476 AERMET
1477
1478 *****
1479 *** SETUP Finishes Successfully ***
1480 *****
1481
1482 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1483 Ramona and Webster\15496 ***          04/23/24
1484 *** AERMET - VERSION 16216 ***
1485 ***
1486 10:42:07
1487
1488
1489 PAGE 1
1490 *** MODELOPTs:   RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1491
1492
1493 ***** MODEL SETUP OPTIONS SUMMARY *****
1494 -----
1495
1496 ** Model Options Selected:
1497 * Model Uses Regulatory DEFAULT Options
1498 * Model Is Setup For Calculation of Average CONCentration Values.
1499 * NO GAS DEPOSITION Data Provided.
1500 * NO PARTICLE DEPOSITION Data Provided.
1501 * Model Uses NO DRY DEPLETION. DDPLETE = F
1502 * Model Uses NO WET DEPLETION. WETDPLT = F
1503 * Stack-tip Downwash.
1504 * Model Accounts for ELEVated Terrain Effects.
1505 * Use Calms Processing Routine.
1506 * Use Missing Data Processing Routine.
1507 * No Exponential Decay.
1508 * Model Uses URBAN Dispersion Algorithm for the SBL for 81 Source(s),
1509 for Total of 1 Urban Area(s):
1510 Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
1511 * Urban Roughness Length of 1.0 Meter Used.
1512 * ADJ_U* - Use ADJ_U* option for SBL in AERMET
1513 * CCVR_Sub - Meteorological data includes CCVR substitutions
1514 * TEMP_Sub - Meteorological data includes TEMP substitutions
1515 * Model Accepts FLAGPOLE Receptor . Heights.
1516 * The User Specified a Pollutant Type of: NOX
1517
1518 **Model Calculates 1 Short Term Average(s) of: 1-HR

```

```

1511
1512 **This Run Includes:      81 Source(s);          1 Source Group(s); and      66 Receptor(s)
1513
1514           with:          0 POINT(s), including
1515                           0 POINTCAP(s) and          0 POINTHOR(s)
1516           and:          81 VOLUME source(s)
1517           and:          0 AREA type source(s)
1518           and:          0 LINE source(s)
1519           and:          0 RLINE/RLINEXT source(s)
1520           and:          0 OPENPIT source(s)
1521           and:          0 BUOYANT LINE source(s) with a total of      0 line(s)
1522           and:          0 SWPOINT source(s)
1523
1524
1525 **Model Set To Continue RUNNING After the Setup Testing.
1526
1527 **The AERMET Input Meteorological Data Version Date:  16216
1528
1529 **Output Options Selected:
1530           Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
1531           Keyword)
1532           Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1533           Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1534
1535 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
1536                                                         m for Missing Hours
1537                                                         b for Both Calm and
1538                                                         Missing Hours
1539
1540 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =  442.00 ;  Decay Coef.
1541 =  0.000      ;  Rot. Angle =  0.0
1542           Emission Units = GRAMS/SEC                      ;  Emission
1543           Rate Unit Factor =  0.10000E+07
1544           Output Units   = MICROGRAMS/M**3
1545
1546 **Approximate Storage Requirements of Model =  3.6 MB of RAM.
1547
1548 **Input Runstream File:
1549 aermod.inp
1550
1551 **Output Print File:
1552 aermod.out
1553
1554 **Detailed Error/Message File:  15496 Cons
1555 NOx.err
1556 **File for Summary of Results:  15496 Cons
1557 NOx.sum
1558
1559 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1560 Ramona and Webster\15496 ***      04/23/24
1561
1562 *** AERMET - VERSION 16216 ***
1563 ***
1564 10:42:07
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

```

1560									
1561									
1562	VOL1		0	0.37683E-02	477827.9	3744751.3	448.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1563	VOL2		0	0.37683E-02	477788.0	3744752.1	448.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1564	VOL3		0	0.37683E-02	477747.5	3744752.6	448.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1565	VOL4		0	0.37683E-02	477707.6	3744753.6	449.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1566	VOL5		0	0.37683E-02	477666.9	3744753.8	449.1	5.00	9.35
	1.40	YES	HRDOW		NO				
1567	VOL6		0	0.37683E-02	477468.7	3744902.9	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1568	VOL7		0	0.37683E-02	477509.6	3744902.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1569	VOL8		0	0.37683E-02	477550.0	3744901.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1570	VOL9		0	0.37683E-02	477590.9	3744901.9	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1571	VOL10		0	0.37683E-02	477621.3	3744901.9	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1572	VOL11		0	0.37683E-02	477621.3	3744861.0	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1573	VOL12		0	0.37683E-02	477580.4	3744861.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1574	VOL13		0	0.37683E-02	477540.0	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1575	VOL14		0	0.37683E-02	477499.6	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1576	VOL15		0	0.37683E-02	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1577	VOL16		0	0.37683E-02	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1578	VOL17		0	0.37683E-02	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1579	VOL18		0	0.37683E-02	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1580	VOL19		0	0.37683E-02	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1581	VOL20		0	0.37683E-02	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES	HRDOW		NO				
1582	VOL21		0	0.37683E-02	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES	HRDOW		NO				
1583	VOL22		0	0.37683E-02	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1584	VOL23		0	0.37683E-02	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1585	VOL24		0	0.37683E-02	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1586	VOL25		0	0.37683E-02	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1587	VOL26		0	0.37683E-02	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1588	VOL27		0	0.37683E-02	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES	HRDOW		NO				
1589	VOL28		0	0.37683E-02	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1590	VOL29		0	0.37683E-02	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1591	VOL30		0	0.37683E-02	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1592	VOL31		0	0.37683E-02	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1593	VOL32		0	0.37683E-02	477580.5	3744700.2	450.0	5.00	9.35

```

1594 1.40 YES HRDOW NO
VOL33 0 0.37683E-02 477540.5 3744700.4 450.1 5.00 9.35
1595 1.40 YES HRDOW NO
VOL34 0 0.37683E-02 477500.6 3744700.7 450.7 5.00 9.35
1596 1.40 YES HRDOW NO
VOL35 0 0.37683E-02 477468.8 3744700.7 451.0 5.00 9.35
1597 1.40 YES HRDOW NO
VOL36 0 0.37683E-02 477469.1 3744661.0 451.0 5.00 9.35
1598 1.40 YES HRDOW NO
VOL37 0 0.37683E-02 477509.0 3744660.7 451.0 5.00 9.35
1599 1.40 YES HRDOW NO
VOL38 0 0.37683E-02 477549.0 3744660.5 450.0 5.00 9.35
1600 1.40 YES HRDOW NO
VOL39 0 0.37683E-02 477588.9 3744660.5 450.0 5.00 9.35
1601 1.40 YES HRDOW NO
VOL40 0 0.37683E-02 477620.7 3744660.7 450.0 5.00 9.35
1602 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1603 *** AERMET - VERSION 16216 ***
***
10:42:07

```

```

1604
PAGE 3

```

```

1605 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1606
1607
1608 *** VOLUME SOURCE DATA ***
1609

```

```

1610 NUMBER EMISSION RATE BASE RELEASE INIT.
1611 SOURCE INIT. URBAN EMISSION RATE AIRCRAFT
SZ SOURCE SCALAR VARY X Y ELEV. HEIGHT SY
1612 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS) BY
1613 - - - - -

```

```

1614
1615 VOL41 0 0.37683E-02 477620.7 3744620.8 450.0 5.00 9.35
1.40 YES HRDOW NO
1616 VOL42 0 0.37683E-02 477580.8 3744620.5 450.0 5.00 9.35
1.40 YES HRDOW NO
1617 VOL43 0 0.37683E-02 477540.8 3744620.3 450.9 5.00 9.35
1.40 YES HRDOW NO
1618 VOL44 0 0.37683E-02 477500.8 3744620.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1619 VOL45 0 0.37683E-02 477468.8 3744620.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1620 VOL46 0 0.37683E-02 477469.1 3744580.5 451.1 5.00 9.35
1.40 YES HRDOW NO
1621 VOL47 0 0.37683E-02 477509.0 3744580.5 451.0 5.00 9.35
1.40 YES HRDOW NO
1622 VOL48 0 0.37683E-02 477549.2 3744580.3 451.0 5.00 9.35
1.40 YES HRDOW NO
1623 VOL49 0 0.37683E-02 477588.7 3744580.5 450.7 5.00 9.35
1.40 YES HRDOW NO
1624 VOL50 0 0.37683E-02 477621.0 3744580.8 450.0 5.00 9.35
1.40 YES HRDOW NO
1625 VOL51 0 0.37683E-02 477620.7 3744540.8 450.3 5.00 9.35
1.40 YES HRDOW NO
1626 VOL52 0 0.37683E-02 477581.0 3744540.2 451.0 5.00 9.35
1.40 YES HRDOW NO
1627 VOL53 0 0.37683E-02 477540.9 3744540.1 451.0 5.00 9.35
1.40 YES HRDOW NO
1628 VOL54 0 0.37683E-02 477500.6 3744540.3 451.3 5.00 9.35
1.40 YES HRDOW NO

```

1629	VOL55		0	0.37683E-02	477469.0	3744540.5	451.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1630	VOL56		0	0.37683E-02	477468.7	3744500.2	452.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1631	VOL57		0	0.37683E-02	477508.8	3744500.2	451.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1632	VOL58		0	0.37683E-02	477549.1	3744499.8	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1633	VOL59		0	0.37683E-02	477589.6	3744500.0	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1634	VOL60		0	0.37683E-02	477620.2	3744500.2	450.9	5.00	9.35
	1.40	YES	HRDOW	NO					
1635	VOL61		0	0.37683E-02	477660.7	3744510.6	450.2	5.00	9.35
	1.40	YES	HRDOW	NO					
1636	VOL62		0	0.37683E-02	477700.6	3744510.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1637	VOL63		0	0.37683E-02	477741.1	3744510.4	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1638	VOL64		0	0.37683E-02	477781.2	3744510.2	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1639	VOL65		0	0.37683E-02	477821.9	3744510.4	449.5	5.00	9.35
	1.40	YES	HRDOW	NO					
1640	VOL66		0	0.37683E-02	477823.4	3744451.3	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1641	VOL67		0	0.37683E-02	477783.1	3744451.3	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1642	VOL68		0	0.37683E-02	477742.6	3744451.3	450.3	5.00	9.35
	1.40	YES	HRDOW	NO					
1643	VOL69		0	0.37683E-02	477702.5	3744451.1	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1644	VOL70		0	0.37683E-02	477662.4	3744451.1	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1645	VOL71		0	0.37683E-02	477621.7	3744451.3	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1646	VOL72		0	0.37683E-02	477822.1	3744480.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1647	VOL73		0	0.37683E-02	477781.8	3744480.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1648	VOL74		0	0.37683E-02	477741.3	3744480.4	450.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1649	VOL75		0	0.37683E-02	477701.0	3744480.4	450.5	5.00	9.35
	1.40	YES	HRDOW	NO					
1650	VOL76		0	0.37683E-02	477660.5	3744480.4	450.7	5.00	9.35
	1.40	YES	HRDOW	NO					
1651	VOL77		0	0.37683E-02	477620.6	3744480.4	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1652	VOL78		0	0.37683E-02	477581.6	3744484.2	451.0	5.00	9.35
	1.40	YES	HRDOW	NO					
1653	VOL79		0	0.37683E-02	477541.1	3744484.6	451.6	5.00	9.35
	1.40	YES	HRDOW	NO					
1654	VOL80		0	0.37683E-02	477501.2	3744484.2	452.0	5.00	9.35
	1.40	YES	HRDOW	NO					

1655 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1656 *** AERMET - VERSION 16216 ***

 10:42:07

1657
 PAGE 4

1658 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1659
 1660 *** VOLUME SOURCE DATA ***
 1661
 1662

1663 NUMBER EMISSION RATE BASE RELEASE INIT.
 INIT. URBAN EMISSION RATE AIRCRAFT

1664 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT SY
 1665 SZ SOURCE SCALAR VARY
 1666 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
 (METERS) BY

1667
 1668 VOL81 0 0.37683E-02 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES HRDOW NO
 1669 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1670 *** AERMET - VERSION 16216 ***

 10:42:07

1671
 1672 *** MODELOPTs: RegDFAULT CONC PAGE 5 ELEV FLGPOL URBAN ADJ_U*
 1673
 1674

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs							
-----	-----							
1681	ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,	
	VOL6	, VOL7	, VOL8	,				
1682		VOL9	, VOL10	, VOL11	, VOL12	, VOL13	,	
1683		VOL14	, VOL15	, VOL16	,			
1684		VOL17	, VOL18	, VOL19	, VOL20	, VOL21	,	
1685		VOL22	, VOL23	, VOL24	,			
1686		VOL25	, VOL26	, VOL27	, VOL28	, VOL29	,	
1687		VOL30	, VOL31	, VOL32	,			
1688		VOL33	, VOL34	, VOL35	, VOL36	, VOL37	,	
1689		VOL38	, VOL39	, VOL40	,			
1690		VOL41	, VOL42	, VOL43	, VOL44	, VOL45	,	
1691		VOL46	, VOL47	, VOL48	,			
1692		VOL49	, VOL50	, VOL51	, VOL52	, VOL53	,	
1693		VOL54	, VOL55	, VOL56	,			
1694		VOL57	, VOL58	, VOL59	, VOL60	, VOL61	,	
1695		VOL62	, VOL63	, VOL64	,			
1696		VOL65	, VOL66	, VOL67	, VOL68	, VOL69	,	
1697		VOL70	, VOL71	, VOL72	,			
1698		VOL73	, VOL74	, VOL75	, VOL76	, VOL77	,	
1699		VOL78	, VOL79	, VOL80	,			
1700		VOL81	,					

1701
 1702 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1703 *** AERMET - VERSION 16216 ***

 10:42:07

1704
 1705 *** MODELOPTs: RegDFAULT CONC PAGE 6 ELEV FLGPOL URBAN ADJ_U*
 1706
 1707

URBAN ID	URBAN POP	SOURCE IDs							
-----	-----	-----							
1714	2189641.	VOL1		VOL2		VOL3		VOL4	
		VOL5		VOL6		VOL7			
1715	VOL8								
1717		VOL9		VOL10		VOL11		VOL12	
		VOL14		VOL15		VOL16			
1719		VOL17		VOL18		VOL19		VOL20	
		VOL22		VOL23		VOL24			
1721		VOL25		VOL26		VOL27		VOL28	
		VOL30		VOL31		VOL32			
1723		VOL33		VOL34		VOL35		VOL36	
		VOL38		VOL39		VOL40			
1725		VOL41		VOL42		VOL43		VOL44	
		VOL46		VOL47		VOL48			
1727		VOL49		VOL50		VOL51		VOL52	
		VOL54		VOL55		VOL56			
1729		VOL57		VOL58		VOL59		VOL60	
		VOL62		VOL63		VOL64			
1731		VOL65		VOL66		VOL67		VOL68	
		VOL70		VOL71		VOL72			
1733		VOL73		VOL74		VOL75		VOL76	
		VOL78		VOL79		VOL80			
1735		VOL81							

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAS\15496
 Ramona and Webster\15496 *** 04/23/24

*** AERMET - VERSION 16216 ***

10:42:07

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
	.0000E+00	7	.0000E+00	8	.0000E+00					
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14
	.1000E+01	15	.1000E+01	16	.1000E+01					
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22
	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6
	.0000E+00	7	.0000E+00	8	.0000E+00					
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14

1753 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1754 DAY OF WEEK = SUNDAY

1755 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1756 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1757 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1758 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1759 *** AERMET - VERSION 16216 ***

10:42:07

1760

PAGE 8

1761 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1762

1763 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1764

1765 SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
1766 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1767 - - - - -
- - - - -

1768 DAY OF WEEK = WEEKDAY

1769 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1770 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1771 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1772 DAY OF WEEK = SATURDAY

1773 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1774 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1775 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1776 DAY OF WEEK = SUNDAY

1777 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1778 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1779 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1780 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1781 *** AERMET - VERSION 16216 ***

10:42:07

1782

PAGE 9

1783 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1784

1785 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1786

1787 SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
1788 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1789 - - - - -
- - - - -

1790 DAY OF WEEK = WEEKDAY

1791 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1792 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1793 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1794 1795 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1796 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1797 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1798 1799 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1800 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1801 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1802 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1803 *** AERMET - VERSION 16216 ***

10:42:07

1804

PAGE 10

1805 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1806

1807 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1808

1809 SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

1810 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1811 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1812 1813 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1814 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1815 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1816 1817 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1818 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1819 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1820 1821 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1822 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1823 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1824 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1825 *** AERMET - VERSION 16216 ***

10:42:07

1826

PAGE 11

1827 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1828
1829

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1830

1831 SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

1832 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

1833 SCALAR HOUR SCALAR HOUR SCALAR

1834

DAY OF WEEK = WEEKDAY

1835 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1836 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

1837 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1838

DAY OF WEEK = SATURDAY

1839 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1840 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

1841 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1842

DAY OF WEEK = SUNDAY

1843 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1844 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

1845 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1846 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1847 *** AERMET - VERSION 16216 ***

10:42:07

1848

PAGE 12

1849 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1850

1851 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1852

1853 SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :

1854 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

1855 SCALAR HOUR SCALAR HOUR SCALAR

1856

DAY OF WEEK = WEEKDAY

1857 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1858 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14

.1000E+01 15 .1000E+01 16 .1000E+01

1859 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1860

DAY OF WEEK = SATURDAY

1861 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1862 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

1863 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1864

DAY OF WEEK = SUNDAY

1865 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00

1866 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00

1867 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
1868 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1869 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

1870
PAGE 13
1871 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1872
1873 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1874
1875 SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
1876 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
1877 - - - - -

DAY OF WEEK = WEEKDAY
1878
1879 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1880 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1881 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1882
1883 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1884 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1885 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1886
1887 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1888 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1889 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1890 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1891 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

1892
PAGE 14
1893 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1894
1895 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1896
1897 SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
1898 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
1899 - - - - -

DAY OF WEEK = WEEKDAY
1900
1901 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1902 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1903 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1904
1905 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

1906 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1907 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1909 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1910 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1911 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1912 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1913 *** AERMET - VERSION 16216 ***

10:42:07

1914

PAGE 15

1915 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1916

1917 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1918

1919 SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

1920 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1921

DAY OF WEEK = WEEKDAY

1922 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1924 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1925 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1926 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1928 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1929 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1930 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1932 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1933 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1934 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1935 *** AERMET - VERSION 16216 ***

10:42:07

1936

PAGE 16

1937 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1938

1939 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1940

1941 SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :

1942 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1943

1944 DAY OF WEEK = WEEKDAY
 1945 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1946 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1947 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1948 DAY OF WEEK = SATURDAY
 1949 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1950 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1951 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1952 DAY OF WEEK = SUNDAY
 1953 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1954 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1955 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1956 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1957 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

1958 PAGE 17
 1959 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1960
 1961 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1962 SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
 1963 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 1964 SCALAR HOUR SCALAR HOUR SCALAR
 1965 -----

1966 DAY OF WEEK = WEEKDAY
 1967 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1968 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1969 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1970 DAY OF WEEK = SATURDAY
 1971 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1972 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1973 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1974 DAY OF WEEK = SUNDAY
 1975 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1976 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1977 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1978 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1979 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

1980

1981 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1982
1983 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1984
1985 SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
1986 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1987 SCALAR HOUR SCALAR HOUR SCALAR

1987 - - - - -

1988 DAY OF WEEK = WEEKDAY
1989 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1990 .0000E+00 7 .0000E+00 8 .0000E+00
1990 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
1991 .1000E+01 15 .1000E+01 16 .1000E+01
1991 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1991 .0000E+00 23 .0000E+00 24 .0000E+00

1992 DAY OF WEEK = SATURDAY
1993 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1993 .0000E+00 7 .0000E+00 8 .0000E+00
1994 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1994 .0000E+00 15 .0000E+00 16 .0000E+00
1995 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1995 .0000E+00 23 .0000E+00 24 .0000E+00

1996 DAY OF WEEK = SUNDAY
1997 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
1997 .0000E+00 7 .0000E+00 8 .0000E+00
1998 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
1998 .0000E+00 15 .0000E+00 16 .0000E+00
1999 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
1999 .0000E+00 23 .0000E+00 24 .0000E+00

2000 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2001 *** AERMET - VERSION 16216 ***

10:42:07

2003 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2004
2005 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2006
2007 SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
2008 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2009 SCALAR HOUR SCALAR HOUR SCALAR

2009 - - - - -

2010 DAY OF WEEK = WEEKDAY
2011 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2011 .0000E+00 7 .0000E+00 8 .0000E+00
2012 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2012 .1000E+01 15 .1000E+01 16 .1000E+01
2013 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2013 .0000E+00 23 .0000E+00 24 .0000E+00

2014 DAY OF WEEK = SATURDAY
2015 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2015 .0000E+00 7 .0000E+00 8 .0000E+00
2016 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2016 .0000E+00 15 .0000E+00 16 .0000E+00
2017 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2017 .0000E+00 23 .0000E+00 24 .0000E+00

2018 DAY OF WEEK = SUNDAY
2019 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2019 .0000E+00 7 .0000E+00 8 .0000E+00

2020 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2021 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2022 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2023 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2024
PAGE 20
2025 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2026
2027 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2028
2029 SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
2030 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2031 - - - - -

2032 DAY OF WEEK = WEEKDAY
2033 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2034 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2035 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2036 DAY OF WEEK = SATURDAY
2037 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2038 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2039 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2040 DAY OF WEEK = SUNDAY
2041 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2042 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2043 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2044 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2045 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2046
PAGE 21
2047 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2048
2049 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2050
2051 SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
2052 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2053 - - - - -

2054 DAY OF WEEK = WEEKDAY
2055 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2056 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2057 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2058 DAY OF WEEK = SATURDAY
 2059 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2060 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2061 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2062 DAY OF WEEK = SUNDAY
 2063 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2064 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2065 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2066 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2067 *** AERMET - VERSION 16216 ***

 10:42:07

2068 PAGE 22
 2069 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2070
 2071 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2072 SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
 2073 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2074 SCALAR HOUR SCALAR HOUR SCALAR
 2075 - - - - -

2076 DAY OF WEEK = WEEKDAY
 2077 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2078 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2079 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2080 DAY OF WEEK = SATURDAY
 2081 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2082 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2083 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2084 DAY OF WEEK = SUNDAY
 2085 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2086 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2087 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2088 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2089 *** AERMET - VERSION 16216 ***

 10:42:07

2090 PAGE 23
 2091 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2092
 2093 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2094 SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
 2095 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2096 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2097  - - - - -
2098  DAY OF WEEK = WEEKDAY
2099  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2100  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2101  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2102  DAY OF WEEK = SATURDAY
2103  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2104  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2105  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2106  DAY OF WEEK = SUNDAY
2107  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2108  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2109  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2110  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2111  *** AERMET - VERSION 16216 ***
      ***
      10:42:07
2112
      PAGE 24
2113  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2114
2115  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2116
2117  SOURCE ID = VOL18      ; SOURCE TYPE = VOLUME      :
2118  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
2119  - - - - -
2120  DAY OF WEEK = WEEKDAY
2121  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2122  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2123  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2124  DAY OF WEEK = SATURDAY
2125  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2126  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2127  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2128  DAY OF WEEK = SUNDAY
2129  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2130  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2131  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2132  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2133  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:42:07

2134

PAGE 25

2135 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2136

2137 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2138

2139 SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

2140 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2141 SCALAR HOUR SCALAR HOUR SCALAR

2141

2142 DAY OF WEEK = WEEKDAY

2143 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2144 .0000E+00 7 .0000E+00 8 .0000E+00

2144 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2145 .1000E+01 15 .1000E+01 16 .1000E+01

2145 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2146 .0000E+00 23 .0000E+00 24 .0000E+00

2146 DAY OF WEEK = SATURDAY

2147 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2148 .0000E+00 7 .0000E+00 8 .0000E+00

2148 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2149 .0000E+00 15 .0000E+00 16 .0000E+00

2149 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2150 .0000E+00 23 .0000E+00 24 .0000E+00

2150 DAY OF WEEK = SUNDAY

2151 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2152 .0000E+00 7 .0000E+00 8 .0000E+00

2152 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2153 .0000E+00 15 .0000E+00 16 .0000E+00

2153 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2154 .0000E+00 23 .0000E+00 24 .0000E+00

2154 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2155 Ramona and Webster\15496 *** 04/23/24

2155 *** AERMET - VERSION 16216 ***

10:42:07

2156

PAGE 26

2157 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2158

2159 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2160

2161 SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

2162 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2163 SCALAR HOUR SCALAR HOUR SCALAR

2163

2164 DAY OF WEEK = WEEKDAY

2165 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2166 .0000E+00 7 .0000E+00 8 .0000E+00

2166 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2167 .1000E+01 15 .1000E+01 16 .1000E+01

2167 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2168 .0000E+00 23 .0000E+00 24 .0000E+00

2168 DAY OF WEEK = SATURDAY

2169 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2170 .0000E+00 7 .0000E+00 8 .0000E+00

2170 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2171 .0000E+00 15 .0000E+00 16 .0000E+00

2171 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2172 .0000E+00 23 .0000E+00 24 .0000E+00

2172 DAY OF WEEK = SUNDAY

2173 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2174 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2175 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2176 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2177 *** AERMET - VERSION 16216 ***

10:42:07

2178

PAGE 27

2179 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2180

2181 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2182

2183 SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :

2184 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2185

2186 DAY OF WEEK = WEEKDAY

2187 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2188 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2189 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2190

DAY OF WEEK = SATURDAY

2191 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2192 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2193 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2194

DAY OF WEEK = SUNDAY

2195 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2196 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2197 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2198 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2199 *** AERMET - VERSION 16216 ***

10:42:07

2200

PAGE 28

2201 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2202

2203 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2204

2205 SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :

2206 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2207

2208 DAY OF WEEK = WEEKDAY

2209 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2210 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2211 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2212
2213 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2214 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2215 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2216
2217 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2218 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2219 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2220 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2221 *** AERMET - VERSION 16216 ***

10:42:07

2222

PAGE 29

2223 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2224

2225 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2226

2227 SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :

2228 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2229 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

2230
2231 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2232 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2233 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2234
2235 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2236 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2237 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2238
2239 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2240 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2241 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2242 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2243 *** AERMET - VERSION 16216 ***

10:42:07

2244

PAGE 30

2245 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2246

2247 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2248

```

2249 SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
2250 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2251 SCALAR HOUR SCALAR HOUR SCALAR
-----
2252 DAY OF WEEK = WEEKDAY
2253 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2254 .0000E+00 7 .0000E+00 8 .0000E+00
2255 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2256 .1000E+01 15 .1000E+01 16 .1000E+01
2257 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2258 .0000E+00 23 .0000E+00 24 .0000E+00
2259 DAY OF WEEK = SATURDAY
2260 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2261 .0000E+00 7 .0000E+00 8 .0000E+00
2262 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2263 .0000E+00 15 .0000E+00 16 .0000E+00
2264 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2265 .0000E+00 23 .0000E+00 24 .0000E+00
2266 DAY OF WEEK = SUNDAY
2267 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2268 .0000E+00 7 .0000E+00 8 .0000E+00
2269 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2270 .0000E+00 15 .0000E+00 16 .0000E+00
2271 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2272 .0000E+00 23 .0000E+00 24 .0000E+00
2273 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2274 Ramona and Webster\15496 *** 04/23/24
2275 *** AERMET - VERSION 16216 ***
2276 ***
2277 10:42:07
2278
2279 PAGE 31
2280 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2281
2282 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
2283 WEEK (HRDOW) *
2284
2285 SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
2286 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2287 SCALAR HOUR SCALAR HOUR SCALAR
-----
2288 DAY OF WEEK = WEEKDAY
2289 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2290 .0000E+00 7 .0000E+00 8 .0000E+00
2291 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2292 .1000E+01 15 .1000E+01 16 .1000E+01
2293 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2294 .0000E+00 23 .0000E+00 24 .0000E+00
2295 DAY OF WEEK = SATURDAY
2296 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2297 .0000E+00 7 .0000E+00 8 .0000E+00
2298 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2299 .0000E+00 15 .0000E+00 16 .0000E+00
2300 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2301 .0000E+00 23 .0000E+00 24 .0000E+00
2302 DAY OF WEEK = SUNDAY
2303 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2304 .0000E+00 7 .0000E+00 8 .0000E+00
2305 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2306 .0000E+00 15 .0000E+00 16 .0000E+00
2307 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2308 .0000E+00 23 .0000E+00 24 .0000E+00
2309 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2310 Ramona and Webster\15496 *** 04/23/24

```


2287 *** AERMET - VERSION 16216 ***

10:42:07

2288

PAGE 32

2289 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2290

2291 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2292

2293 SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :

2294 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2295 SCALAR HOUR SCALAR HOUR SCALAR

2296

2297 DAY OF WEEK = WEEKDAY

2297 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2298 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2299 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2300

2301 DAY OF WEEK = SATURDAY

2301 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2302 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2303 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2304

2305 DAY OF WEEK = SUNDAY

2305 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2306 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2307 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2308 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2309 *** AERMET - VERSION 16216 ***

10:42:07

2310

PAGE 33

2311 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2312

2313 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2314

2315 SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

2316 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2317 SCALAR HOUR SCALAR HOUR SCALAR

2318

2319 DAY OF WEEK = WEEKDAY

2319 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2320 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2321 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2322

2323 DAY OF WEEK = SATURDAY

2323 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2324 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2325 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00

.0000E+00 23 .0000E+00 24 .0000E+00
2326 DAY OF WEEK = SUNDAY
2327 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2328 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2329 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2330 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2331 *** AERMET - VERSION 16216 ***

*** 10:42:07 ***

2332

PAGE 34

2333 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2334

2335 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2336

2337 SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
2338 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2339 - - - - -

- - - - -

2340 DAY OF WEEK = WEEKDAY

2341 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2342 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2343 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2344 DAY OF WEEK = SATURDAY

2345 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2346 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2347 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2348 DAY OF WEEK = SUNDAY

2349 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2350 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2351 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2352 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2353 *** AERMET - VERSION 16216 ***

*** 10:42:07 ***

2354

PAGE 35

2355 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2356

2357 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2358

2359 SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
2360 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2361 - - - - -

- - - - -

2362 DAY OF WEEK = WEEKDAY

2363 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2364 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2365 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2367 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2368 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2369 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2370 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2371 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2372 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2374 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2375 *** AERMET - VERSION 16216 ***

10:42:07

2376

PAGE 36

2377 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2378

2379 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2380

2381 SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

2382 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2383

DAY OF WEEK = WEEKDAY

2384 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2385 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2386 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2387 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2388 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2389 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2390 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2391 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2392 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2393 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2394 *** AERMET - VERSION 16216 ***

10:42:07

2398

PAGE 37

2399 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2400

2401 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

2402
 2403 SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
 2404 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 2405 -----

2406 DAY OF WEEK = WEEKDAY
 2407 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2408 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2409 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2410 DAY OF WEEK = SATURDAY
 2411 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2412 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2413 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2414 DAY OF WEEK = SUNDAY
 2415 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2416 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2417 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2418 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2419 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

2420
 2421 PAGE 38
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2422
 2423 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2424
 2425 SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
 2426 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 2427 -----

2428 DAY OF WEEK = WEEKDAY
 2429 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2430 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2431 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2432 DAY OF WEEK = SATURDAY
 2433 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2434 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2435 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2436 DAY OF WEEK = SUNDAY
 2437 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2438 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2439 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2440 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2441 *** AERMET - VERSION 16216 ***

10:42:07

2442

PAGE 39

2443 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2444

2445 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2446

2447 SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

2448 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2449

2450 DAY OF WEEK = WEEKDAY

2451 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2452 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2453 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2454 DAY OF WEEK = SATURDAY

2455 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2456 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2457 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2458 DAY OF WEEK = SUNDAY

2459 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2460 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2461 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2462 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2463 *** AERMET - VERSION 16216 ***

10:42:07

2464

PAGE 40

2465 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2466

2467 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2468

2469 SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

2470 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2471

2472 DAY OF WEEK = WEEKDAY

2473 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2474 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2475 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2476 DAY OF WEEK = SATURDAY

2477 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2478 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
2479 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2480 DAY OF WEEK = SUNDAY

2481 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2482 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2483 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2484 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2485 *** AERMET - VERSION 16216 ***

*** 10:42:07 ***

2486

PAGE 41

2487 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2488
2489 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2490
2491 SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
2492 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2493 - - - - -

2494 DAY OF WEEK = WEEKDAY

2495 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2496 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2497 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2498 DAY OF WEEK = SATURDAY

2499 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2500 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2501 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2502 DAY OF WEEK = SUNDAY

2503 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2504 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2505 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2506 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2507 *** AERMET - VERSION 16216 ***

*** 10:42:07 ***

2508

PAGE 42

2509 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2510
2511 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2512
2513 SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
2514 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2515 - - - - -
2516 DAY OF WEEK = WEEKDAY

2517 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2518 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2519 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2520
2521 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2522 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2523 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2524
2525 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2526 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2527 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2528 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2529 *** AERMET - VERSION 16216 ***

10:42:07

2530

PAGE 43

2531 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2532

2533

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2534

2535 SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :

2536 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2537

2538

DAY OF WEEK = WEEKDAY

2539 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2540 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2541 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2542
2543 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2544 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2545 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2546
2547 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2548 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2549 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2550 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2551 *** AERMET - VERSION 16216 ***

10:42:07

2552

PAGE 44

2553 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2554
2555

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2556

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2562 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2563 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2566 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2567 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2570 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2571 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2572 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2573 *** AERMET - VERSION 16216 ***

10:42:07

2574

PAGE 45

2575 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2576

2577 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2578

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2584 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2585 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2588 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2589 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2592 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2593 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2594 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2595 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2596 PAGE 46
2597 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2598
2599 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2600
2601 SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
2602 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2603 - - - - -

2604 DAY OF WEEK = WEEKDAY
2605 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2606 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2607 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2608 DAY OF WEEK = SATURDAY
2609 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2610 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2611 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2612 DAY OF WEEK = SUNDAY
2613 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2614 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2615 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2616 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2617 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2618 PAGE 47
2619 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2620
2621 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2622
2623 SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :
2624 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2625 - - - - -

2626 DAY OF WEEK = WEEKDAY
2627 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2628 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2629 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2630 DAY OF WEEK = SATURDAY
2631 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00  7 .0000E+00  8 .0000E+00
2632  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2633 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2634
2635 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2636  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2637 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2638 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2639 *** AERMET - VERSION 16216 ***
***
10:42:07

```

```

2640
PAGE 48
2641 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2642
2643 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2644
2645 SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :
2646 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2647 - - - - -
- - - - -

```

```

2648 DAY OF WEEK = WEEKDAY
2649 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2650  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2651 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2652 DAY OF WEEK = SATURDAY
2653 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2654  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2655 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2656 DAY OF WEEK = SUNDAY
2657 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2658  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2659 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2660 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2661 *** AERMET - VERSION 16216 ***
***
10:42:07

```

```

2662
PAGE 49
2663 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2664
2665 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2666
2667 SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
2668 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2669 - - - - -
- - - - -

```

2670 DAY OF WEEK = WEEKDAY
 2671 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2672 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2673 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2674 DAY OF WEEK = SATURDAY
 2675 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2676 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2677 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2678 DAY OF WEEK = SUNDAY
 2679 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2680 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2681 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2682 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2683 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

2684 PAGE 50
 2685 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2686
 2687 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2688
 2689 SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :
 2690 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 2691

2692 DAY OF WEEK = WEEKDAY
 2693 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2694 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2695 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2696 DAY OF WEEK = SATURDAY
 2697 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2698 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2699 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2700 DAY OF WEEK = SUNDAY
 2701 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2702 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2703 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2704 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2705 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

2706

2707 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2708
2709 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2710
2711 SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :
2712 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2713 SCALAR HOUR SCALAR HOUR SCALAR

2714 - - - - -
2715 - - - - -

2714 DAY OF WEEK = WEEKDAY
2715 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2716 .0000E+00 7 .0000E+00 8 .0000E+00
2717 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2718 .1000E+01 15 .1000E+01 16 .1000E+01
2719 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2720 .0000E+00 23 .0000E+00 24 .0000E+00

2721 DAY OF WEEK = SATURDAY
2722 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2723 .0000E+00 7 .0000E+00 8 .0000E+00
2724 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2725 .0000E+00 15 .0000E+00 16 .0000E+00
2726 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2727 .0000E+00 23 .0000E+00 24 .0000E+00

2728 DAY OF WEEK = SUNDAY
2729 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2730 .0000E+00 7 .0000E+00 8 .0000E+00
2731 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2732 .0000E+00 15 .0000E+00 16 .0000E+00
2733 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2734 .0000E+00 23 .0000E+00 24 .0000E+00

2735 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2736 Ramona and Webster\15496 *** 04/23/24

2737 *** AERMET - VERSION 16216 ***
2738 ***
2739 10:42:07

2729 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2730
2731 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2732
2733 SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :
2734 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2735 SCALAR HOUR SCALAR HOUR SCALAR

2736 - - - - -
2737 - - - - -

2736 DAY OF WEEK = WEEKDAY
2737 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2738 .0000E+00 7 .0000E+00 8 .0000E+00
2739 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2740 .1000E+01 15 .1000E+01 16 .1000E+01
2741 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2742 .0000E+00 23 .0000E+00 24 .0000E+00

2743 DAY OF WEEK = SATURDAY
2744 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2745 .0000E+00 7 .0000E+00 8 .0000E+00
2746 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2747 .0000E+00 15 .0000E+00 16 .0000E+00
2748 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2749 .0000E+00 23 .0000E+00 24 .0000E+00

2750 DAY OF WEEK = SUNDAY
2751 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2752 .0000E+00 7 .0000E+00 8 .0000E+00

2746 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2747 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2748 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2749 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2750

PAGE 53
2751 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2752
2753 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2754
2755 SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
2756 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2757 - - - - -
- - - - -

2758 DAY OF WEEK = WEEKDAY
2759 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2760 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2761 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2762 DAY OF WEEK = SATURDAY
2763 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2764 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2765 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2766 DAY OF WEEK = SUNDAY
2767 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2768 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2769 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2770 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2771 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2772

PAGE 54
2773 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2774
2775 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2776
2777 SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
2778 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2779 - - - - -
- - - - -

2780 DAY OF WEEK = WEEKDAY
2781 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2782 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2783 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2784 DAY OF WEEK = SATURDAY
 2785 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2786 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2787 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2788 DAY OF WEEK = SUNDAY
 2789 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2790 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2791 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2792 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2793 *** AERMET - VERSION 16216 ***

 10:42:07

2794 PAGE 55
 2795 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2796
 2797 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2798 SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
 2799 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2800 SCALAR HOUR SCALAR HOUR SCALAR
 2801 - - - - -

2802 DAY OF WEEK = WEEKDAY
 2803 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2804 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2805 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2806 DAY OF WEEK = SATURDAY
 2807 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2808 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2809 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2810 DAY OF WEEK = SUNDAY
 2811 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2812 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2813 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2814 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2815 *** AERMET - VERSION 16216 ***

 10:42:07

2816 PAGE 56
 2817 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2818
 2819 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2820 SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
 2821 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2822 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2823  - - - - -
2824  DAY OF WEEK = WEEKDAY
2825  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2826  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2827  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2828  DAY OF WEEK = SATURDAY
2829  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2830  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2831  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2832  DAY OF WEEK = SUNDAY
2833  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2834  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2835  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2836  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2837  *** AERMET - VERSION 16216 ***
      ***
      10:42:07
2838
      PAGE 57
2839  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2840
2841  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2842
2843  SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
2844  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
      SCALAR HOUR SCALAR HOUR SCALAR
2845  - - - - -
2846  DAY OF WEEK = WEEKDAY
2847  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2848  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2849  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2850  DAY OF WEEK = SATURDAY
2851  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2852  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2853  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2854  DAY OF WEEK = SUNDAY
2855  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2856  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2857  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2858  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2859  *** AERMET - VERSION 16216 ***
      ***

```

10:42:07

2860

2861 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2862

2863 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2864

2865 SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :

2866 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
2867 SCALAR HOUR SCALAR HOUR SCALAR

2867

2868 DAY OF WEEK = WEEKDAY

2869 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2870 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2871 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2872 DAY OF WEEK = SATURDAY

2873 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2874 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2875 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2876 DAY OF WEEK = SUNDAY

2877 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2878 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2879 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2880 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2881 *** AERMET - VERSION 16216 ***

10:42:07

2882

2883 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2884

2885 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2886

2887 SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :

2888 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
2889 SCALAR HOUR SCALAR HOUR SCALAR

2889

2890 DAY OF WEEK = WEEKDAY

2891 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2892 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2893 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2894 DAY OF WEEK = SATURDAY

2895 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2896 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2897 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2898 DAY OF WEEK = SUNDAY

2899 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2900 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2901 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2902 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2903 *** AERMET - VERSION 16216 ***

10:42:07

2904

PAGE 60

2905 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2906

2907 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2908

2909 SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
2910 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2911 - - - - -
- - - - -

2912 DAY OF WEEK = WEEKDAY

2913 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2914 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2915 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2916 DAY OF WEEK = SATURDAY

2917 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2918 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2919 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2920 DAY OF WEEK = SUNDAY

2921 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2922 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2923 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2924 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2925 *** AERMET - VERSION 16216 ***

10:42:07

2926

PAGE 61

2927 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2928

2929 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2930

2931 SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
2932 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2933 - - - - -
- - - - -

2934 DAY OF WEEK = WEEKDAY

2935 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2936 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2937 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2938
2939 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2940 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2941 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2942
2943 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2944 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2945 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2946 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2947 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2948
2949 PAGE 62
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2950
2951 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2952
2953 SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :

2954 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2955 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

2956
2957 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2958 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2959 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2960
2961 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2962 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2963 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2964
2965 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2966 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2967 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2968 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2969 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

2970
2971 PAGE 63
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2972
2973 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2974

```

2975 SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :
2976 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2977 -----
2978 DAY OF WEEK = WEEKDAY
2979 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2980 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2981 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2982 DAY OF WEEK = SATURDAY
2983 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2984 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2985 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2986 DAY OF WEEK = SUNDAY
2987 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2988 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2989 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2990 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2991 *** AERMET - VERSION 16216 ***
*** ***
10:42:07
2992
2993 PAGE 64
2994 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2995 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2996
2997 SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :
2998 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2999 -----
3000 DAY OF WEEK = WEEKDAY
3001 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3002 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3003 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3004 DAY OF WEEK = SATURDAY
3005 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3006 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3007 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3008 DAY OF WEEK = SUNDAY
3009 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3010 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3011 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3012 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

3013 *** AERMET - VERSION 16216 ***

10:42:07

3014

PAGE 65

3015 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3016

3017 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3018

3019 SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

3020 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3021 SCALAR HOUR SCALAR HOUR SCALAR

3021

3022 DAY OF WEEK = WEEKDAY

3023 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3024 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3025 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3026 DAY OF WEEK = SATURDAY

3027 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3028 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3029 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3030 DAY OF WEEK = SUNDAY

3031 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3032 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3033 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3034 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3035 *** AERMET - VERSION 16216 ***

10:42:07

3036

PAGE 66

3037 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3038

3039 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3040

3041 SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

3042 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3043 SCALAR HOUR SCALAR HOUR SCALAR

3043

3044 DAY OF WEEK = WEEKDAY

3045 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3046 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3047 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3048 DAY OF WEEK = SATURDAY

3049 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3050 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3051 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00
3052 DAY OF WEEK = SUNDAY
3053 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3054 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3055 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3056 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3057 *** AERMET - VERSION 16216 ***

10:42:07 ***

3058

PAGE 67
3059 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3060
3061 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3062 SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
3063 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3064 SCALAR HOUR SCALAR HOUR SCALAR
3065 - - - - -

- - - - -

3066 DAY OF WEEK = WEEKDAY
3067 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3068 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3069 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3070 DAY OF WEEK = SATURDAY
3071 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3072 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3073 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3074 DAY OF WEEK = SUNDAY
3075 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3076 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3077 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3078 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3079 *** AERMET - VERSION 16216 ***

10:42:07 ***

3080

PAGE 68
3081 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3082
3083 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3084 SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
3085 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3086 SCALAR HOUR SCALAR HOUR SCALAR
3087 - - - - -

- - - - -

3088 DAY OF WEEK = WEEKDAY
3089 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3090 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3091 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3092
3093 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3094 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3095 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3096
3097 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3098 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3099 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3100 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3101 *** AERMET - VERSION 16216 ***

10:42:07

3102

PAGE 69

3103 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3104

3105 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3106

3107 SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :

3108 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3109

DAY OF WEEK = WEEKDAY

3110
3111 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3112 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3113 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3114
3115 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3116 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3117 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3118
3119 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3120 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3121 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3122 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3123 *** AERMET - VERSION 16216 ***

10:42:07

3124

PAGE 70

3125 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3126

3127 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

3128
 3129 SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :
 3130 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3131 -----

3132 DAY OF WEEK = WEEKDAY
 3133 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3134 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3135 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3136 DAY OF WEEK = SATURDAY
 3137 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3138 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3139 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3140 DAY OF WEEK = SUNDAY
 3141 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3142 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3143 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3144 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3145 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

3146 PAGE 71
 3147 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3148
 3149 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3150
 3151 SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
 3152 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3153 -----

3154 DAY OF WEEK = WEEKDAY
 3155 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3156 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3157 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3158 DAY OF WEEK = SATURDAY
 3159 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3160 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3161 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3162 DAY OF WEEK = SUNDAY
 3163 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3164 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3165 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3166 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3167 *** AERMET - VERSION 16216 ***

10:42:07

3168

PAGE 72

3169 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3170

3171 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3172

3173 SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :

3174 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3175

3176 DAY OF WEEK = WEEKDAY

3177 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3178 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3179 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3180 DAY OF WEEK = SATURDAY

3181 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3182 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3183 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3184 DAY OF WEEK = SUNDAY

3185 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3186 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3187 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3188 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3189 *** AERMET - VERSION 16216 ***

10:42:07

3190

PAGE 73

3191 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3192

3193 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3194

3195 SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :

3196 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3197

3198 DAY OF WEEK = WEEKDAY

3199 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3200 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3201 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3202 DAY OF WEEK = SATURDAY

3203 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3204 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
3205 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3206 DAY OF WEEK = SUNDAY

3207 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3208 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3209 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3210 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3211 *** AERMET - VERSION 16216 ***

10:42:07

3212

PAGE 74

3213 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3214

3215 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3216

3217 SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
3218 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3219 - - - - -
- - - - -

3220 DAY OF WEEK = WEEKDAY

3221 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3222 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3223 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3224 DAY OF WEEK = SATURDAY

3225 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3226 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3227 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3228 DAY OF WEEK = SUNDAY

3229 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3230 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3231 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3232 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3233 *** AERMET - VERSION 16216 ***

10:42:07

3234

PAGE 75

3235 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3236

3237 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3238

3239 SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
3240 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3241 - - - - -
- - - - -

3242 DAY OF WEEK = WEEKDAY

3243 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3244 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3245 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3247 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3248 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3249 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3251 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3252 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3253 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3254 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3255 *** AERMET - VERSION 16216 ***

10:42:07

3256

PAGE 76

3257 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3258

3259 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3260

3261 SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

3262 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3263

DAY OF WEEK = WEEKDAY

3264 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3266 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3267 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3268 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3270 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3271 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3272 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3274 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3275 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3276 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3277 *** AERMET - VERSION 16216 ***

10:42:07

3278

PAGE 77

3279 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3280
3281

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3282

3283 SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :
3284 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3285 - - - - -
- - - - -

3286 DAY OF WEEK = WEEKDAY
3287 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3288 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3289 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3290 DAY OF WEEK = SATURDAY
3291 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3292 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3293 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3294 DAY OF WEEK = SUNDAY
3295 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3296 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3297 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3298 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3299 *** AERMET - VERSION 16216 ***
*** **
10:42:07

3300

3301 PAGE 78
3302 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3303 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3304

3305 SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
3306 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3307 - - - - -
- - - - -

3308 DAY OF WEEK = WEEKDAY
3309 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3310 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3311 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3312 DAY OF WEEK = SATURDAY
3313 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3314 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3315 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3316 DAY OF WEEK = SUNDAY
3317 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3318 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3319 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3320 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3321 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

3322

PAGE 79

3323 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3324

3325 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3326

3327 SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :

3328 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3329 - - - - -
- - - - -

3330 DAY OF WEEK = WEEKDAY

3331 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3332 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3333 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3334 DAY OF WEEK = SATURDAY

3335 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3336 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3337 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3338 DAY OF WEEK = SUNDAY

3339 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3340 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3341 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3342 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3343 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

3344

PAGE 80

3345 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3346

3347 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3348

3349 SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :

3350 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3351 - - - - -
- - - - -

3352 DAY OF WEEK = WEEKDAY

3353 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3354 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3355 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3356 DAY OF WEEK = SATURDAY

3357 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00  7 .0000E+00  8 .0000E+00
3358  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3359 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3360                                     DAY OF WEEK = SUNDAY
3361  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
3362  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3363 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3364 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3365 *** AERMET - VERSION 16216 ***
***
10:42:07

```

```

3366                                     PAGE 81
3367 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3368
3369 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
3370
3371 SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
3372 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3373 - - - - -
- - - - -

```

```

3374                                     DAY OF WEEK = WEEKDAY
3375  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
3376  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3377 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3378                                     DAY OF WEEK = SATURDAY
3379  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
3380  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3381 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3382                                     DAY OF WEEK = SUNDAY
3383  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
3384  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3385 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3386 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3387 *** AERMET - VERSION 16216 ***
***
10:42:07

```

```

3388                                     PAGE 82
3389 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3390
3391 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
3392
3393 SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
3394 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3395 - - - - -
- - - - -

```

3396 DAY OF WEEK = WEEKDAY
 3397 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3398 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3399 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3400 DAY OF WEEK = SATURDAY
 3401 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3402 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3403 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3404 DAY OF WEEK = SUNDAY
 3405 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3406 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3407 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3408 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3409 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

3410 PAGE 83
 3411 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3412
 3413 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3414 SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
 3415 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 3416 SCALAR HOUR SCALAR HOUR SCALAR
 3417 -----

3418 DAY OF WEEK = WEEKDAY
 3419 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3420 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3421 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3422 DAY OF WEEK = SATURDAY
 3423 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3424 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3425 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3426 DAY OF WEEK = SUNDAY
 3427 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3428 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3429 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3430 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3431 *** AERMET - VERSION 16216 ***
 *** ***
 10:42:07

3432

3433 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3434
3435 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3436
3437 SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
3438 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3439 SCALAR HOUR SCALAR HOUR SCALAR

3440 DAY OF WEEK = WEEKDAY
3441 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3442 .0000E+00 7 .0000E+00 8 .0000E+00
3443 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3444 .1000E+01 15 .1000E+01 16 .1000E+01
3445 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3446 .0000E+00 23 .0000E+00 24 .0000E+00

3447 DAY OF WEEK = SATURDAY
3448 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3449 .0000E+00 7 .0000E+00 8 .0000E+00
3450 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3451 .0000E+00 15 .0000E+00 16 .0000E+00
3452 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3453 .0000E+00 23 .0000E+00 24 .0000E+00

3448 DAY OF WEEK = SUNDAY
3449 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3450 .0000E+00 7 .0000E+00 8 .0000E+00
3451 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3452 .0000E+00 15 .0000E+00 16 .0000E+00
3453 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3454 .0000E+00 23 .0000E+00 24 .0000E+00

3452 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
3453 Ramona and Webster\15496 *** 04/23/24
3454 *** AERMET - VERSION 16216 ***
3455 ***
3456 10:42:07

3455 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3456
3457 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3458 SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :
3459 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3460 SCALAR HOUR SCALAR HOUR SCALAR

3462 DAY OF WEEK = WEEKDAY
3463 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3464 .0000E+00 7 .0000E+00 8 .0000E+00
3465 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3466 .1000E+01 15 .1000E+01 16 .1000E+01
3467 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3468 .0000E+00 23 .0000E+00 24 .0000E+00

3469 DAY OF WEEK = SATURDAY
3470 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3471 .0000E+00 7 .0000E+00 8 .0000E+00
3472 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3473 .0000E+00 15 .0000E+00 16 .0000E+00
3474 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3475 .0000E+00 23 .0000E+00 24 .0000E+00

3476 DAY OF WEEK = SUNDAY
3477 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3478 .0000E+00 7 .0000E+00 8 .0000E+00

3472 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3473 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3474 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3475 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

3476
PAGE 86
3477 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3478
3479 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3480
3481 SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :
3482 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3483 - - - - -

3484 DAY OF WEEK = WEEKDAY
3485 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3486 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3487 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3488 DAY OF WEEK = SATURDAY
3489 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3490 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3491 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3492 DAY OF WEEK = SUNDAY
3493 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3494 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3495 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3496 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3497 *** AERMET - VERSION 16216 ***
*** ***
10:42:07

3498
PAGE 87
3499 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3500
3501 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3502
3503 SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
3504 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3505 - - - - -

3506 DAY OF WEEK = WEEKDAY
3507 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3508 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3509 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3510 DAY OF WEEK = SATURDAY
 3511 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3512 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3513 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3514 DAY OF WEEK = SUNDAY
 3515 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3516 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3517 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3518 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAS\15496
 Ramona and Webster\15496 *** 04/23/24
 3519 *** AERMET - VERSION 16216 ***
 *** **
 10:42:07

3520 PAGE 88
 3521 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3522
 3523 *** DISCRETE CARTESIAN RECEPTORS ***
 3524 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 3525 (METERS)
 3526
 3527 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
 3744370.0, 454.0, 454.0, 2.0);
 3528 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
 3744278.7, 453.2, 453.2, 2.0);
 3529 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
 3744412.1, 451.0, 451.0, 2.0);
 3530 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
 3744606.0, 449.0, 449.0, 2.0);
 3531 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
 3744630.3, 448.9, 448.9, 2.0);
 3532 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
 3744794.0, 448.0, 448.0, 2.0);
 3533 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
 3744567.4, 448.0, 448.0, 2.0);
 3534 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
 3745009.3, 450.0, 450.0, 2.0);
 3535 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
 3744987.4, 449.0, 449.0, 2.0);
 3536 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
 3744991.7, 448.6, 448.6, 2.0);
 3537 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,
 3745069.5, 449.5, 449.5, 2.0);
 3538 (477694.5, 3745066.2, 449.0, 449.0, 2.0); (477936.6,
 3745026.3, 447.1, 447.1, 2.0);
 3539 (477351.8, 3745113.8, 451.0, 451.0, 2.0); (477093.4,
 3745114.5, 454.0, 454.0, 2.0);
 3540 (479215.4, 3744652.2, 443.0, 443.0, 2.0); (479236.3,
 3744561.6, 443.0, 443.0, 2.0);
 3541 (479213.1, 3744725.0, 443.0, 443.0, 2.0); (479214.0,
 3744782.3, 443.0, 443.0, 2.0);
 3542 (479212.6, 3744856.5, 443.0, 443.0, 2.0); (480888.3,
 3744253.5, 441.0, 509.0, 2.0);
 3543 (477609.2, 3744101.3, 452.0, 452.0, 2.0); (477767.8,
 3744413.5, 450.6, 450.6, 2.0);
 3544 (477561.0, 3744446.8, 451.6, 451.6, 2.0); (477490.5,
 3744456.1, 452.0, 452.0, 2.0);
 3545 (477505.6, 3744456.3, 452.0, 452.0, 2.0); (477849.9,
 3745729.1, 448.0, 448.0, 2.0);
 3546 (477843.1, 3745423.5, 448.0, 448.0, 2.0); (478155.4,

3745718.9, 447.0, 447.0, 2.0);
3547 (477718.9, 3745130.6, 448.5, 448.5, 2.0); (477462.6,
3745732.6, 450.0, 450.0, 2.0);
3548 (477424.5, 3746103.5, 450.0, 450.0, 2.0); (477839.9,
3746309.8, 448.0, 448.0, 2.0);
3549 (478318.1, 3746022.0, 446.0, 446.0, 2.0); (478237.5,
3745969.2, 447.0, 447.0, 2.0);
3550 (478308.5, 3746385.9, 446.0, 446.0, 2.0); (478244.8,
3746399.1, 447.0, 447.0, 2.0);
3551 (478306.7, 3745794.3, 446.0, 446.0, 2.0); (478467.7,
3745411.3, 445.0, 445.0, 2.0);
3552 (478863.9, 3745278.9, 444.0, 444.0, 2.0); (478377.8,
3744389.9, 446.0, 446.0, 2.0);
3553 (478653.1, 3744643.6, 445.0, 445.0, 2.0); (477798.9,
3744537.5, 449.4, 449.4, 2.0);
3554 (477800.8, 3744571.9, 449.0, 449.0, 2.0); (477831.3,
3744545.5, 449.0, 449.0, 2.0);
3555 (477834.2, 3744604.7, 449.0, 449.0, 2.0); (477841.5,
3744628.6, 448.7, 448.7, 2.0);
3556 (477833.7, 3744578.1, 449.0, 449.0, 2.0); (477812.6,
3744396.9, 450.0, 450.0, 2.0);
3557 (477812.6, 3744303.8, 451.0, 451.0, 2.0); (478090.6,
3744281.4, 448.0, 448.0, 2.0);
3558 (478163.2, 3744411.6, 448.0, 448.0, 2.0); (478377.0,
3744218.7, 446.0, 446.0, 2.0);
3559 (478123.6, 3744085.5, 448.0, 448.0, 2.0); (478322.9,
3744055.9, 447.0, 447.0, 2.0);

3560 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3561 *** AERMET - VERSION 16216 ***

10:42:07

3562
3563 *** MODELOPTs: RegDFAULT PAGE 89 CONC ELEV FLGPOL URBAN ADJ_U*
3564
3565

*** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***

(1=YES; 0=NO)

3566
3567
3568 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3569 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3570 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3571
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3572 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3573 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3574 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3575 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3576
3577

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
IS INCLUDED IN THE DATA FILE.

3578
3579
3580
3581 *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***

(METERS/SEC)

3582
3583
3584 1.54, 3.09, 5.14, 8.23, 10.80,

3585 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3586 *** AERMET - VERSION 16216 ***

10:42:07

3587

PAGE 90

3588 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3589

3590 *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

3591

3592

Surface file:

PERI_V9_ADJU\PERI_v9.SFC

Met Version: 16216

3593

Profile file:

PERI_V9_ADJU\PERI_v9.PFL

3594

Surface format:

FREE

3595

Profile format:

FREE

3596 Surface station no.: 3171

Upper air station no.: 3190

3597

Name: UNKNOWN

Name:

UNKNOWN

3598

Year: 2010

Year: 2010

3599

3600 First 24 hours of scalar data

3601 YR MO DY JDY HR H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN ALBEDO
REF WS WD HT REF TA HT

3602 - - - - -

3603 10 01 01 1 01 -7.9 0.125 -9.000 -9.000 -999. 106. 21.2 0.19 0.61 1.00

1.30 335. 9.1 282.5 5.5

3604 10 01 01 1 02 -3.9 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00

0.90 142. 9.1 280.9 5.5

3605 10 01 01 1 03 -3.9 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00

0.90 324. 9.1 280.4 5.5

3606 10 01 01 1 04 -1.3 0.064 -9.000 -9.000 -999. 39. 18.3 0.19 0.61 1.00

0.40 294. 9.1 278.8 5.5

3607 10 01 01 1 05 -3.9 0.088 -9.000 -9.000 -999. 62. 15.0 0.19 0.61 1.00

0.90 205. 9.1 278.1 5.5

3608 10 01 01 1 06 -1.3 0.065 -9.000 -9.000 -999. 39. 18.3 0.19 0.61 1.00

0.40 3. 9.1 277.0 5.5

3609 10 01 01 1 07 -8.0 0.125 -9.000 -9.000 -999. 106. 21.0 0.19 0.61 1.00

1.30 99. 9.1 277.0 5.5

3610 10 01 01 1 08 -3.3 0.086 -9.000 -9.000 -999. 61. 16.8 0.19 0.61 0.54

0.90 319. 9.1 278.8 5.5

3611 10 01 01 1 09 20.1 0.128 0.307 0.010 49. 110. -9.0 0.19 0.61 0.33

0.90 239. 9.1 284.2 5.5

3612 10 01 01 1 10 56.7 0.087 0.560 0.010 107. 62. -1.0 0.19 0.61 0.26

0.40 188. 9.1 289.2 5.5

3613 10 01 01 1 11 81.5 0.323 0.867 0.008 277. 441. -35.9 0.19 0.61 0.23

2.70 310. 9.1 290.9 5.5

3614 10 01 01 1 12 97.1 0.281 1.058 0.008 421. 357. -19.7 0.19 0.61 0.22

2.20 357. 9.1 293.1 5.5

3615 10 01 01 1 13 92.2 0.279 1.117 0.008 523. 354. -20.4 0.19 0.61 0.22

2.20 356. 9.1 293.8 5.5

3616 10 01 01 1 14 77.6 0.275 1.102 0.008 595. 347. -23.2 0.19 0.61 0.23

2.20 50. 9.1 294.2 5.5

3617 10 01 01 1 15 54.9 0.230 1.006 0.008 640. 266. -19.2 0.19 0.61 0.27

1.80 53. 9.1 293.8 5.5

3618 10 01 01 1 16 12.3 0.206 0.613 0.008 648. 225. -61.5 0.19 0.61 0.36

1.80 11. 9.1 292.5 5.5

3619 10 01 01 1 17 -3.6 0.087 -9.000 -9.000 -999. 71. 15.6 0.19 0.61 0.64

```

3620 0.90 351. 9.1 290.4 5.5
10 01 01 1 18 -3.8 0.087 -9.000 -9.000 -999. 62. 15.2 0.19 0.61 1.00
3621 0.90 186. 9.1 287.5 5.5
10 01 01 1 19 -3.8 0.087 -9.000 -9.000 -999. 62. 15.2 0.19 0.61 1.00
3622 0.90 275. 9.1 285.9 5.5
10 01 01 1 20 -1.2 0.064 -9.000 -9.000 -999. 39. 18.1 0.19 0.61 1.00
3623 0.40 181. 9.1 285.4 5.5
10 01 01 1 21 -7.8 0.125 -9.000 -9.000 -999. 106. 21.3 0.19 0.61 1.00
3624 1.30 318. 9.1 284.9 5.5
10 01 01 1 22 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
3625 0.90 196. 9.1 283.1 5.5
10 01 01 1 23 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
3626 0.90 330. 9.1 281.4 5.5
10 01 01 1 24 -7.9 0.125 -9.000 -9.000 -999. 106. 21.2 0.19 0.61 1.00
3627 1.30 332. 9.1 280.9 5.5

```

```

3628
3629 First hour of profile data

```

```

3630 YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
3631 10 01 01 01 5.5 0 -999. -99.00 282.6 99.0 -99.00 -99.00
3632 10 01 01 01 9.1 1 335. 1.30 -999.0 99.0 -99.00 -99.00
3633

```

```

3634 F indicates top of profile (=1) or below (=0)
3635 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496

```

```

3636 Ramona and Webster\15496 *** 04/23/24
*** AERMET - VERSION 16216 ***

```

```

3637 ***
10:42:07

```

```

3638 PAGE 91
3639 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

3640 *** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES
3641 FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
3642 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
3643 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
3644 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

```

3645
3646 *** DISCRETE CARTESIAN RECEPTOR POINTS ***
3647

```

```

3648 ** CONC OF NOX IN **
MICROGRAMS/M**3


```

```

3649
3650 X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
3651 - - - - -
3652 477424.69 3744382.61 13.90081 (11010316) 477213.82
3744369.96 8.32601 (11010316)
3653 477380.46 3744305.70 8.22956 (11010316) 477400.18
3744278.74 6.81158 (11010316)
3654 477404.46 3744266.26 6.31277 (11010316) 477670.12
3744412.08 23.07399 (10121516)
3655 477815.73 3744578.06 14.31200 (10121516) 477814.74
3744606.00 12.58346 (10121516)
3656 477815.07 3744542.24 21.15567 (10121516) 477823.95
3744630.32 11.39191 (10121516)
3657 477736.85 3744808.14 16.14029 (10121516) 477789.77
3744794.01 15.15301 (10121516)
3658 477955.75 3744839.69 4.69777 (10121516) 477957.38
3744567.40 6.17694 (10121516)

```

3659	477954.41	3744280.72	4.51934	(10120816)	477562.65
	3745009.29	10.09940	(11121915)		
3660	477524.40	3745009.20	10.30028	(16010516)	477615.67
	3744987.44	12.05609	(10122216)		
3661	477490.45	3745035.09	9.74579	(16010516)	477713.00
	3744991.73	8.55316	(10020516)		
3662	477475.86	3745070.32	7.72377	(16010516)	477595.28
	3745069.46	6.74867	(10120316)		
3663	477694.47	3745066.20	6.63376	(10122216)	477936.57
	3745026.32	3.26179	(10121516)		
3664	477351.77	3745113.76	8.69577	(16010516)	477093.41
	3745114.53	2.46600	(10121515)		
3665	479215.36	3744652.20	0.47527	(10122916)	479236.29
	3744561.65	0.44584	(10121516)		
3666	479213.08	3744725.01	0.48576	(10122916)	479213.99
	3744782.35	0.47051	(10122916)		
3667	479212.63	3744856.52	0.45050	(10121516)	480888.33
	3744253.54	0.23908	(16122109)		
3668	477609.25	3744101.28	4.25468	(14111116)	477767.75
	3744413.46	20.81353	(10121516)		
3669	477561.01	3744446.83	29.95172	(16010616)	477490.45
	3744456.09	31.02027	(16010616)		
3670	477505.65	3744456.33	32.85943	(16010616)	477849.91
	3745729.07	0.92730	(10021916)		
3671	477843.14	3745423.53	1.80074	(10122216)	478155.38
	3745718.86	0.96386	(10122216)		
3672	477718.88	3745130.57	4.77056	(10122216)	477462.62
	3745732.62	1.11702	(14121116)		
3673	477424.48	3746103.52	0.64507	(14121116)	477839.86
	3746309.85	0.45041	(16122315)		
3674	478318.10	3746021.99	0.66568	(10122216)	478237.48
	3745969.16	0.74565	(10122216)		
3675	478308.53	3746385.91	0.50084	(10122216)	478244.77
	3746399.12	0.45397	(10122216)		
3676	478306.71	3745794.26	0.74432	(10020516)	478467.71
	3745411.31	0.79831	(10121516)		
3677	478863.94	3745278.95	0.56884	(10121516)	478377.82
	3744389.90	1.84516	(16010716)		
3678	478653.06	3744643.63	0.93452	(10121516)	477798.92
	3744537.50	24.79968	(10121516)		
3679	477800.84	3744571.93	16.09719	(10121516)	477831.33
	3744545.49	17.77758	(10121516)		
3680	477834.24	3744604.71	11.49191	(10121516)	477841.54
	3744628.64	10.50487	(10121516)		
3681	477833.74	3744578.15	12.94286	(10121516)	477812.62
	3744396.90	14.38421	(10101916)		
3682	477812.62	3744303.78	7.55177	(15120816)	478090.56
	3744281.45	2.91587	(14103116)		
3683	478163.25	3744411.63	3.04270	(16010716)	478377.04
	3744218.74	1.28834	(10121516)		
3684	478123.62	3744085.48	2.02715	(16011916)	478322.87
	3744055.89	1.44875	(14103116)		

3685  *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3686 *** AERMET - VERSION 16216 ***

 10:42:07

3687
 3688 PAGE 92
 3689 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3690 *** THE SUMMARY OF HIGHEST 1-HR RESULTS

 3691
 3692
 3693 ** CONC OF NOX IN

3694
3695

DATE

GROUP ID	AVERAGE CONC	NETWORK	RECEPTOR
YR, ZELEV, ZHILL, ZFLAG)	OF TYPE GRID-ID	(YYMMDDHH)	(XR,
-----	-----	-----	-----
-----	-----	-----	-----

3698
3699 ALL HIGH 1ST HIGH VALUE IS 32.85943 ON 16010616: AT (477505.65,
3744456.33, 452.00, 452.00, 2.00) DC

3700
3701
3702 *** RECEPTOR TYPES: GC = GRIDCART
3703 GP = GRIDPOLR
3704 DC = DISCCART
3705 DP = DISCPOLR

3706 **FF** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3707 *** AERMET - VERSION 16216 ***

10:42:07

3708

PAGE 93

3709 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3710

3711 *** Message Summary : AERMOD Model Execution ***

3712

3713 ----- Summary of Total Messages -----

3714

3715 A Total of 0 Fatal Error Message(s)

3716 A Total of 4 Warning Message(s)

3717 A Total of 2028 Informational Message(s)

3718

3719 A Total of 43824 Hours Were Processed

3720

3721 A Total of 978 Calm Hours Identified

3722

3723 A Total of 1050 Missing Hours Identified (2.40 Percent)

3724

3725

3726 ***** FATAL ERROR MESSAGES *****

3727 *** NONE ***

3728

3729

3730 ***** WARNING MESSAGES *****

3731 ME W186 1443 MEOPEN: THRESH_LMIN 1-min ASOS wind speed threshold
used 0.50

3732 ME W187 1443 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET

3733 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at:
14010101

3734 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 2
year gap

3735

3736 *****

3737 *** AERMOD Finishes Successfully ***

3738 *****

3739

3740

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   PM10\15496 Cons PM10.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_10
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Cons PM10.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000	
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000	
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000	
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060	
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710	
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000	
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000	
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000	
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030	
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000	
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000	
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000	
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000	
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910	
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000	
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000	
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130	
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000	
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000	
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710	
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000	
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330	
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980	
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000	
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340	
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860	
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000	
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910	
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020	
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000	
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950	
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160	
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000	
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000	
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000	
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490	
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000	
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000	
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290	
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960	
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000	
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000	
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960	
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000	
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000	
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510	
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670	
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000	
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000	
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560	
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000	
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000	
118	LOCATION PAREA1	AREAPOLY	477448.461	3744922.560	450.380	
119	** Source Parameters **					
120	SRCPARAM VOL1		0.0000336503	5.000	9.349	1.400
121	SRCPARAM VOL2		0.0000336503	5.000	9.349	1.400
122	SRCPARAM VOL3		0.0000336503	5.000	9.349	1.400
123	SRCPARAM VOL4		0.0000336503	5.000	9.349	1.400
124	SRCPARAM VOL5		0.0000336503	5.000	9.349	1.400
125	SRCPARAM VOL6		0.0000336503	5.000	9.349	1.400
126	SRCPARAM VOL7		0.0000336503	5.000	9.349	1.400
127	SRCPARAM VOL8		0.0000336503	5.000	9.349	1.400
128	SRCPARAM VOL9		0.0000336503	5.000	9.349	1.400
129	SRCPARAM VOL10		0.0000336503	5.000	9.349	1.400
130	SRCPARAM VOL11		0.0000336503	5.000	9.349	1.400
131	SRCPARAM VOL12		0.0000336503	5.000	9.349	1.400

198	SRCPARAM	VOL79	0.0000336503	5.000	9.349	1.400
199	SRCPARAM	VOL80	0.0000336503	5.000	9.349	1.400
200	SRCPARAM	VOL81	0.0000336503	5.000	9.349	1.400
201	SRCPARAM	PAREA1	3.5822E-07	0.000	12	1.000
202	AREAVERT	PAREA1	477448.461	3744922.560	477641.593	3744922.560
203	AREAVERT	PAREA1	477640.896	3744776.839	477847.973	3744771.261
204	AREAVERT	PAREA1	477848.670	3744731.519	477640.896	3744733.611
205	AREAVERT	PAREA1	477640.896	3744530.717	477841.000	3744530.717
206	AREAVERT	PAREA1	477843.789	3744431.711	477599.759	3744431.014
207	AREAVERT	PAREA1	477599.759	3744464.481	477447.066	3744463.783
208	URBANSRC	ALL				

209

210 ** Variable Emissions Type: "By Hour / Day (HRDOW)"

211 ** Variable Emission Scenario: "Scenario 1"

212 ** WeekDays:

213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
214	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
215	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

217 ** Saturday:

218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
219	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
220	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
221	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

222 ** Sunday:

223	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
224	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
225	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
226	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

227 ** WeekDays:

228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
229	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
230	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

232 ** Saturday:

233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
234	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
235	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
236	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

237 ** Sunday:

238	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
239	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
240	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
241	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

242 ** WeekDays:

243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
244	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
245	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

247 ** Saturday:

248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
249	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
250	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
251	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

252 ** Sunday:

253	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
254	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
255	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
256	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

257 ** WeekDays:

258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
259	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
260	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

262 ** Saturday:

263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
-----	----------	------	-------	-----	-----	-----	-----	-----	-----

264	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
265	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
266	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
267	** Sunday:							
268	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
269	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
270	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
271	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
272	** WeekDays:							
273	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
274	EMISFACT VOL5	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
275	EMISFACT VOL5	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
276	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
277	** Saturday:							
278	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
279	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
280	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
281	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
282	** Sunday:							
283	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
284	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
285	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
286	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
287	** WeekDays:							
288	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
289	EMISFACT VOL6	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
290	EMISFACT VOL6	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
291	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
292	** Saturday:							
293	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
294	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
295	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
296	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
297	** Sunday:							
298	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
299	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
300	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
301	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
302	** WeekDays:							
303	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
304	EMISFACT VOL7	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
305	EMISFACT VOL7	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
306	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
307	** Saturday:							
308	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
309	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
310	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
311	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
312	** Sunday:							
313	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
314	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
315	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
316	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
317	** WeekDays:							
318	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
319	EMISFACT VOL8	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
320	EMISFACT VOL8	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
321	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
322	** Saturday:							
323	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
324	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
325	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
326	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
327	** Sunday:							
328	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
329	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

330	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	** WeekDays:	
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
335	EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	** Saturday:	
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
340	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
342	** Sunday:	
343	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
345	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	** WeekDays:	
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
350	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	** Saturday:	
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
355	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
357	** Sunday:	
358	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
360	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	** WeekDays:	
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
365	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	** Saturday:	
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
370	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
372	** Sunday:	
373	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
375	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	** WeekDays:	
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
380	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	** Saturday:	
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
385	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
387	** Sunday:	
388	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
390	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	** WeekDays:	
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
395	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

396	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
397	** Saturday:							
398	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
399	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
400	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
401	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
402	** Sunday:							
403	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
404	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
405	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
406	EMISFACT VOL13	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
407	** WeekDays:							
408	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
409	EMISFACT VOL14	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
410	EMISFACT VOL14	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
411	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
412	** Saturday:							
413	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
414	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
415	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
416	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
417	** Sunday:							
418	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
419	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
420	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
421	EMISFACT VOL14	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
422	** WeekDays:							
423	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
424	EMISFACT VOL15	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
425	EMISFACT VOL15	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
426	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
427	** Saturday:							
428	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
429	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
430	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
431	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
432	** Sunday:							
433	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
434	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
435	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
436	EMISFACT VOL15	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
437	** WeekDays:							
438	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
439	EMISFACT VOL16	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
440	EMISFACT VOL16	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
441	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
442	** Saturday:							
443	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
444	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
445	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
446	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
447	** Sunday:							
448	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
449	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
450	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
451	EMISFACT VOL16	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
452	** WeekDays:							
453	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
454	EMISFACT VOL17	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
455	EMISFACT VOL17	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
456	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
457	** Saturday:							
458	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
459	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
460	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
461	EMISFACT VOL17	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

528	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
529	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
530	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
531	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
532	** Saturday:	
533	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
534	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
535	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
536	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
537	** Sunday:	
538	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
539	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
540	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
541	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
542	** WeekDays:	
543	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
544	EMISFACT VOL23	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
545	EMISFACT VOL23	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
546	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
547	** Saturday:	
548	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
549	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
550	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
551	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
552	** Sunday:	
553	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
554	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
555	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
556	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
557	** WeekDays:	
558	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
559	EMISFACT VOL24	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
560	EMISFACT VOL24	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
561	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
562	** Saturday:	
563	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
564	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
565	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
566	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
567	** Sunday:	
568	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
569	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
570	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
571	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
572	** WeekDays:	
573	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
574	EMISFACT VOL25	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
575	EMISFACT VOL25	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
576	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
577	** Saturday:	
578	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
579	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
580	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
581	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
582	** Sunday:	
583	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
584	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
585	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
586	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
587	** WeekDays:	
588	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
589	EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
590	EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
591	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
592	** Saturday:	
593	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

594	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
595	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
596	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
597	**	Sunday:							
598	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
599	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
600	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
601	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
602	**	WeekDays:							
603	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
604	EMISFACT	VOL27	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
605	EMISFACT	VOL27	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
606	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
607	**	Saturday:							
608	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
609	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
610	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
611	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
612	**	Sunday:							
613	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
614	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
615	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
616	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
617	**	WeekDays:							
618	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
619	EMISFACT	VOL28	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
620	EMISFACT	VOL28	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
621	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
622	**	Saturday:							
623	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
624	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
625	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
626	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
627	**	Sunday:							
628	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
629	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
630	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
631	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
632	**	WeekDays:							
633	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
634	EMISFACT	VOL29	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
635	EMISFACT	VOL29	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
636	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
637	**	Saturday:							
638	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
639	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
640	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
641	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
642	**	Sunday:							
643	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
644	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
645	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
646	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
647	**	WeekDays:							
648	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
649	EMISFACT	VOL30	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
650	EMISFACT	VOL30	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
651	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
652	**	Saturday:							
653	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
654	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
655	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
656	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
657	**	Sunday:							
658	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
659	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	** WeekDays:	
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	EMISFACT VOL31	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
665	EMISFACT VOL31	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	** Saturday:	
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
670	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
672	** Sunday:	
673	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
675	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	** WeekDays:	
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
680	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	** Saturday:	
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
685	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
687	** Sunday:	
688	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
690	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	** WeekDays:	
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
695	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	** Saturday:	
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
700	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
702	** Sunday:	
703	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
705	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	** WeekDays:	
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
710	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	** Saturday:	
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
715	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
717	** Sunday:	
718	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
720	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	** WeekDays:	
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
725	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	** Saturday:	
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
730	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
732	** Sunday:	
733	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
735	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	** WeekDays:	
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
740	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	** Saturday:	
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
745	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
747	** Sunday:	
748	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
750	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	** WeekDays:	
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
755	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	** Saturday:	
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
760	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
762	** Sunday:	
763	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
765	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	** WeekDays:	
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
770	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	** Saturday:	
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
775	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
777	** Sunday:	
778	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
780	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	** WeekDays:	
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
785	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	** Saturday:	
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
790	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	EMISFACT VOL44	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
860	EMISFACT VOL44	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	** Saturday:	
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
865	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
867	** Sunday:	
868	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
870	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	** WeekDays:	
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
875	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	** Saturday:	
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
880	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
882	** Sunday:	
883	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
885	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	** WeekDays:	
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
890	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	** Saturday:	
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
895	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
897	** Sunday:	
898	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
900	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	** WeekDays:	
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
905	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	** Saturday:	
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
910	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
912	** Sunday:	
913	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
915	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	** WeekDays:	
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
920	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	** Saturday:	
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

924	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
925	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
926	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
927	** Sunday:	
928	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
929	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
930	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
931	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
932	** WeekDays:	
933	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
934	EMISFACT VOL49	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
935	EMISFACT VOL49	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
936	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
937	** Saturday:	
938	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
939	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
940	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
941	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
942	** Sunday:	
943	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
944	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
945	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
946	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
947	** WeekDays:	
948	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
949	EMISFACT VOL50	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
950	EMISFACT VOL50	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
951	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
952	** Saturday:	
953	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
954	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
955	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
956	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
957	** Sunday:	
958	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
959	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
960	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
961	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
962	** WeekDays:	
963	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
964	EMISFACT VOL51	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
965	EMISFACT VOL51	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
966	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
967	** Saturday:	
968	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
969	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
970	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
971	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
972	** Sunday:	
973	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
974	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
975	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
976	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
977	** WeekDays:	
978	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
979	EMISFACT VOL52	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
980	EMISFACT VOL52	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
981	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
982	** Saturday:	
983	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
984	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
985	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
986	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
987	** Sunday:	
988	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
989	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	** WeekDays:	
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	EMISFACT VOL53	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
995	EMISFACT VOL53	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	** Saturday:	
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1000	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1002	** Sunday:	
1003	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1005	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	** WeekDays:	
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1010	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	** Saturday:	
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1015	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1017	** Sunday:	
1018	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1020	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	** WeekDays:	
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1025	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	** Saturday:	
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1030	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1032	** Sunday:	
1033	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1035	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	** WeekDays:	
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1040	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	** Saturday:	
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1045	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1047	** Sunday:	
1048	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1050	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	** WeekDays:	
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1055	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

1056	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1057	** Saturday:	
1058	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1059	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1060	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1061	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1062	** Sunday:	
1063	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1064	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1065	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1066	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1067	** WeekDays:	
1068	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1069	EMISFACT VOL58	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1070	EMISFACT VOL58	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1071	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1072	** Saturday:	
1073	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1074	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1075	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1076	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1077	** Sunday:	
1078	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1079	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1080	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1081	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1082	** WeekDays:	
1083	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1084	EMISFACT VOL59	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1085	EMISFACT VOL59	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1086	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1087	** Saturday:	
1088	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1089	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1090	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1091	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1092	** Sunday:	
1093	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1094	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1095	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1096	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1097	** WeekDays:	
1098	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1099	EMISFACT VOL60	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1100	EMISFACT VOL60	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1101	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1102	** Saturday:	
1103	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1104	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1105	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1106	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1107	** Sunday:	
1108	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1109	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1110	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1111	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1112	** WeekDays:	
1113	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1114	EMISFACT VOL61	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1115	EMISFACT VOL61	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1116	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1117	** Saturday:	
1118	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1119	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1120	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1121	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	EMISFACT	VOL66	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1190	EMISFACT	VOL66	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	**	Saturday:							
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1195	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1197	**	Sunday:							
1198	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1200	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	**	WeekDays:							
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1205	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	**	Saturday:							
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1210	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1212	**	Sunday:							
1213	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1215	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	**	WeekDays:							
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1220	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	**	Saturday:							
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1225	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1227	**	Sunday:							
1228	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1230	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	**	WeekDays:							
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1235	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	**	Saturday:							
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1240	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1242	**	Sunday:							
1243	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1245	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	**	WeekDays:							
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1250	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	**	Saturday:							
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1254	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1255	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1256	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1257	**	Sunday:							
1258	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1259	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1260	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1261	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1262	**	WeekDays:							
1263	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1264	EMISFACT	VOL71	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1265	EMISFACT	VOL71	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1266	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1267	**	Saturday:							
1268	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1269	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1270	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1271	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1272	**	Sunday:							
1273	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1274	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1275	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1276	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1277	**	WeekDays:							
1278	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1279	EMISFACT	VOL72	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1280	EMISFACT	VOL72	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1281	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1282	**	Saturday:							
1283	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1284	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1285	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1286	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1287	**	Sunday:							
1288	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1289	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1290	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1291	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1292	**	WeekDays:							
1293	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1294	EMISFACT	VOL73	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1295	EMISFACT	VOL73	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1296	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1297	**	Saturday:							
1298	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1299	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1300	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1301	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1302	**	Sunday:							
1303	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1304	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1305	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1306	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1307	**	WeekDays:							
1308	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1309	EMISFACT	VOL74	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1310	EMISFACT	VOL74	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1311	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1312	**	Saturday:							
1313	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1314	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1315	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1316	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1317	**	Sunday:							
1318	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1319	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	** WeekDays:	
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	EMISFACT VOL75	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1325	EMISFACT VOL75	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	** Saturday:	
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1330	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1332	** Sunday:	
1333	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1335	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	** WeekDays:	
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1340	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	** Saturday:	
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1345	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1347	** Sunday:	
1348	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1350	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	** WeekDays:	
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1355	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	** Saturday:	
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1360	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1362	** Sunday:	
1363	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1365	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	** WeekDays:	
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1370	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	** Saturday:	
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1375	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1377	** Sunday:	
1378	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1380	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	** WeekDays:	
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1385	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387 ** Saturday:
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1390     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1392 ** Sunday:
1393     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1395     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397 ** WeekDays:
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1400     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402 ** Saturday:
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1405     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1407 ** Sunday:
1408     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1410     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412 ** WeekDays:
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1415     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417 ** Saturday:
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1420     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1421     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1422 ** Sunday:
1423     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1424     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1425     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1426     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1427 ** WeekDays:
1428     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1429     EMISFACT PAREA1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1430     EMISFACT PAREA1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1431     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1432 ** Saturday:
1433     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1434     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1435     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1436     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1437 ** Sunday:
1438     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1439     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1440     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1441     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1442     SRCGROUP ALL
1443 SO FINISHED
1444 **
1445 *****
1446 ** AERMOD Receptor Pathway
1447 *****
1448 **
1449 **
1450 RE STARTING
1451 INCLUDED "15496 Cons PM10.rou"

```

```
1452 RE FINISHED
1453 **
1454 *****
1455 ** AERMOD Meteorology Pathway
1456 *****
1457 **
1458 **
1459 ME STARTING
1460     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1461     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1462     SURFDATA 3171 2010
1463     UAIRDATA 3190 2010
1464     SITEDATA 99999 2010
1465     PROFBASE 442.0 METERS
1466 ME FINISHED
1467 **
1468 *****
1469 ** AERMOD Output Pathway
1470 *****
1471 **
1472 **
1473 OU STARTING
1474     RECTABLE ALLAVE 1ST
1475     RECTABLE 24 1ST
1476 ** Auto-Generated Plotfiles
1477     PLOTFILE 24 ALL 1ST "15496 CONS PM10.AD\24H1GALL.PLT" 31
1478     SUMMFILE "15496 Cons PM10.sum"
1479 OU FINISHED
1480 **
1481 *****
1482 ** Project Parameters
1483 *****
1484 ** PROJCTN CoordinateSystemUTM
1485 ** DESCPTN UTM: Universal Transverse Mercator
1486 ** DATUM North American Datum 1983
1487 ** DTMRGN CONUS
1488 ** UNITS m
1489 ** ZONE 11
1490 ** ZONEINX 0
1491 **
1492
```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   PM10\15496 Cons PM10.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_10
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Cons PM10.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000	
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000	
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000	
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060	
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710	
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000	
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000	
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000	
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030	
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000	
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000	
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000	
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000	
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910	
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000	
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000	
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130	
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000	
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000	
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710	
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000	
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330	
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980	
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000	
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340	
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860	
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000	
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910	
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020	
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000	
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950	
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160	
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000	
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000	
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000	
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490	
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000	
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000	
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290	
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960	
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000	
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000	
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960	
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000	
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000	
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510	
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670	
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000	
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000	
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560	
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000	
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000	
118	LOCATION PAREA1	AREAPOLY	477448.461	3744922.560	450.380	
119	** Source Parameters **					
120	SRCPARAM VOL1		0.0000336503	5.000	9.349	1.400
121	SRCPARAM VOL2		0.0000336503	5.000	9.349	1.400
122	SRCPARAM VOL3		0.0000336503	5.000	9.349	1.400
123	SRCPARAM VOL4		0.0000336503	5.000	9.349	1.400
124	SRCPARAM VOL5		0.0000336503	5.000	9.349	1.400
125	SRCPARAM VOL6		0.0000336503	5.000	9.349	1.400
126	SRCPARAM VOL7		0.0000336503	5.000	9.349	1.400
127	SRCPARAM VOL8		0.0000336503	5.000	9.349	1.400
128	SRCPARAM VOL9		0.0000336503	5.000	9.349	1.400
129	SRCPARAM VOL10		0.0000336503	5.000	9.349	1.400
130	SRCPARAM VOL11		0.0000336503	5.000	9.349	1.400
131	SRCPARAM VOL12		0.0000336503	5.000	9.349	1.400

198	SRCPARAM	VOL79	0.0000336503	5.000	9.349	1.400
199	SRCPARAM	VOL80	0.0000336503	5.000	9.349	1.400
200	SRCPARAM	VOL81	0.0000336503	5.000	9.349	1.400
201	SRCPARAM	PAREA1	3.5822E-07	0.000	12	1.000
202	AREAVERT	PAREA1	477448.461	3744922.560	477641.593	3744922.560
203	AREAVERT	PAREA1	477640.896	3744776.839	477847.973	3744771.261
204	AREAVERT	PAREA1	477848.670	3744731.519	477640.896	3744733.611
205	AREAVERT	PAREA1	477640.896	3744530.717	477841.000	3744530.717
206	AREAVERT	PAREA1	477843.789	3744431.711	477599.759	3744431.014
207	AREAVERT	PAREA1	477599.759	3744464.481	477447.066	3744463.783
208	URBANSRC	ALL				
209						
210	**	Variable Emissions Type: "By Hour / Day (HRDOW)"				
211	**	Variable Emission Scenario: "Scenario 1"				
212	**	WeekDays:				
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
215	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	**	Saturday:				
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
220	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
222	**	Sunday:				
223	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
224	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
225	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
227	**	WeekDays:				
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
230	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	**	Saturday:				
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
235	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
237	**	Sunday:				
238	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
239	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
240	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
242	**	WeekDays:				
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
245	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	**	Saturday:				
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
250	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
252	**	Sunday:				
253	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
254	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
255	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
257	**	WeekDays:				
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
260	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	**	Saturday:				
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

264	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
265	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
266	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
267	** Sunday:							
268	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
269	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
270	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
271	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
272	** WeekDays:							
273	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
274	EMISFACT VOL5	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
275	EMISFACT VOL5	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
276	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
277	** Saturday:							
278	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
279	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
280	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
281	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
282	** Sunday:							
283	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
284	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
285	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
286	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
287	** WeekDays:							
288	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
289	EMISFACT VOL6	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
290	EMISFACT VOL6	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
291	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
292	** Saturday:							
293	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
294	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
295	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
296	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
297	** Sunday:							
298	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
299	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
300	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
301	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
302	** WeekDays:							
303	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
304	EMISFACT VOL7	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
305	EMISFACT VOL7	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
306	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
307	** Saturday:							
308	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
309	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
310	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
311	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
312	** Sunday:							
313	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
314	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
315	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
316	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
317	** WeekDays:							
318	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
319	EMISFACT VOL8	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
320	EMISFACT VOL8	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
321	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
322	** Saturday:							
323	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
324	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
325	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
326	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
327	** Sunday:							
328	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
329	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

330	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	** WeekDays:	
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
335	EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	** Saturday:	
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
340	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
342	** Sunday:	
343	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
345	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	** WeekDays:	
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
350	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	** Saturday:	
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
355	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
357	** Sunday:	
358	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
360	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	** WeekDays:	
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
365	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	** Saturday:	
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
370	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
372	** Sunday:	
373	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
375	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	** WeekDays:	
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
380	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	** Saturday:	
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
385	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
387	** Sunday:	
388	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
390	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	** WeekDays:	
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
395	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	** Saturday:	
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
400	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
402	** Sunday:	
403	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
405	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	** WeekDays:	
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
410	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	** Saturday:	
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
415	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
417	** Sunday:	
418	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
420	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	** WeekDays:	
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
425	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	** Saturday:	
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
430	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
432	** Sunday:	
433	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
435	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	** WeekDays:	
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
440	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	** Saturday:	
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
445	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
447	** Sunday:	
448	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
450	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	** WeekDays:	
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
455	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	** Saturday:	
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
460	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
529	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
530	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
531	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
532	** Saturday:	
533	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
534	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
535	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
536	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
537	** Sunday:	
538	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
539	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
540	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
541	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
542	** WeekDays:	
543	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
544	EMISFACT VOL23	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
545	EMISFACT VOL23	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
546	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
547	** Saturday:	
548	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
549	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
550	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
551	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
552	** Sunday:	
553	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
554	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
555	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
556	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
557	** WeekDays:	
558	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
559	EMISFACT VOL24	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
560	EMISFACT VOL24	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
561	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
562	** Saturday:	
563	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
564	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
565	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
566	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
567	** Sunday:	
568	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
569	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
570	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
571	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
572	** WeekDays:	
573	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
574	EMISFACT VOL25	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
575	EMISFACT VOL25	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
576	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
577	** Saturday:	
578	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
579	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
580	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
581	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
582	** Sunday:	
583	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
584	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
585	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
586	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
587	** WeekDays:	
588	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
589	EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
590	EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
591	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
592	** Saturday:	
593	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

594	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
595	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
596	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
597	**	Sunday:							
598	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
599	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
600	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
601	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
602	**	WeekDays:							
603	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
604	EMISFACT	VOL27	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
605	EMISFACT	VOL27	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
606	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
607	**	Saturday:							
608	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
609	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
610	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
611	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
612	**	Sunday:							
613	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
614	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
615	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
616	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
617	**	WeekDays:							
618	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
619	EMISFACT	VOL28	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
620	EMISFACT	VOL28	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
621	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
622	**	Saturday:							
623	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
624	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
625	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
626	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
627	**	Sunday:							
628	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
629	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
630	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
631	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
632	**	WeekDays:							
633	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
634	EMISFACT	VOL29	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
635	EMISFACT	VOL29	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
636	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
637	**	Saturday:							
638	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
639	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
640	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
641	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
642	**	Sunday:							
643	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
644	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
645	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
646	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
647	**	WeekDays:							
648	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
649	EMISFACT	VOL30	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
650	EMISFACT	VOL30	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
651	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
652	**	Saturday:							
653	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
654	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
655	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
656	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
657	**	Sunday:							
658	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
659	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	** WeekDays:	
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	EMISFACT VOL31	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
665	EMISFACT VOL31	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	** Saturday:	
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
670	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
672	** Sunday:	
673	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
675	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	** WeekDays:	
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
680	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	** Saturday:	
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
685	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
687	** Sunday:	
688	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
690	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	** WeekDays:	
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
695	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	** Saturday:	
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
700	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
702	** Sunday:	
703	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
705	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	** WeekDays:	
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
710	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	** Saturday:	
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
715	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
717	** Sunday:	
718	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
720	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	** WeekDays:	
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
725	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	** Saturday:	
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
730	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
732	** Sunday:	
733	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
735	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	** WeekDays:	
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
740	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	** Saturday:	
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
745	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
747	** Sunday:	
748	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
750	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	** WeekDays:	
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
755	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	** Saturday:	
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
760	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
762	** Sunday:	
763	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
765	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	** WeekDays:	
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
770	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	** Saturday:	
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
775	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
777	** Sunday:	
778	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
780	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	** WeekDays:	
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
785	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	** Saturday:	
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
790	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	EMISFACT VOL44	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
860	EMISFACT VOL44	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	** Saturday:	
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
865	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
867	** Sunday:	
868	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
870	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	** WeekDays:	
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
875	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	** Saturday:	
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
880	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
882	** Sunday:	
883	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
885	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	** WeekDays:	
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
890	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	** Saturday:	
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
895	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
897	** Sunday:	
898	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
900	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	** WeekDays:	
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
905	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	** Saturday:	
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
910	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
912	** Sunday:	
913	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
915	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	** WeekDays:	
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
920	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	** Saturday:	
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

924	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
925	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
926	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
927	** Sunday:	
928	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
929	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
930	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
931	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
932	** WeekDays:	
933	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
934	EMISFACT VOL49	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
935	EMISFACT VOL49	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
936	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
937	** Saturday:	
938	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
939	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
940	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
941	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
942	** Sunday:	
943	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
944	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
945	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
946	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
947	** WeekDays:	
948	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
949	EMISFACT VOL50	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
950	EMISFACT VOL50	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
951	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
952	** Saturday:	
953	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
954	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
955	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
956	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
957	** Sunday:	
958	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
959	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
960	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
961	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
962	** WeekDays:	
963	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
964	EMISFACT VOL51	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
965	EMISFACT VOL51	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
966	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
967	** Saturday:	
968	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
969	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
970	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
971	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
972	** Sunday:	
973	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
974	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
975	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
976	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
977	** WeekDays:	
978	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
979	EMISFACT VOL52	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
980	EMISFACT VOL52	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
981	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
982	** Saturday:	
983	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
984	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
985	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
986	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
987	** Sunday:	
988	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
989	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	** WeekDays:	
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	EMISFACT VOL53	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
995	EMISFACT VOL53	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	** Saturday:	
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1000	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1002	** Sunday:	
1003	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1005	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	** WeekDays:	
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1010	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	** Saturday:	
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1015	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1017	** Sunday:	
1018	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1020	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	** WeekDays:	
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1025	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	** Saturday:	
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1030	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1032	** Sunday:	
1033	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1035	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	** WeekDays:	
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1040	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	** Saturday:	
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1045	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1047	** Sunday:	
1048	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1050	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	** WeekDays:	
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1055	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

1056	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1057	** Saturday:	
1058	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1059	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1060	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1061	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1062	** Sunday:	
1063	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1064	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1065	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1066	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1067	** WeekDays:	
1068	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1069	EMISFACT VOL58	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1070	EMISFACT VOL58	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1071	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1072	** Saturday:	
1073	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1074	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1075	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1076	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1077	** Sunday:	
1078	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1079	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1080	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1081	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1082	** WeekDays:	
1083	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1084	EMISFACT VOL59	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1085	EMISFACT VOL59	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1086	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1087	** Saturday:	
1088	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1089	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1090	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1091	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1092	** Sunday:	
1093	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1094	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1095	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1096	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1097	** WeekDays:	
1098	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1099	EMISFACT VOL60	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1100	EMISFACT VOL60	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1101	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1102	** Saturday:	
1103	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1104	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1105	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1106	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1107	** Sunday:	
1108	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1109	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1110	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1111	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1112	** WeekDays:	
1113	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1114	EMISFACT VOL61	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1115	EMISFACT VOL61	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1116	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1117	** Saturday:	
1118	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1119	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1120	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1121	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	EMISFACT	VOL66	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1190	EMISFACT	VOL66	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	**	Saturday:							
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1195	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1197	**	Sunday:							
1198	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1200	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	**	WeekDays:							
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1205	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	**	Saturday:							
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1210	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1212	**	Sunday:							
1213	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1215	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	**	WeekDays:							
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1220	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	**	Saturday:							
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1225	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1227	**	Sunday:							
1228	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1230	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	**	WeekDays:							
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1235	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	**	Saturday:							
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1240	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1242	**	Sunday:							
1243	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1245	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	**	WeekDays:							
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1250	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	**	Saturday:							
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1254	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1255	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1256	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1257	**	Sunday:							
1258	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1259	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1260	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1261	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1262	**	WeekDays:							
1263	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1264	EMISFACT	VOL71	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1265	EMISFACT	VOL71	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1266	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1267	**	Saturday:							
1268	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1269	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1270	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1271	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1272	**	Sunday:							
1273	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1274	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1275	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1276	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1277	**	WeekDays:							
1278	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1279	EMISFACT	VOL72	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1280	EMISFACT	VOL72	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1281	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1282	**	Saturday:							
1283	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1284	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1285	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1286	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1287	**	Sunday:							
1288	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1289	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1290	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1291	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1292	**	WeekDays:							
1293	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1294	EMISFACT	VOL73	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1295	EMISFACT	VOL73	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1296	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1297	**	Saturday:							
1298	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1299	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1300	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1301	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1302	**	Sunday:							
1303	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1304	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1305	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1306	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1307	**	WeekDays:							
1308	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1309	EMISFACT	VOL74	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1310	EMISFACT	VOL74	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1311	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1312	**	Saturday:							
1313	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1314	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1315	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1316	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1317	**	Sunday:							
1318	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1319	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	** WeekDays:	
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	EMISFACT VOL75	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1325	EMISFACT VOL75	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	** Saturday:	
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1330	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1332	** Sunday:	
1333	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1335	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	** WeekDays:	
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1340	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	** Saturday:	
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1345	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1347	** Sunday:	
1348	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1350	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	** WeekDays:	
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1355	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	** Saturday:	
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1360	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1362	** Sunday:	
1363	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1365	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	** WeekDays:	
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1370	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	** Saturday:	
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1375	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1377	** Sunday:	
1378	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1380	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	** WeekDays:	
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1385	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387 ** Saturday:
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1390     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1392 ** Sunday:
1393     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1395     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397 ** WeekDays:
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1400     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402 ** Saturday:
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1405     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1407 ** Sunday:
1408     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1410     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412 ** WeekDays:
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1415     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417 ** Saturday:
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1420     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1421     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1422 ** Sunday:
1423     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1424     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1425     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1426     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1427 ** WeekDays:
1428     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1429     EMISFACT PAREA1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1430     EMISFACT PAREA1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1431     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1432 ** Saturday:
1433     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1434     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1435     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1436     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1437 ** Sunday:
1438     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1439     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1440     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1441     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1442     SRCGROUP ALL
1443 SO FINISHED
1444 **
1445 *****
1446 ** AERMOD Receptor Pathway
1447 *****
1448 **
1449 **
1450 RE STARTING
1451 INCLUDED "15496 Cons PM10.rou"

```

```

1452 RE FINISHED
1453 **
1454 *****
1455 ** AERMOD Meteorology Pathway
1456 *****
1457 **
1458 **
1459 ME STARTING
1460 SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1461 PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1462 SURFDATA 3171 2010
1463 UAIRDATA 3190 2010
1464 SITEDATA 99999 2010
1465 PROFBASE 442.0 METERS
1466 ME FINISHED
1467 **
1468 *****
1469 ** AERMOD Output Pathway
1470 *****
1471 **
1472 **
1473 OU STARTING
1474 RECTABLE ALLAVE 1ST
1475 RECTABLE 24 1ST
1476 ** Auto-Generated Plotfiles
1477 PLOTFILE 24 ALL 1ST "15496 CONS PM10.AD\24H1GALL.PLT" 31
1478 SUMMFILE "15496 Cons PM10.sum"
1479 OU FINISHED
1480
1481
1482 *** Message Summary For AERMOD Model Setup ***
1483
1484 ----- Summary of Total Messages -----
1485
1486 A Total of          0 Fatal Error Message(s)
1487 A Total of          2 Warning Message(s)
1488 A Total of          0 Informational Message(s)
1489
1490
1491 ***** FATAL ERROR MESSAGES *****
1492             *** NONE ***
1493
1494
1495 ***** WARNING MESSAGES *****
1496 ME W186    1466      MEOpen: THRESH_1MIN 1-min ASOS wind speed threshold
1497 used              0.50
1498 ME W187    1466      MEOpen: ADJ_U* Option for Stable Low Winds used in
1499 AERMET
1500
1501 *****
1502 *** SETUP Finishes Successfully ***
1503 *****
1504 HP *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1505 Ramona and Webster\15496 ***          04/23/24
1506 *** AERMET - VERSION 16216 ***
1507 ***
1508 10:49:36
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

```

```

1511 ** Model Options Selected:
1512 * Model Uses Regulatory DEFAULT Options
1513 * Model Is Setup For Calculation of Average CONCentration Values.
1514 * NO GAS DEPOSITION Data Provided.
1515 * NO PARTICLE DEPOSITION Data Provided.
1516 * Model Uses NO DRY DEPLETION. DDPLETE = F
1517 * Model Uses NO WET DEPLETION. WETDPLT = F
1518 * Stack-tip Downwash.
1519 * Model Accounts for ELEVated Terrain Effects.
1520 * Use Calms Processing Routine.
1521 * Use Missing Data Processing Routine.
1522 * No Exponential Decay.
1523 * Model Uses URBAN Dispersion Algorithm for the SBL for 82 Source(s),
1524 for Total of 1 Urban Area(s):
1525 Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
1526 * Urban Roughness Length of 1.0 Meter Used.
1527 * ADJ_U* - Use ADJ_U* option for SBL in AERMET
1528 * CCVR_Sub - Meteorological data includes CCVR substitutions
1529 * TEMP_Sub - Meteorological data includes TEMP substitutions
1530 * Model Accepts FLAGPOLE Receptor . Heights.
1531 * The User Specified a Pollutant Type of: PM_10
1532
1533 **Model Calculates 1 Short Term Average(s) of: 24-HR
1534
1535 **This Run Includes: 82 Source(s); 1 Source Group(s); and 66 Receptor(s)
1536
1537 with: 0 POINT(s), including
1538 0 POINTCAP(s) and 0 POINTHOR(s)
1539 and: 81 VOLUME source(s)
1540 and: 1 AREA type source(s)
1541 and: 0 LINE source(s)
1542 and: 0 RLINE/RLINEXT source(s)
1543 and: 0 OPENPIT source(s)
1544 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
1545 and: 0 SWPOINT source(s)
1546
1547
1548 **Model Set To Continue RUNning After the Setup Testing.
1549
1550 **The AERMET Input Meteorological Data Version Date: 16216
1551
1552 **Output Options Selected:
1553 Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
1554 Keyword)
1555 Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1556 Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1557
1558 **NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
1559 m for Missing Hours
1560 b for Both Calm and
1561 Missing Hours
1562
1563 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.
1564 = 0.000 ; Rot. Angle = 0.0
1565 Emission Units = GRAMS/SEC ; Emission
1566 Rate Unit Factor = 0.10000E+07
1567 Output Units = MICROGRAMS/M**3
1568
1569 **Approximate Storage Requirements of Model = 3.6 MB of RAM.
1570
1571 **Input Runstream File:
1572 aermod.inp
1573
1574 **Output Print File:
1575 aermod.out

```

1569
 1570 **Detailed Error/Message File: 15496 Cons
 PM10.err
 1571 **File for Summary of Results: 15496 Cons
 PM10.sum
 1572 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1573 *** AERMET - VERSION 16216 ***

 10:49:36

1574
 1575 *** MODELOPTs: RegDFAULT PAGE 2 CONC ELEV FLGPOL URBAN ADJ_U*
 1576
 1577

*** VOLUME SOURCE DATA ***

SOURCE SZ	NUMBER INIT.	EMISSION PART.	RATE (GRAMS/SEC)	URBAN EMISSION RATE X	AIR CRAFT Y	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)
1581	VOL1	0	0.33650E-04	477827.9	3744751.3	448.0	5.00	9.35
1582	1.40	YES	HRDOW	NO				
1583	VOL2	0	0.33650E-04	477788.0	3744752.1	448.0	5.00	9.35
1584	1.40	YES	HRDOW	NO				
1585	VOL3	0	0.33650E-04	477747.5	3744752.6	448.7	5.00	9.35
1586	1.40	YES	HRDOW	NO				
1587	VOL4	0	0.33650E-04	477707.6	3744753.6	449.0	5.00	9.35
1588	1.40	YES	HRDOW	NO				
1589	VOL5	0	0.33650E-04	477666.9	3744753.8	449.1	5.00	9.35
1590	1.40	YES	HRDOW	NO				
1591	VOL6	0	0.33650E-04	477468.7	3744902.9	450.0	5.00	9.35
1592	1.40	YES	HRDOW	NO				
1593	VOL7	0	0.33650E-04	477509.6	3744902.4	450.0	5.00	9.35
1594	1.40	YES	HRDOW	NO				
1595	VOL8	0	0.33650E-04	477550.0	3744901.5	450.0	5.00	9.35
1596	1.40	YES	HRDOW	NO				
1597	VOL9	0	0.33650E-04	477590.9	3744901.9	450.0	5.00	9.35
1598	1.40	YES	HRDOW	NO				
1599	VOL10	0	0.33650E-04	477621.3	3744901.9	449.6	5.00	9.35
1600	1.40	YES	HRDOW	NO				
1601	VOL11	0	0.33650E-04	477621.3	3744861.0	449.6	5.00	9.35
1602	1.40	YES	HRDOW	NO				
1603	VOL12	0	0.33650E-04	477580.4	3744861.5	450.0	5.00	9.35
1604	1.40	YES	HRDOW	NO				
1605	VOL13	0	0.33650E-04	477540.0	3744861.0	450.0	5.00	9.35
1606	1.40	YES	HRDOW	NO				
1607	VOL14	0	0.33650E-04	477499.6	3744861.0	450.0	5.00	9.35
1608	1.40	YES	HRDOW	NO				
1609	VOL15	0	0.33650E-04	477468.2	3744861.5	450.6	5.00	9.35
1610	1.40	YES	HRDOW	NO				
1611	VOL16	0	0.33650E-04	477468.2	3744821.1	450.7	5.00	9.35
1612	1.40	YES	HRDOW	NO				
1613	VOL17	0	0.33650E-04	477508.1	3744821.1	450.0	5.00	9.35
1614	1.40	YES	HRDOW	NO				
1615	VOL18	0	0.33650E-04	477548.5	3744820.6	450.0	5.00	9.35
1616	1.40	YES	HRDOW	NO				
1617	VOL19	0	0.33650E-04	477588.5	3744820.2	450.0	5.00	9.35
1618	1.40	YES	HRDOW	NO				
1619	VOL20	0	0.33650E-04	477621.3	3744820.2	449.6	5.00	9.35
1620	1.40	YES	HRDOW	NO				

1605	VOL21		0	0.33650E-04	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES	HRDOW		NO				
1606	VOL22		0	0.33650E-04	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1607	VOL23		0	0.33650E-04	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1608	VOL24		0	0.33650E-04	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1609	VOL25		0	0.33650E-04	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1610	VOL26		0	0.33650E-04	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1611	VOL27		0	0.33650E-04	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES	HRDOW		NO				
1612	VOL28		0	0.33650E-04	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1613	VOL29		0	0.33650E-04	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1614	VOL30		0	0.33650E-04	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1615	VOL31		0	0.33650E-04	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1616	VOL32		0	0.33650E-04	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1617	VOL33		0	0.33650E-04	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES	HRDOW		NO				
1618	VOL34		0	0.33650E-04	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1619	VOL35		0	0.33650E-04	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1620	VOL36		0	0.33650E-04	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1621	VOL37		0	0.33650E-04	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1622	VOL38		0	0.33650E-04	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1623	VOL39		0	0.33650E-04	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1624	VOL40		0	0.33650E-04	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				

1625 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1626 *** AERMET - VERSION 16216 ***

 10:49:36

1627
 PAGE 3
 1628 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1629
 1630
 1631 *** VOLUME SOURCE DATA ***
 1632

	NUMBER	EMISSION RATE		BASE	RELEASE	INIT.
	INIT.	URBAN	EMISSION RATE	AIRCRAFT		
1634	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV. HEIGHT SY
1635	SZ	SOURCE	SCALAR VARY			
	ID	CATS.		(METERS)	(METERS)	(METERS) (METERS) (METERS)
	(METERS)		BY			
1636	-	-	-	-	-	-
1637	-	-	-	-	-	-

1638	VOL41		0	0.33650E-04	477620.7	3744620.8	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1639	VOL42		0	0.33650E-04	477580.8	3744620.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1640	VOL43		0	0.33650E-04	477540.8	3744620.3	450.9	5.00	9.35

1641	1.40	YES	HRDOW	NO	0	0.33650E-04	477500.8	3744620.5	451.0	5.00	9.35
1642	1.40	YES	HRDOW	NO	0	0.33650E-04	477468.8	3744620.5	451.0	5.00	9.35
1643	1.40	YES	HRDOW	NO	0	0.33650E-04	477469.1	3744580.5	451.1	5.00	9.35
1644	1.40	YES	HRDOW	NO	0	0.33650E-04	477509.0	3744580.5	451.0	5.00	9.35
1645	1.40	YES	HRDOW	NO	0	0.33650E-04	477549.2	3744580.3	451.0	5.00	9.35
1646	1.40	YES	HRDOW	NO	0	0.33650E-04	477588.7	3744580.5	450.7	5.00	9.35
1647	1.40	YES	HRDOW	NO	0	0.33650E-04	477621.0	3744580.8	450.0	5.00	9.35
1648	1.40	YES	HRDOW	NO	0	0.33650E-04	477620.7	3744540.8	450.3	5.00	9.35
1649	1.40	YES	HRDOW	NO	0	0.33650E-04	477581.0	3744540.2	451.0	5.00	9.35
1650	1.40	YES	HRDOW	NO	0	0.33650E-04	477540.9	3744540.1	451.0	5.00	9.35
1651	1.40	YES	HRDOW	NO	0	0.33650E-04	477500.6	3744540.3	451.3	5.00	9.35
1652	1.40	YES	HRDOW	NO	0	0.33650E-04	477469.0	3744540.5	451.9	5.00	9.35
1653	1.40	YES	HRDOW	NO	0	0.33650E-04	477468.7	3744500.2	452.0	5.00	9.35
1654	1.40	YES	HRDOW	NO	0	0.33650E-04	477508.8	3744500.2	451.9	5.00	9.35
1655	1.40	YES	HRDOW	NO	0	0.33650E-04	477549.1	3744499.8	451.0	5.00	9.35
1656	1.40	YES	HRDOW	NO	0	0.33650E-04	477589.6	3744500.0	451.0	5.00	9.35
1657	1.40	YES	HRDOW	NO	0	0.33650E-04	477620.2	3744500.2	450.9	5.00	9.35
1658	1.40	YES	HRDOW	NO	0	0.33650E-04	477660.7	3744510.6	450.2	5.00	9.35
1659	1.40	YES	HRDOW	NO	0	0.33650E-04	477700.6	3744510.6	450.0	5.00	9.35
1660	1.40	YES	HRDOW	NO	0	0.33650E-04	477741.1	3744510.4	450.0	5.00	9.35
1661	1.40	YES	HRDOW	NO	0	0.33650E-04	477781.2	3744510.2	450.0	5.00	9.35
1662	1.40	YES	HRDOW	NO	0	0.33650E-04	477821.9	3744510.4	449.5	5.00	9.35
1663	1.40	YES	HRDOW	NO	0	0.33650E-04	477823.4	3744451.3	450.0	5.00	9.35
1664	1.40	YES	HRDOW	NO	0	0.33650E-04	477783.1	3744451.3	450.0	5.00	9.35
1665	1.40	YES	HRDOW	NO	0	0.33650E-04	477742.6	3744451.3	450.3	5.00	9.35
1666	1.40	YES	HRDOW	NO	0	0.33650E-04	477702.5	3744451.1	451.0	5.00	9.35
1667	1.40	YES	HRDOW	NO	0	0.33650E-04	477662.4	3744451.1	451.0	5.00	9.35
1668	1.40	YES	HRDOW	NO	0	0.33650E-04	477621.7	3744451.3	451.0	5.00	9.35
1669	1.40	YES	HRDOW	NO	0	0.33650E-04	477822.1	3744480.6	450.0	5.00	9.35
1670	1.40	YES	HRDOW	NO	0	0.33650E-04	477781.8	3744480.6	450.0	5.00	9.35
1671	1.40	YES	HRDOW	NO	0	0.33650E-04	477741.3	3744480.4	450.0	5.00	9.35
1672	1.40	YES	HRDOW	NO	0	0.33650E-04	477701.0	3744480.4	450.5	5.00	9.35
1673	1.40	YES	HRDOW	NO	0	0.33650E-04	477660.5	3744480.4	450.7	5.00	9.35

1674 1.40 YES HRDOW NO
 VOL77 0 0.33650E-04 477620.6 3744480.4 451.0 5.00 9.35
 1675 1.40 YES HRDOW NO
 VOL78 0 0.33650E-04 477581.6 3744484.2 451.0 5.00 9.35
 1676 1.40 YES HRDOW NO
 VOL79 0 0.33650E-04 477541.1 3744484.6 451.6 5.00 9.35
 1677 1.40 YES HRDOW NO
 VOL80 0 0.33650E-04 477501.2 3744484.2 452.0 5.00 9.35
 1678 1.40 YES HRDOW NO

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1679 *** AERMET - VERSION 16216 ***

 10:49:36

1680

PAGE 4
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1681

1682

1683

1684

1685

1686

*** VOLUME SOURCE DATA ***

NUMBER EMISSION RATE		BASE	RELEASE	INIT.
SOURCE	INIT. URBAN EMISSION RATE	AIRCRAFT	ELEV.	HEIGHT
SZ	PART. (GRAMS/SEC)	X	Y	SY
ID	CATS.	(METERS)	(METERS)	(METERS)
(METERS)	BY	(METERS)	(METERS)	(METERS)

1690

1691 VOL81 0 0.33650E-04 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES HRDOW NO

1692 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1693 *** AERMET - VERSION 16216 ***

 10:49:36

1694

PAGE 5
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1695

1696

1697

1698

1699

1700

*** AREAPOLY SOURCE DATA ***

NUMBER EMISSION RATE		LOCATION OF AREA	BASE	RELEASE	NUMBER
SOURCE	INIT. URBAN EMISSION RATE	AIRCRAFT	ELEV.	HEIGHT	OF VERTS.
SZ	PART. (GRAMS/SEC)	X	Y	HEIGHT	OF VERTS.
ID	CATS. /METER**2)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY	(METERS)	(METERS)	(METERS)	(METERS)

1704

1705 PAREAL 0 0.35822E-06 477448.5 3744922.6 450.4 0.00 12
 1.00 YES HRDOW NO

1706 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1707 *** AERMET - VERSION 16216 ***

 10:49:36

1708

PAGE 6
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1709

1710

1711

1712

*** SOURCE IDs DEFINING SOURCE GROUPS ***

```

1713
1714 SRCGROUP ID SOURCE IDs
1715 -----
1716
1717
1718 ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 ,
1719
1720 VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 ,
1721
1722 VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 ,
1723
1724 VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,
VOL30 , VOL31 , VOL32 ,
1725
1726 VOL33 , VOL34 , VOL35 , VOL36 , VOL37 ,
VOL38 , VOL39 , VOL40 ,
1727
1728 VOL41 , VOL42 , VOL43 , VOL44 , VOL45 ,
VOL46 , VOL47 , VOL48 ,
1729
1730 VOL49 , VOL50 , VOL51 , VOL52 , VOL53 ,
VOL54 , VOL55 , VOL56 ,
1731
1732 VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,
VOL62 , VOL63 , VOL64 ,
1733
1734 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
VOL70 , VOL71 , VOL72 ,
1735
1736 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
VOL78 , VOL79 , VOL80 ,
1737
1738 VOL81 , PAREA1 ,

```

```

1739 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

1740 *** AERMET - VERSION 16216 ***
***
10:49:36

```

```

1741
1742 PAGE 7
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

1747 URBAN ID URBAN POP SOURCE IDs
1748 -----
1749
1750
1751 2189641. VOL1 , VOL2 , VOL3 , VOL4 ,
VOL5 , VOL6 , VOL7 ,
1752 VOL8 ,
1753
1754 VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 ,
1755
1756 VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 ,
1757
1758 VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,
VOL30 , VOL31 , VOL32 ,
1759
1760 VOL33 , VOL34 , VOL35 , VOL36 , VOL37 ,

```

1761 VOL38 , VOL39 , VOL40 ,
 1762 VOL41 , VOL42 , VOL43 , VOL44 , VOL45 ,
 VOL46 , VOL47 , VOL48 ,
 1763
 1764 VOL49 , VOL50 , VOL51 , VOL52 , VOL53 ,
 VOL54 , VOL55 , VOL56 ,
 1765
 1766 VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,
 VOL62 , VOL63 , VOL64 ,
 1767
 1768 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
 VOL70 , VOL71 , VOL72 ,
 1769
 1770 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
 VOL78 , VOL79 , VOL80 ,

1771
 1772 VOL81 , PAREAL ,
 1773 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1774 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

1775
 1776 PAGE 8
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1777
 1778 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1779 SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :
 1781 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 1782 - - - - -

1783 DAY OF WEEK = WEEKDAY
 1784 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1785 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1786 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1787 DAY OF WEEK = SATURDAY
 1788 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1789 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1790 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1791 DAY OF WEEK = SUNDAY
 1792 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1793 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1794 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1795 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1796 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

1797
 1798 PAGE 9
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1799
 1800 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

```

1801
1802 SOURCE ID = VOL2          ; SOURCE TYPE = VOLUME      :
1803   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
1804   SCALAR   HOUR   SCALAR   HOUR   SCALAR
1804 -----
1805                                     DAY OF WEEK = WEEKDAY
1806   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1807   .0000E+00   7 .0000E+00   8 .0000E+00
1807   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
1808   .1000E+01  15 .1000E+01  16 .1000E+01
1808   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1809   .0000E+00  23 .0000E+00  24 .0000E+00
1809                                     DAY OF WEEK = SATURDAY
1810   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1811   .0000E+00   7 .0000E+00   8 .0000E+00
1811   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
1812   .0000E+00  15 .0000E+00  16 .0000E+00
1812   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1813   .0000E+00  23 .0000E+00  24 .0000E+00
1813                                     DAY OF WEEK = SUNDAY
1814   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1815   .0000E+00   7 .0000E+00   8 .0000E+00
1815   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
1816   .0000E+00  15 .0000E+00  16 .0000E+00
1816   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1817   .0000E+00  23 .0000E+00  24 .0000E+00
1817 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1818 Ramona and Webster\15496 ***      04/23/24
1818 *** AERMET - VERSION 16216 ***
1819 ***
1819 10:49:36
1819
1820                                     PAGE 10
1820 *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1821
1822 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
1823 WEEK (HRDOW) *
1824 SOURCE ID = VOL3          ; SOURCE TYPE = VOLUME      :
1825   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
1826   SCALAR   HOUR   SCALAR   HOUR   SCALAR
1826 -----
1827                                     DAY OF WEEK = WEEKDAY
1828   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1829   .0000E+00   7 .0000E+00   8 .0000E+00
1829   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
1830   .1000E+01  15 .1000E+01  16 .1000E+01
1830   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1831   .0000E+00  23 .0000E+00  24 .0000E+00
1831                                     DAY OF WEEK = SATURDAY
1832   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1833   .0000E+00   7 .0000E+00   8 .0000E+00
1833   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
1834   .0000E+00  15 .0000E+00  16 .0000E+00
1834   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1835   .0000E+00  23 .0000E+00  24 .0000E+00
1835                                     DAY OF WEEK = SUNDAY
1836   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
1837   .0000E+00   7 .0000E+00   8 .0000E+00
1837   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
1838   .0000E+00  15 .0000E+00  16 .0000E+00
1838   17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
1838   .0000E+00  23 .0000E+00  24 .0000E+00

```

1839 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1840 *** AERMET - VERSION 16216 ***

10:49:36

1841

PAGE 11

1842 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1843

1844 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1845

1846 SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

1847 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1848

DAY OF WEEK = WEEKDAY

1850 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1851 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1852 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1854 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1855 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1856 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1857 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1859 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1860 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1861 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1862 *** AERMET - VERSION 16216 ***

10:49:36

1863

PAGE 12

1864 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1865

1866 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1867

1868 SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

1869 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1870

DAY OF WEEK = WEEKDAY

1872 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1873 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1874 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1876 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1877 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

1878 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1879 DAY OF WEEK = SUNDAY

1880 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1881 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1882 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1883 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1884 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

1885

PAGE 13

1886 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1887
1888 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1889 SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
1890 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1891 SCALAR HOUR SCALAR HOUR SCALAR

1892 - - - - -
- - - - -

1893 DAY OF WEEK = WEEKDAY

1894 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1895 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1896 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1897 DAY OF WEEK = SATURDAY

1898 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1899 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1900 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1901 DAY OF WEEK = SUNDAY

1902 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1903 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1904 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1905 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1906 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

1907

PAGE 14

1908 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1909
1910 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1911 SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
1912 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
1913 SCALAR HOUR SCALAR HOUR SCALAR

1914 - - - - -
- - - - -

1915 DAY OF WEEK = WEEKDAY

1916 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1917 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1918 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1920 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1921 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1922 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1924 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1925 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1926 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1927 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1928 *** AERMET - VERSION 16216 ***

10:49:36

1929

PAGE 15

1930 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1931

1932 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1933

1934 SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

1935 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1936

DAY OF WEEK = WEEKDAY

1938 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1939 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1940 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1942 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1943 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1944 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1946 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1947 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1948 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1949 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1950 *** AERMET - VERSION 16216 ***

10:49:36

1951

PAGE 16

1952 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1953
1954

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1955

1956 SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
1957 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1958 - - - - -
- - - - -

1959 DAY OF WEEK = WEEKDAY
1960 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1961 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1962 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1963 DAY OF WEEK = SATURDAY
1964 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1965 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1966 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1967 DAY OF WEEK = SUNDAY
1968 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1969 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1970 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1971 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
1972 *** AERMET - VERSION 16216 ***
*** **
10:49:36

1973

1974 PAGE 17
1975 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
1976

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1977

1978 SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
1979 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1980 - - - - -
- - - - -

1981 DAY OF WEEK = WEEKDAY
1982 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1983 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1984 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1985 DAY OF WEEK = SATURDAY
1986 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1987 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1988 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1989 DAY OF WEEK = SUNDAY
1990 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1991 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1992 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1993 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1994 *** AERMET - VERSION 16216 ***

10:49:36

1995

PAGE 18

1996 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1997

1998 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1999

2000 SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

2001 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2002 - - - - -
- - - - -

2003 DAY OF WEEK = WEEKDAY

2004 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2005 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2006 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2007 DAY OF WEEK = SATURDAY

2008 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2009 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2010 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2011 DAY OF WEEK = SUNDAY

2012 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2013 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2014 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2015 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2016 *** AERMET - VERSION 16216 ***

10:49:36

2017

PAGE 19

2018 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2019

2020 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2021

2022 SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :

2023 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2024 - - - - -
- - - - -

2025 DAY OF WEEK = WEEKDAY

2026 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2027 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2028 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2029 DAY OF WEEK = SATURDAY

2030 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00
2031 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2032 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2034 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2035 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2036 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2037 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2038 *** AERMET - VERSION 16216 ***

10:49:36

2039

PAGE 20

2040 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2041

2042

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2043

2044

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :

2045

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2046

DAY OF WEEK = WEEKDAY

2048 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2049 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2050 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2052 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2053 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2054 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2056 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2057 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2058 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2059 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2060 *** AERMET - VERSION 16216 ***

10:49:36

2061

PAGE 21

2062 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2063

2064

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2065

2066

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

2067

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2068

2069 DAY OF WEEK = WEEKDAY
 2070 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2071 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2072 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2073 DAY OF WEEK = SATURDAY
 2074 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2075 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2076 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2077 DAY OF WEEK = SUNDAY
 2078 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2079 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2080 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2081 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2082 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2083 PAGE 22
 2084 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2085
 2086 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2087 SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
 2088 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2089 SCALAR HOUR SCALAR HOUR SCALAR
 2090

2091 DAY OF WEEK = WEEKDAY
 2092 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2093 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2094 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2095 DAY OF WEEK = SATURDAY
 2096 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2097 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2098 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2099 DAY OF WEEK = SUNDAY
 2100 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2101 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2102 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2103 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2104 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2105

2106 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2107
2108 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2109
2110 SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
2111 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2112 SCALAR HOUR SCALAR HOUR SCALAR

2113 DAY OF WEEK = WEEKDAY
2114 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2115 .0000E+00 7 .0000E+00 8 .0000E+00
2116 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2117 .1000E+01 15 .1000E+01 16 .1000E+01
2118 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2119 .0000E+00 23 .0000E+00 24 .0000E+00

2120 DAY OF WEEK = SATURDAY
2121 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2122 .0000E+00 7 .0000E+00 8 .0000E+00
2123 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2124 .0000E+00 15 .0000E+00 16 .0000E+00
2125 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2126 .0000E+00 23 .0000E+00 24 .0000E+00

2127 DAY OF WEEK = SUNDAY
2128 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2129 .0000E+00 7 .0000E+00 8 .0000E+00
2130 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2131 .0000E+00 15 .0000E+00 16 .0000E+00
2132 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2133 .0000E+00 23 .0000E+00 24 .0000E+00

2125 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2126 Ramona and Webster\15496 *** 04/23/24

2126 *** AERMET - VERSION 16216 ***

10:49:36

2128 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2129
2130 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2131
2132 SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
2133 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2134 SCALAR HOUR SCALAR HOUR SCALAR

2135 DAY OF WEEK = WEEKDAY
2136 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2137 .0000E+00 7 .0000E+00 8 .0000E+00
2138 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2139 .1000E+01 15 .1000E+01 16 .1000E+01
2140 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2141 .0000E+00 23 .0000E+00 24 .0000E+00

2142 DAY OF WEEK = SATURDAY
2143 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2144 .0000E+00 7 .0000E+00 8 .0000E+00
2145 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2146 .0000E+00 15 .0000E+00 16 .0000E+00
2147 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2148 .0000E+00 23 .0000E+00 24 .0000E+00

2149 DAY OF WEEK = SUNDAY
2150 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2151 .0000E+00 7 .0000E+00 8 .0000E+00

2145 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2146 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2147 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2148 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

2149
PAGE 25
2150 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2151
2152 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2153
2154 SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :
2155 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2156 - - - - -

2157 DAY OF WEEK = WEEKDAY
2158 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2159 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2160 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2161 DAY OF WEEK = SATURDAY
2162 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2163 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2164 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2165 DAY OF WEEK = SUNDAY
2166 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2167 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2168 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2169 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2170 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

2171
PAGE 26
2172 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2173
2174 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2175
2176 SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :
2177 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2178 - - - - -

2179 DAY OF WEEK = WEEKDAY
2180 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2181 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2182 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2183 DAY OF WEEK = SATURDAY
 2184 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2185 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2186 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2187 DAY OF WEEK = SUNDAY
 2188 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2189 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2190 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2191 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2192 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2193 PAGE 27
 2194 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2195
 2196 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2197 SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
 2198 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2199 SCALAR HOUR SCALAR HOUR SCALAR
 2200 - - - - -
 - - - - -

2201 DAY OF WEEK = WEEKDAY
 2202 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2203 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2204 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2205 DAY OF WEEK = SATURDAY
 2206 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2207 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2208 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2209 DAY OF WEEK = SUNDAY
 2210 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2211 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2212 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2213 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 2214 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2215 PAGE 28
 2216 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2217
 2218 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2219 SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
 2220 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2221 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2222  - - - - -
2223  DAY OF WEEK = WEEKDAY
2224  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2225  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2226  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2227  DAY OF WEEK = SATURDAY
2228  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2229  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2230  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2231  DAY OF WEEK = SUNDAY
2232  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2233  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2234  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2235  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2236  *** AERMET - VERSION 16216 ***
      ***
      10:49:36
2237
      PAGE 29
2238  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2239
2240  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2241
2242  SOURCE ID = VOL22      ; SOURCE TYPE = VOLUME      :
2243  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
2244  - - - - -
2245  DAY OF WEEK = WEEKDAY
2246  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2247  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2248  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2249  DAY OF WEEK = SATURDAY
2250  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2251  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2252  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2253  DAY OF WEEK = SUNDAY
2254  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2255  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2256  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2257  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2258  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:49:36

2259

PAGE 30

2260 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2261

2262 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2263

2264 SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :

2265 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

2266 - - - - -

2267 DAY OF WEEK = WEEKDAY

2268 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

2269 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01

2270 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

2271 DAY OF WEEK = SATURDAY

2272 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

2273 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

2274 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

2275 DAY OF WEEK = SUNDAY

2276 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

2277 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

2278 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

2279 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2280 *** AERMET - VERSION 16216 ***

10:49:36

2281

PAGE 31

2282 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2283

2284 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2285

2286 SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :

2287 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

2288 - - - - -

2289 DAY OF WEEK = WEEKDAY

2290 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

2291 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01

2292 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

2293 DAY OF WEEK = SATURDAY

2294 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

2295 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00

2296 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

2297 DAY OF WEEK = SUNDAY

2298 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2299 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2300 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2301 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2302 *** AERMET - VERSION 16216 ***

10:49:36

2303

PAGE 32
2304 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2305
2306 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2307 SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
2308 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2309 SCALAR HOUR SCALAR HOUR SCALAR

2310 -----

2311 DAY OF WEEK = WEEKDAY
2312 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2313 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2314 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2315 DAY OF WEEK = SATURDAY
2316 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2317 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2318 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2319 DAY OF WEEK = SUNDAY
2320 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2321 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2322 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2323 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2324 *** AERMET - VERSION 16216 ***

10:49:36

2325

PAGE 33
2326 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2327
2328 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2329 SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :
2330 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2331 SCALAR HOUR SCALAR HOUR SCALAR

2332 -----

2333 DAY OF WEEK = WEEKDAY
2334 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2335 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2336 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2337
2338 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2339 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2340 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2341
2342 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2343 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2344 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2345 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2346 *** AERMET - VERSION 16216 ***

10:49:36

2347

PAGE 34

2348 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2349

2350 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2351

2352 SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

2353 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2354 - - - - -

DAY OF WEEK = WEEKDAY

2355
2356 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2357 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2358 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2359
2360 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2361 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2362 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2363
2364 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2365 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2366 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2367 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2368 *** AERMET - VERSION 16216 ***

10:49:36

2369

PAGE 35

2370 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2371

2372 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2373

```

2374 SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
2375 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2376 -----
2377 DAY OF WEEK = WEEKDAY
2378 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2379 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2380 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2381 DAY OF WEEK = SATURDAY
2382 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2383 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2384 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2385 DAY OF WEEK = SUNDAY
2386 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2387 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2388 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2389 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2390 *** AERMET - VERSION 16216 ***
*** ***
10:49:36
2391
PAGE 36
2392 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2393
2394 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2395
2396 SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
2397 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2398 -----
2399 DAY OF WEEK = WEEKDAY
2400 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2401 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2402 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2403 DAY OF WEEK = SATURDAY
2404 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2405 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2406 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2407 DAY OF WEEK = SUNDAY
2408 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2409 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2410 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2411 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

2412 *** AERMET - VERSION 16216 ***

10:49:36

2413

PAGE 37

2414 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2415

2416 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2417

2418 SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

2419 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2420 SCALAR HOUR SCALAR HOUR SCALAR

2420

2421 DAY OF WEEK = WEEKDAY

2422 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2423 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2424 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2425 DAY OF WEEK = SATURDAY

2426 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2427 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2428 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2429 DAY OF WEEK = SUNDAY

2430 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2431 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2432 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2433 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2434 *** AERMET - VERSION 16216 ***

10:49:36

2435

PAGE 38

2436 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2437

2438 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2439

2440 SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :

2441 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2442 SCALAR HOUR SCALAR HOUR SCALAR

2442

2443 DAY OF WEEK = WEEKDAY

2444 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2445 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2446 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2447 DAY OF WEEK = SATURDAY

2448 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2449 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2450 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00
2451 DAY OF WEEK = SUNDAY
2452 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2453 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2454 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2455 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2456 *** AERMET - VERSION 16216 ***

10:49:36 ***

2457

PAGE 39
2458 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2459

2460 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2461 SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
2462 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2463 SCALAR HOUR SCALAR HOUR SCALAR
2464 - - - - -

2465 DAY OF WEEK = WEEKDAY
2466 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2467 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2468 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2469 DAY OF WEEK = SATURDAY
2470 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2471 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2472 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2473 DAY OF WEEK = SUNDAY
2474 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2475 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2476 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2477 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2478 *** AERMET - VERSION 16216 ***

10:49:36 ***

2479

PAGE 40
2480 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2481

2482 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2483 SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
2484 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2485 SCALAR HOUR SCALAR HOUR SCALAR
2486 - - - - -

2487 DAY OF WEEK = WEEKDAY
2488 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2489 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2490 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2492 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2493 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2494 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2496 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2497 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2498 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2499 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2500 *** AERMET - VERSION 16216 ***

10:49:36

2501

PAGE 41

2502 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2503

2504 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2505

2506 SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

2507 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2508

DAY OF WEEK = WEEKDAY

2510 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2511 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2512 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2514 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2515 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2516 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2518 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2519 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2520 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2521 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2522 *** AERMET - VERSION 16216 ***

10:49:36

2523

PAGE 42

2524 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2525

2526 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

```

2527
2528 SOURCE ID = VOL35          ; SOURCE TYPE = VOLUME      :
2529   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2530  - - - - -
2531                                     DAY OF WEEK = WEEKDAY
2532   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2533   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2534  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2535                                     DAY OF WEEK = SATURDAY
2536   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2537   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2538  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2539                                     DAY OF WEEK = SUNDAY
2540   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2541   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2542  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2543  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2544  *** AERMET - VERSION 16216 ***
      ***
      10:49:36
2545
2546                                     PAGE 43
2547 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
2548
2549 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
2550 WEEK (HRDOW) *
2551 SOURCE ID = VOL36          ; SOURCE TYPE = VOLUME      :
2552   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
      SCALAR   HOUR   SCALAR   HOUR   SCALAR
2553  - - - - -
2554                                     DAY OF WEEK = WEEKDAY
2555   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2556   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2557  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2558                                     DAY OF WEEK = SATURDAY
2559   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2560   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2561  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2562                                     DAY OF WEEK = SUNDAY
2563   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
      .0000E+00   7 .0000E+00   8 .0000E+00
2564   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2565  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00

```

2565 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2566 *** AERMET - VERSION 16216 ***

10:49:36

2567

PAGE 44

2568 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2569

2570 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2571

2572 SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :

2573 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2574 -----

DAY OF WEEK = WEEKDAY

2576 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2577 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2578 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2579 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2581 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2582 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2583 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2585 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2586 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2587 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2588 *** AERMET - VERSION 16216 ***

10:49:36

2589

PAGE 45

2590 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2591

2592 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2593

2594 SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :

2595 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2596 -----

DAY OF WEEK = WEEKDAY

2598 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2599 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2600 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2601 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2603 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
2604 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2605 DAY OF WEEK = SUNDAY

2606 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2607 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2608 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2609 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2610 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

2611

PAGE 46

2612 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2613 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
2614 WEEK (HRDOW) *

2615 SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
2616 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2617 SCALAR HOUR SCALAR HOUR SCALAR
2618 - - - - -

2619 DAY OF WEEK = WEEKDAY

2620 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2621 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2622 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2623 DAY OF WEEK = SATURDAY

2624 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2625 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2626 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2627 DAY OF WEEK = SUNDAY

2628 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2629 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2630 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2631 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2632 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

2633

PAGE 47

2634 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2635 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
2636 WEEK (HRDOW) *

2637 SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
2638 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2639 SCALAR HOUR SCALAR HOUR SCALAR
2640 - - - - -

2641 DAY OF WEEK = WEEKDAY

2642 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2643 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2644 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2646 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2647 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2648 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2649 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2650 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2651 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2653 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2654 *** AERMET - VERSION 16216 ***

10:49:36

2655

PAGE 48

2656 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2657

2658 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2659

2660 SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :

2661 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2662

DAY OF WEEK = WEEKDAY

2663 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2664 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2665 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2667 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2668 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2669 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2670 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2671 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2672 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2673 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2674 *** AERMET - VERSION 16216 ***

10:49:36

2677

PAGE 49

2678 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2679
2680

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2681

2682 SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :
2683 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2684 - - - - -
- - - - -

2685 DAY OF WEEK = WEEKDAY
2686 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2687 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2688 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2689 DAY OF WEEK = SATURDAY
2690 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2691 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2692 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2693 DAY OF WEEK = SUNDAY
2694 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2695 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2696 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2697 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2698 *** AERMET - VERSION 16216 ***
*** **
10:49:36

2699

2700 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2701

2702 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2703

2704 SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
2705 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2706 - - - - -
- - - - -

2707 DAY OF WEEK = WEEKDAY
2708 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2709 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2710 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2711 DAY OF WEEK = SATURDAY
2712 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2713 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2714 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2715 DAY OF WEEK = SUNDAY
2716 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2717 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2718 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2719 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2720 *** AERMET - VERSION 16216 ***

10:49:36

2721

PAGE 51

2722 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2723

2724 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2725

SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :

2726 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2727 SCALAR HOUR SCALAR HOUR SCALAR

2728

2729

DAY OF WEEK = WEEKDAY

2730 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2731 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2732 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2733

DAY OF WEEK = SATURDAY

2734 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2735 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2736 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2737

DAY OF WEEK = SUNDAY

2738 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2739 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2740 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2741 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2742 *** AERMET - VERSION 16216 ***

10:49:36

2743

PAGE 52

2744 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2745

2746 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2747

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

2748 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2749 SCALAR HOUR SCALAR HOUR SCALAR

2750

2751

DAY OF WEEK = WEEKDAY

2752 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2753 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2754 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2755

DAY OF WEEK = SATURDAY

2756 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00  7 .0000E+00  8 .0000E+00
2757  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2758 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2759
2760
DAY OF WEEK = SUNDAY
1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2761  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2762 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2763 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2764 *** AERMET - VERSION 16216 ***
***
10:49:36
2765

```

PAGE 53

```

2766 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2767
2768 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2769
2770 SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :
2771 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2772 - - - - -
- - - - -

```

DAY OF WEEK = WEEKDAY

```

2773
2774 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2775  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2776 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2777

```

DAY OF WEEK = SATURDAY

```

2778 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2779  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2780 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2781

```

DAY OF WEEK = SUNDAY

```

2782 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2783  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2784 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2785

```

```

*** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2786

```

```

*** AERMET - VERSION 16216 ***
***
10:49:36
2787

```

PAGE 54

```

2788 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2789
2790 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2791
2792 SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
2793 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2794 - - - - -
- - - - -

```

2795 DAY OF WEEK = WEEKDAY
 2796 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2797 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2798 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2799 DAY OF WEEK = SATURDAY
 2800 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2801 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2802 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2803 DAY OF WEEK = SUNDAY
 2804 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2805 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2806 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2807 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2808 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2809 PAGE 55
 2810 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2811

2812 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2813 SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
 2814 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2815 SCALAR HOUR SCALAR HOUR SCALAR

2816 -----
 2817 DAY OF WEEK = WEEKDAY
 2818 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2819 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2820 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2821 DAY OF WEEK = SATURDAY
 2822 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2823 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2824 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2825 DAY OF WEEK = SUNDAY
 2826 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2827 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2828 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2829 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2830 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

2831

2832 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2833

2834

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2835

2836 SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :

2837 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2838 SCALAR HOUR SCALAR HOUR SCALAR

2838

2839 DAY OF WEEK = WEEKDAY

2840 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2841 .0000E+00 7 .0000E+00 8 .0000E+00
2842 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2843 .1000E+01 15 .1000E+01 16 .1000E+01
2844 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2845 .0000E+00 23 .0000E+00 24 .0000E+00

2846 DAY OF WEEK = SATURDAY

2847 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2848 .0000E+00 7 .0000E+00 8 .0000E+00
2849 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2850 .0000E+00 15 .0000E+00 16 .0000E+00
2851 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2852 .0000E+00 23 .0000E+00 24 .0000E+00

2847 DAY OF WEEK = SUNDAY

2848 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2849 .0000E+00 7 .0000E+00 8 .0000E+00
2850 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2851 .0000E+00 15 .0000E+00 16 .0000E+00
2852 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2853 .0000E+00 23 .0000E+00 24 .0000E+00

2851 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2852 *** AERMET - VERSION 16216 ***

10:49:36

2853

2854 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2855

2856

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2857

2858 SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :

2859 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2860 SCALAR HOUR SCALAR HOUR SCALAR

2860

2861 DAY OF WEEK = WEEKDAY

2862 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2863 .0000E+00 7 .0000E+00 8 .0000E+00
2864 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2865 .1000E+01 15 .1000E+01 16 .1000E+01
2866 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2867 .0000E+00 23 .0000E+00 24 .0000E+00

2868 DAY OF WEEK = SATURDAY

2869 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2870 .0000E+00 7 .0000E+00 8 .0000E+00
2871 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2872 .0000E+00 15 .0000E+00 16 .0000E+00
2873 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2874 .0000E+00 23 .0000E+00 24 .0000E+00

2869 DAY OF WEEK = SUNDAY

2870 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2871 .0000E+00 7 .0000E+00 8 .0000E+00

2871 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2872 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2873 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2874 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

2875
PAGE 58
2876 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2877
2878 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2879 SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
2880 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2881 SCALAR HOUR SCALAR HOUR SCALAR
2882 - - - - -

2883 DAY OF WEEK = WEEKDAY
2884 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2885 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2886 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2887 DAY OF WEEK = SATURDAY
2888 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2889 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2890 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2891 DAY OF WEEK = SUNDAY
2892 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2893 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2894 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2895 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2896 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

2897
PAGE 59
2898 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2899
2900 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2901 SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
2902 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2903 SCALAR HOUR SCALAR HOUR SCALAR
2904 - - - - -

2905 DAY OF WEEK = WEEKDAY
2906 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2907 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2908 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2909 DAY OF WEEK = SATURDAY
2910 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2911 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2912 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2913 DAY OF WEEK = SUNDAY
2914 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2915 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2916 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2917 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2918 *** AERMET - VERSION 16216 ***

10:49:36
2919

PAGE 60
2920 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2921
2922 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2923 SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
2924 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2925 SCALAR HOUR SCALAR HOUR SCALAR
2926 - - - - -

2927 DAY OF WEEK = WEEKDAY
2928 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2929 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2930 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2931 DAY OF WEEK = SATURDAY
2932 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2933 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2934 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2935 DAY OF WEEK = SUNDAY
2936 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2937 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2938 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2939 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2940 *** AERMET - VERSION 16216 ***

10:49:36
2941

PAGE 61
2942 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2943
2944 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2945 SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
2946 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2947 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2948  - - - - -
2949  DAY OF WEEK = WEEKDAY
2950  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2951  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2952  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2953  DAY OF WEEK = SATURDAY
2954  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2955  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2956  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2957  DAY OF WEEK = SUNDAY
2958  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2959  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2960  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2961  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2962  *** AERMET - VERSION 16216 ***
      ***
      10:49:36
2963
      PAGE 62
2964  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2965
2966  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2967
2968  SOURCE ID = VOL55      ; SOURCE TYPE = VOLUME      :
2969  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
2970  - - - - -
2971  DAY OF WEEK = WEEKDAY
2972  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2973  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2974  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2975  DAY OF WEEK = SATURDAY
2976  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2977  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2978  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2979  DAY OF WEEK = SUNDAY
2980  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2981  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2982  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2983  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2984  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:49:36

2985

2986 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2987

2988 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2989

2990 SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :

2991 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2992 SCALAR HOUR SCALAR HOUR SCALAR

2992

2993 DAY OF WEEK = WEEKDAY

2994 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2995 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2996 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2997 DAY OF WEEK = SATURDAY

2998 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2999 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3000 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3001 DAY OF WEEK = SUNDAY

3002 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3003 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3004 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3005 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3006 *** AERMET - VERSION 16216 ***

10:49:36

3007

3008 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3009

3010 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3011

3012 SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :

3013 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3014 SCALAR HOUR SCALAR HOUR SCALAR

3014

3015 DAY OF WEEK = WEEKDAY

3016 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3017 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3018 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3019 DAY OF WEEK = SATURDAY

3020 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3021 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3022 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3023 DAY OF WEEK = SUNDAY

3024 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3025 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3026 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3027 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3028 *** AERMET - VERSION 16216 ***

10:49:36

3029

PAGE 65

3030 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3031

3032 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3033

3034 SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :

3035 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3036

3037 DAY OF WEEK = WEEKDAY

3038 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3039 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3040 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3041 DAY OF WEEK = SATURDAY

3042 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3043 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3044 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3045 DAY OF WEEK = SUNDAY

3046 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3047 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3048 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3049 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3050 *** AERMET - VERSION 16216 ***

10:49:36

3051

PAGE 66

3052 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3053

3054 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3055

3056 SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

3057 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3058

3059 DAY OF WEEK = WEEKDAY

3060 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3061 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3062 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3063
3064 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3065 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3066 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3067
3068 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3069 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3070 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3071 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3072 *** AERMET - VERSION 16216 ***

10:49:36

3073

PAGE 67

3074 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3075

3076

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3077

3078 SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

3079 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3080

DAY OF WEEK = WEEKDAY

3081
3082 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3083 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3084 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3085
3086 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3087 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3088 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3089
3090 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3091 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3092 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3093 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3094 *** AERMET - VERSION 16216 ***

10:49:36

3095

PAGE 68

3096 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3097

3098

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3099

```

3100 SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
3101 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3102 SCALAR HOUR SCALAR HOUR SCALAR
-----
3103 DAY OF WEEK = WEEKDAY
3104 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3105 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3106 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3107 DAY OF WEEK = SATURDAY
3108 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3109 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3110 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3111 DAY OF WEEK = SUNDAY
3112 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3113 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3114 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3115 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3116 *** AERMET - VERSION 16216 ***
      ***
      10:49:36
3117
      PAGE 69
3118 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3119
3120 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
3121
3122 SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
3123 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3124 SCALAR HOUR SCALAR HOUR SCALAR
-----
3125 DAY OF WEEK = WEEKDAY
3126 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3127 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3128 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3129 DAY OF WEEK = SATURDAY
3130 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3131 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3132 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3133 DAY OF WEEK = SUNDAY
3134 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3135 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3136 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3137 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24

```

3138 *** AERMET - VERSION 16216 ***

10:49:36

3139

PAGE 70

3140 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3141

3142 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3143

3144 SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :

3145 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3146 SCALAR HOUR SCALAR HOUR SCALAR

3146

3147 DAY OF WEEK = WEEKDAY

3148 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3149 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3150 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3151 DAY OF WEEK = SATURDAY

3152 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3153 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3154 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3155 DAY OF WEEK = SUNDAY

3156 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3157 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3158 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3159 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3160 *** AERMET - VERSION 16216 ***

10:49:36

3161

PAGE 71

3162 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3163

3164 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3165

3166 SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :

3167 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3168 SCALAR HOUR SCALAR HOUR SCALAR

3168

3169 DAY OF WEEK = WEEKDAY

3170 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3171 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3172 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3173 DAY OF WEEK = SATURDAY

3174 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3175 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3176 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00
3177 DAY OF WEEK = SUNDAY
3178 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3179 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3180 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3181 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3182 *** AERMET - VERSION 16216 ***

10:49:36 ***

3183

PAGE 72
3184 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3185
3186 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3187 SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
3188 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3189 SCALAR HOUR SCALAR HOUR SCALAR
3190 - - - - -

3191 DAY OF WEEK = WEEKDAY

3192 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3193 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3194 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3195 DAY OF WEEK = SATURDAY
3196 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3197 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3198 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3199 DAY OF WEEK = SUNDAY
3200 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3201 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3202 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3203 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3204 *** AERMET - VERSION 16216 ***

10:49:36 ***

3205

PAGE 73
3206 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3207
3208 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3209 SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :
3210 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3211 SCALAR HOUR SCALAR HOUR SCALAR
3212 - - - - -

3213 DAY OF WEEK = WEEKDAY

3214 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00


```

3215 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3216 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3217                                     DAY OF WEEK = SATURDAY
3218 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3219 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3220 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3221                                     DAY OF WEEK = SUNDAY
3222 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3223 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3224 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3225 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3226 *** AERMET - VERSION 16216 ***
      ***
      10:49:36

```

```

3227                                     PAGE 74
3228 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3229
3230 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *

```

```

3231 SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :
3232 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3233 SCALAR HOUR SCALAR HOUR SCALAR
3234 - - - - -

```

```

3235                                     DAY OF WEEK = WEEKDAY
3236 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3237 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3238 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3239                                     DAY OF WEEK = SATURDAY
3240 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3241 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3242 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3243                                     DAY OF WEEK = SUNDAY
3244 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3245 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3246 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3247 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3248 *** AERMET - VERSION 16216 ***
      ***
      10:49:36

```

```

3249                                     PAGE 75
3250 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3251
3252 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

```

WEEK (HRDOW) *

3253
 3254 SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
 3255 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3256 -----

3257 DAY OF WEEK = WEEKDAY
 3258 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3259 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3260 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3261 DAY OF WEEK = SATURDAY
 3262 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3263 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3264 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3265 DAY OF WEEK = SUNDAY
 3266 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3267 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3268 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3269 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3270 *** AERMET - VERSION 16216 ***

 10:49:36

3271 PAGE 76
 3272 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3273
 3274 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3275
 3276 SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
 3277 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3278 -----

3279 DAY OF WEEK = WEEKDAY
 3280 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3281 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3282 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3283 DAY OF WEEK = SATURDAY
 3284 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3285 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3286 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3287 DAY OF WEEK = SUNDAY
 3288 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3289 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3290 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3291 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3292 *** AERMET - VERSION 16216 ***

10:49:36

3293

PAGE 77

3294 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3295

3296 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3297

3298 SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

3299 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3300

3301 DAY OF WEEK = WEEKDAY

3302 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3303 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3304 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3305 DAY OF WEEK = SATURDAY

3306 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3307 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3308 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3309 DAY OF WEEK = SUNDAY

3310 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3311 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3312 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3313 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3314 *** AERMET - VERSION 16216 ***

10:49:36

3315

PAGE 78

3316 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3317

3318 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3319

3320 SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :

3321 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3322

3323 DAY OF WEEK = WEEKDAY

3324 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3325 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3326 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3327 DAY OF WEEK = SATURDAY

3328 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3329 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
3330 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3331 DAY OF WEEK = SUNDAY

3332 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3333 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3334 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3335 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3336 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

3337

PAGE 79

3338 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3339

3340 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3341

3342 SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
3343 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3344 - - - - -

3345

DAY OF WEEK = WEEKDAY

3346 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3347 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3348 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3349

DAY OF WEEK = SATURDAY

3350 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3351 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3352 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3353

DAY OF WEEK = SUNDAY

3354 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3355 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3356 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3357 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3358 *** AERMET - VERSION 16216 ***

*** 10:49:36 ***

3359

PAGE 80

3360 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3361

3362 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3363

3364 SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
3365 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3366 - - - - -

3367

DAY OF WEEK = WEEKDAY

3368 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3369 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3370 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3372 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3373 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3374 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3376 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3377 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3378 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3379 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3380 *** AERMET - VERSION 16216 ***

10:49:36

3381

PAGE 81

3382 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3383

3384 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3385

3386 SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :

3387 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3388

DAY OF WEEK = WEEKDAY

3390 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3391 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3392 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3394 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3395 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3396 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3398 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3399 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3400 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3401 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3402 *** AERMET - VERSION 16216 ***

10:49:36

3403

PAGE 82

3404 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3405
3406

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3407

3408 SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
3409 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3410 - - - - -
- - - - -

3411 DAY OF WEEK = WEEKDAY
3412 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3413 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3414 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3415 DAY OF WEEK = SATURDAY
3416 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3417 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3418 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3419 DAY OF WEEK = SUNDAY
3420 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3421 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3422 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3423 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3424 *** AERMET - VERSION 16216 ***
*** **
10:49:36

3425

3426 PAGE 83
3427 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3428 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3429

3430 SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
3431 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3432 - - - - -
- - - - -

3433 DAY OF WEEK = WEEKDAY
3434 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3435 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3436 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3437 DAY OF WEEK = SATURDAY
3438 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3439 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3440 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3441 DAY OF WEEK = SUNDAY
3442 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3443 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3444 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3445 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3446 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

3447 PAGE 84
3448 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3449
3450 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3451 SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
3452 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3453 SCALAR HOUR SCALAR HOUR SCALAR
3454 - - - - -

3455 DAY OF WEEK = WEEKDAY
3456 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3457 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3458 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3459 DAY OF WEEK = SATURDAY
3460 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3461 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3462 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3463 DAY OF WEEK = SUNDAY
3464 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3465 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3466 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3467 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3468 *** AERMET - VERSION 16216 ***
*** ***
10:49:36

3469 PAGE 85
3470 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3471
3472 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3473 SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
3474 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3475 SCALAR HOUR SCALAR HOUR SCALAR
3476 - - - - -

3477 DAY OF WEEK = WEEKDAY
3478 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3479 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3480 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3481 DAY OF WEEK = SATURDAY
3482 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00
3483 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3484 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3486 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3487 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3488 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3489 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3490 *** AERMET - VERSION 16216 ***

10:49:36

3491

PAGE 86

3492 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3493

3494 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3495

3496 SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :

3497 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3498

3499 DAY OF WEEK = WEEKDAY

3500 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3501 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3502 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3503 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3504 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3505 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3507 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3508 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3509 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3511 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3512 *** AERMET - VERSION 16216 ***

10:49:36

3513

PAGE 87

3514 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3515

3516 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3517

3518 SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :

3519 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3520

3521 DAY OF WEEK = WEEKDAY
 3522 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3523 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3524 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3525 DAY OF WEEK = SATURDAY
 3526 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3527 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3528 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3529 DAY OF WEEK = SUNDAY
 3530 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3531 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3532 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3533 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3534 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

3535 PAGE 88
 3536 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3537
 3538 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3539 SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
 3540 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 3541 SCALAR HOUR SCALAR HOUR SCALAR
 3542 -----

3543 DAY OF WEEK = WEEKDAY
 3544 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3545 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3546 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3547 DAY OF WEEK = SATURDAY
 3548 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3549 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3550 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3551 DAY OF WEEK = SUNDAY
 3552 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3553 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3554 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3555 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 3556 *** AERMET - VERSION 16216 ***
 *** ***
 10:49:36

3557

3558 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3559
3560 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3561 SOURCE ID = PAREAL ; SOURCE TYPE = AREAPOLY :
3562 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3563 SCALAR HOUR SCALAR HOUR SCALAR

3564 - - - - -

3565 DAY OF WEEK = WEEKDAY
3566 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3567 .0000E+00 7 .0000E+00 8 .0000E+00
3567 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3568 .1000E+01 15 .1000E+01 16 .1000E+01
3568 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3569 .0000E+00 23 .0000E+00 24 .0000E+00

3570 DAY OF WEEK = SATURDAY
3570 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3571 .0000E+00 7 .0000E+00 8 .0000E+00
3571 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3572 .0000E+00 15 .0000E+00 16 .0000E+00
3572 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3573 .0000E+00 23 .0000E+00 24 .0000E+00

3574 DAY OF WEEK = SUNDAY
3574 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3575 .0000E+00 7 .0000E+00 8 .0000E+00
3575 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3576 .0000E+00 15 .0000E+00 16 .0000E+00
3576 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3577 .0000E+00 23 .0000E+00 24 .0000E+00

3577 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3578 *** AERMET - VERSION 16216 ***

10:49:36

3580 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3581
3582 *** DISCRETE CARTESIAN RECEPTORS ***
3583 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
3584 (METERS)

3586 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
3744370.0, 454.0, 454.0, 2.0);
3587 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
3744278.7, 453.2, 453.2, 2.0);
3588 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
3744412.1, 451.0, 451.0, 2.0);
3589 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
3744606.0, 449.0, 449.0, 2.0);
3590 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
3744630.3, 448.9, 448.9, 2.0);
3591 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
3744794.0, 448.0, 448.0, 2.0);
3592 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
3744567.4, 448.0, 448.0, 2.0);
3593 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
3745009.3, 450.0, 450.0, 2.0);
3594 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
3744987.4, 449.0, 449.0, 2.0);
3595 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
3744991.7, 448.6, 448.6, 2.0);
3596 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,


```

3631      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3632      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3633      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
3634      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
3635
3636

```

```

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
IS INCLUDED IN THE DATA FILE.

```

```

3637
3638
3639
3640

```

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
(METERS/SEC)

```

```

3641
3642
3643      1.54,      3.09,      5.14,      8.23,      10.80,
3644 [ ] *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3645      *** AERMET - VERSION 16216 ***
***
10:49:36
3646

```

```

3647
3648
3649

```

```

PAGE 92
*** MODELOPTs:      RegDFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ_U*
*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA
***

```

```

3650
3651
3652
3653
3654

```

```

Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216
Profile file:
PERI_V9_ADJU\PERI_v9.PFL
Surface format:
FREE
Profile format:
FREE

```

```

3655      Surface station no.:      3171      Upper air station no.:      3190
3656      Name: UNKNOWN      Name:
      UNKNOWN
3657      Year:      2010      Year:      2010
3658

```

```

3659      First 24 hours of scalar data
3660      YR MO DY JDY HR      H0      U*      W*      DT/DZ      ZICNV      ZIMCH      M-O      LEN      Z0      BOWEN      ALBEDO
      REF WS      WD      HT      REF TA      HT
3661      - - - - -
3662      10 01 01      1 01      -7.9      0.125      -9.000      -9.000      -999.      106.      21.2      0.19      0.61      1.00
      1.30      335.      9.1      282.5      5.5
3663      10 01 01      1 02      -3.9      0.088      -9.000      -9.000      -999.      62.      15.1      0.19      0.61      1.00
      0.90      142.      9.1      280.9      5.5
3664      10 01 01      1 03      -3.9      0.088      -9.000      -9.000      -999.      62.      15.1      0.19      0.61      1.00
      0.90      324.      9.1      280.4      5.5
3665      10 01 01      1 04      -1.3      0.064      -9.000      -9.000      -999.      39.      18.3      0.19      0.61      1.00
      0.40      294.      9.1      278.8      5.5
3666      10 01 01      1 05      -3.9      0.088      -9.000      -9.000      -999.      62.      15.0      0.19      0.61      1.00
      0.90      205.      9.1      278.1      5.5
3667      10 01 01      1 06      -1.3      0.065      -9.000      -9.000      -999.      39.      18.3      0.19      0.61      1.00
      0.40      3.      9.1      277.0      5.5
3668      10 01 01      1 07      -8.0      0.125      -9.000      -9.000      -999.      106.      21.0      0.19      0.61      1.00
      1.30      99.      9.1      277.0      5.5
3669      10 01 01      1 08      -3.3      0.086      -9.000      -9.000      -999.      61.      16.8      0.19      0.61      0.54

```

3670	0.90	319.	9.1	278.8	5.5										
	10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33
	0.90	239.	9.1	284.2	5.5										
3671	10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26
	0.40	188.	9.1	289.2	5.5										
3672	10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23
	2.70	310.	9.1	290.9	5.5										
3673	10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22
	2.20	357.	9.1	293.1	5.5										
3674	10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22
	2.20	356.	9.1	293.8	5.5										
3675	10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23
	2.20	50.	9.1	294.2	5.5										
3676	10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27
	1.80	53.	9.1	293.8	5.5										
3677	10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36
	1.80	11.	9.1	292.5	5.5										
3678	10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64
	0.90	351.	9.1	290.4	5.5										
3679	10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00
	0.90	186.	9.1	287.5	5.5										
3680	10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00
	0.90	275.	9.1	285.9	5.5										
3681	10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.	18.1	0.19	0.61	1.00
	0.40	181.	9.1	285.4	5.5										
3682	10	01	01	1	21	-7.8	0.125	-9.000	-9.000	-999.	106.	21.3	0.19	0.61	1.00
	1.30	318.	9.1	284.9	5.5										
3683	10	01	01	1	22	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00
	0.90	196.	9.1	283.1	5.5										
3684	10	01	01	1	23	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00
	0.90	330.	9.1	281.4	5.5										
3685	10	01	01	1	24	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00
	1.30	332.	9.1	280.9	5.5										

3686
3687

First hour of profile data

3688	YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
3689	10	01	01	01	5.5	0	-999.	-99.00	282.6	99.0	-99.00	-99.00
3690	10	01	01	01	9.1	1	335.	1.30	-999.0	99.0	-99.00	-99.00

3692

F indicates top of profile (=1) or below (=0)

3694 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3695 *** AERMET - VERSION 16216 ***

10:49:36

3696

PAGE 93

3697 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3698

3699 *** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES
 FOR SOURCE GROUP: ALL ***

3700		INCLUDING SOURCE(S):	VOL1	, VOL2	,
		VOL3	, VOL4	, VOL5	,
3701	VOL6	, VOL7	, VOL8	, VOL9	, VOL10
	VOL11	, VOL12	, VOL13	,	
3702	VOL14	, VOL15	, VOL16	, VOL17	, VOL18
	VOL19	, VOL20	, VOL21	,	
3703	VOL22	, VOL23	, VOL24	, VOL25	, VOL26
	VOL27	, VOL28	, . . .	,	

3704

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

3705

3706

** CONC OF PM₁₀ IN
 MICROGRAMS/M³ **

3708

3709	X-COORD (M) Y-COORD (M)	Y-COORD (M) CONC	CONC (YYMMDDHH)	(YYMMDDHH)	X-COORD (M)
3710	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
3711	477424.69 3744369.96	3744382.61 0.10772c	0.28237c (14012424)	(15012824)	477213.82
3712	477380.46 3744278.74	3744305.70 0.14684c	0.16071c (15012824)	(15012824)	477400.18
3713	477404.46 3744412.08	3744266.26 0.82303	0.13858c (16122224)	(15012824)	477670.12
3714	477815.73 3744606.00	3744578.06 0.25451c	0.34638c (10020524)	(10020524)	477814.74
3715	477815.07 3744630.32	3744542.24 0.20722c	0.74929c (10020524)	(10020524)	477823.95
3716	477736.85 3744794.01	3744808.14 0.47595c	0.43817c (10020524)	(10020524)	477789.77
3717	477955.75 3744567.40	3744839.69 0.09952	0.08982 (14032624)	(15122224)	477957.38
3718	477954.41 3745009.29	3744280.72 0.48527c	0.11317m (10121724)	(10052024)	477562.65
3719	477524.40 3744987.44	3745009.20 0.51045c	0.46246c (10121724)	(10121724)	477615.67
3720	477490.45 3744991.73	3745035.09 0.22617	0.37503 (11112424)	(16010524)	477713.00
3721	477475.86 3745069.46	3745070.32 0.33534c	0.29699 (10121724)	(16010524)	477595.28
3722	477694.47 3745026.32	3745066.20 0.07168	0.17773c (15122224)	(10020924)	477936.57
3723	477351.77 3745114.53	3745113.76 0.07685	0.21572 (10121524)	(16010524)	477093.41
3724	479215.36 3744561.65	3744652.20 0.00994m	0.01076 (10120824)	(14122224)	479236.29
3725	479213.08 3744782.35	3744725.01 0.01243	0.01182 (14122224)	(14122224)	479213.99
3726	479212.63 3744253.54	3744856.52 0.00650m	0.01295 (10120824)	(14122224)	480888.33
3727	477609.25 3744413.46	3744101.28 0.74958b	0.14950 (10120624)	(16122224)	477767.75
3728	477561.01 3744456.09	3744446.83 1.01094	0.95412 (16122224)	(16122224)	477490.45
3729	477505.65 3745729.07	3744456.33 0.03657c	1.06307 (16012224)	(16122224)	477849.91
3730	477843.14 3745718.86	3745423.53 0.01955c	0.04834c (14020624)	(10020924)	478155.38
3731	477718.88 3745732.62	3745130.57 0.05057c	0.12913c (10121724)	(10020924)	477462.62
3732	477424.48 3746309.85	3746103.52 0.03302c	0.03435 (16012224)	(11121924)	477839.86
3733	478318.10 3745969.16	3746021.99 0.01733c	0.01475c (10120324)	(10120324)	478237.48
3734	478308.53 3746399.12	3746385.91 0.01861c	0.01761c (10120324)	(10120324)	478244.77
3735	478306.71 3745411.31	3745794.26 0.01605c	0.01666 (14120524)	(15122224)	478467.71
3736	478863.94 3744389.90	3745278.95 0.03500	0.01450 (14040124)	(10010624)	478377.82
3737	478653.06 3744537.50	3744643.63 0.92742c	0.01484 (10020524)	(14122224)	477798.92
3738	477800.84 3744545.49	3744571.93 0.59901c	0.40243c (10020524)	(10020524)	477831.33
3739	477834.24 3744628.64	3744604.71 0.19229c	0.23410c (10020524)	(10020524)	477841.54
3740	477833.74 3744396.90	3744578.15 0.48184b	0.30854c (10120624)	(10020524)	477812.62
3741	477812.62 3744281.45	3744303.78 0.06514m	0.23557 (10052024)	(14120124)	478090.56

```

3742      478163.25    3744411.63      0.06153 (14040124)      478377.04
          3744218.74      0.02739 (15121424)
3743      478123.62    3744085.48      0.04692c (16011924)      478322.87
          3744055.89      0.02765m (10052024)
3744 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3745      *** AERMET - VERSION 16216 ***
          ***
          10:49:36
3746
          PAGE 94
3747      *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3748
3749
          *** THE SUMMARY OF HIGHEST 24-HR RESULTS
          ***
3750
          ** CONC OF PM_10      IN
3751          MICROGRAMS/M**3
          **
3752
          DATE
3753
          NETWORK
3754      GROUP ID      AVERAGE CONC      (YYMMDDHH)      RECEPTOR (XR,
          YR, ZELEV, ZHILL, ZFLAG)      OF TYPE GRID-ID
3755      -----
3756      -----
3757
3758      ALL      HIGH      1ST HIGH VALUE IS      1.06307 ON 16122224: AT ( 477505.65,
3744456.33, 452.00, 452.00, 2.00) DC
3759
3760      *** RECEPTOR TYPES: GC = GRIDCART
3761      GP = GRIDPOLR
3762      DC = DISCCART
3763      DP = DISCPOLR
3764
3765 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3766      *** AERMET - VERSION 16216 ***
          ***
          10:49:36
3767
          PAGE 95
3768      *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3769
3770      *** Message Summary : AERMOD Model Execution ***
3771
3772      ----- Summary of Total Messages -----
3773
3774      A Total of      0 Fatal Error Message(s)
3775      A Total of      4 Warning Message(s)
3776      A Total of      2028 Informational Message(s)
3777
3778      A Total of      43824 Hours Were Processed
3779
3780      A Total of      978 Calm Hours Identified
3781
3782      A Total of      1050 Missing Hours Identified ( 2.40 Percent)
3783
3784
          ***** FATAL ERROR MESSAGES *****
3785          *** NONE ***
3786
          ***** WARNING MESSAGES *****
3787
3788
3789

```

```
3790 ME W186 1466 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used 0.50
3791 ME W187 1466 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
3792 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at:
14010101
3793 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 2
year gap
3794
3795 *****
3796 *** AERMOD Finishes Successfully ***
3797 *****
3798
3799
```



```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   PM25\15496 Cons PM25.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_2.5
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Cons PM25.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000	
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000	
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000	
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060	
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710	
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000	
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000	
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000	
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030	
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000	
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000	
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000	
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000	
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910	
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000	
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000	
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130	
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000	
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000	
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710	
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000	
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330	
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980	
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000	
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340	
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860	
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000	
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910	
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020	
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000	
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950	
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160	
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000	
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000	
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000	
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490	
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000	
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000	
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290	
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960	
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000	
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000	
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960	
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000	
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000	
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510	
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670	
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000	
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000	
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560	
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000	
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000	
118	LOCATION PAREA1	AREAPOLY	477448.461	3744922.560	450.380	
119	** Source Parameters **					
120	SRCPARAM VOL1		0.0000328468	5.000	9.349	1.400
121	SRCPARAM VOL2		0.0000328468	5.000	9.349	1.400
122	SRCPARAM VOL3		0.0000328468	5.000	9.349	1.400
123	SRCPARAM VOL4		0.0000328468	5.000	9.349	1.400
124	SRCPARAM VOL5		0.0000328468	5.000	9.349	1.400
125	SRCPARAM VOL6		0.0000328468	5.000	9.349	1.400
126	SRCPARAM VOL7		0.0000328468	5.000	9.349	1.400
127	SRCPARAM VOL8		0.0000328468	5.000	9.349	1.400
128	SRCPARAM VOL9		0.0000328468	5.000	9.349	1.400
129	SRCPARAM VOL10		0.0000328468	5.000	9.349	1.400
130	SRCPARAM VOL11		0.0000328468	5.000	9.349	1.400
131	SRCPARAM VOL12		0.0000328468	5.000	9.349	1.400

198	SRCPARAM	VOL79	0.0000328468	5.000	9.349	1.400
199	SRCPARAM	VOL80	0.0000328468	5.000	9.349	1.400
200	SRCPARAM	VOL81	0.0000328468	5.000	9.349	1.400
201	SRCPARAM	PAREA1	1.3071E-07	0.000	12	1.000
202	AREAVERT	PAREA1	477448.461	3744922.560	477641.593	3744922.560
203	AREAVERT	PAREA1	477640.896	3744776.839	477847.973	3744771.261
204	AREAVERT	PAREA1	477848.670	3744731.519	477640.896	3744733.611
205	AREAVERT	PAREA1	477640.896	3744530.717	477841.000	3744530.717
206	AREAVERT	PAREA1	477843.789	3744431.711	477599.759	3744431.014
207	AREAVERT	PAREA1	477599.759	3744464.481	477447.066	3744463.783
208	URBANSRC	ALL				
209						
210	**	Variable Emissions Type: "By Hour / Day (HRDOW)"				
211	**	Variable Emission Scenario: "Scenario 1"				
212	**	WeekDays:				
213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
214	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0
215	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
217	**	Saturday:				
218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
219	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
220	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
221	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
222	**	Sunday:				
223	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
224	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
225	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
226	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0
227	**	WeekDays:				
228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
229	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0
230	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
232	**	Saturday:				
233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
234	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
235	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
236	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
237	**	Sunday:				
238	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
239	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
240	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
241	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0
242	**	WeekDays:				
243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
244	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0
245	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
247	**	Saturday:				
248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
249	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
250	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
251	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
252	**	Sunday:				
253	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
254	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
255	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
256	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0
257	**	WeekDays:				
258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
259	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0
260	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0
262	**	Saturday:				
263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0

264	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
265	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
266	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
267	** Sunday:							
268	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
269	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
270	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
271	EMISFACT VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
272	** WeekDays:							
273	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
274	EMISFACT VOL5	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
275	EMISFACT VOL5	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
276	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
277	** Saturday:							
278	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
279	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
280	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
281	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
282	** Sunday:							
283	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
284	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
285	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
286	EMISFACT VOL5	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
287	** WeekDays:							
288	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
289	EMISFACT VOL6	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
290	EMISFACT VOL6	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
291	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
292	** Saturday:							
293	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
294	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
295	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
296	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
297	** Sunday:							
298	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
299	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
300	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
301	EMISFACT VOL6	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
302	** WeekDays:							
303	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
304	EMISFACT VOL7	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
305	EMISFACT VOL7	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
306	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
307	** Saturday:							
308	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
309	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
310	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
311	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
312	** Sunday:							
313	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
314	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
315	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
316	EMISFACT VOL7	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
317	** WeekDays:							
318	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
319	EMISFACT VOL8	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
320	EMISFACT VOL8	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
321	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
322	** Saturday:							
323	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
324	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
325	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
326	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
327	** Sunday:							
328	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
329	EMISFACT VOL8	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

330	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	** WeekDays:	
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
335	EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	** Saturday:	
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
340	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
342	** Sunday:	
343	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
345	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	** WeekDays:	
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
350	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	** Saturday:	
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
355	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
357	** Sunday:	
358	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
360	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	** WeekDays:	
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
365	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	** Saturday:	
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
370	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
372	** Sunday:	
373	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
375	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	** WeekDays:	
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
380	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	** Saturday:	
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
385	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
387	** Sunday:	
388	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
390	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	** WeekDays:	
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
395	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	** Saturday:	
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
400	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
402	** Sunday:	
403	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
405	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	** WeekDays:	
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
410	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	** Saturday:	
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
415	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
417	** Sunday:	
418	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
420	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	** WeekDays:	
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
425	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	** Saturday:	
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
430	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
432	** Sunday:	
433	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
435	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	** WeekDays:	
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
440	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	** Saturday:	
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
445	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
447	** Sunday:	
448	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
450	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	** WeekDays:	
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
455	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	** Saturday:	
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
460	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
529	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
530	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
531	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
532	** Saturday:	
533	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
534	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
535	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
536	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
537	** Sunday:	
538	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
539	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
540	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
541	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
542	** WeekDays:	
543	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
544	EMISFACT VOL23	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
545	EMISFACT VOL23	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
546	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
547	** Saturday:	
548	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
549	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
550	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
551	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
552	** Sunday:	
553	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
554	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
555	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
556	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
557	** WeekDays:	
558	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
559	EMISFACT VOL24	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
560	EMISFACT VOL24	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
561	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
562	** Saturday:	
563	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
564	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
565	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
566	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
567	** Sunday:	
568	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
569	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
570	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
571	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
572	** WeekDays:	
573	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
574	EMISFACT VOL25	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
575	EMISFACT VOL25	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
576	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
577	** Saturday:	
578	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
579	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
580	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
581	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
582	** Sunday:	
583	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
584	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
585	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
586	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
587	** WeekDays:	
588	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
589	EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
590	EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
591	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
592	** Saturday:	
593	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

594	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
595	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
596	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
597	**	Sunday:							
598	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
599	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
600	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
601	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
602	**	WeekDays:							
603	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
604	EMISFACT	VOL27	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
605	EMISFACT	VOL27	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
606	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
607	**	Saturday:							
608	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
609	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
610	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
611	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
612	**	Sunday:							
613	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
614	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
615	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
616	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
617	**	WeekDays:							
618	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
619	EMISFACT	VOL28	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
620	EMISFACT	VOL28	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
621	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
622	**	Saturday:							
623	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
624	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
625	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
626	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
627	**	Sunday:							
628	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
629	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
630	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
631	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
632	**	WeekDays:							
633	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
634	EMISFACT	VOL29	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
635	EMISFACT	VOL29	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
636	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
637	**	Saturday:							
638	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
639	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
640	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
641	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
642	**	Sunday:							
643	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
644	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
645	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
646	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
647	**	WeekDays:							
648	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
649	EMISFACT	VOL30	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
650	EMISFACT	VOL30	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
651	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
652	**	Saturday:							
653	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
654	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
655	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
656	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
657	**	Sunday:							
658	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
659	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	** WeekDays:	
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	EMISFACT VOL31	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
665	EMISFACT VOL31	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	** Saturday:	
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
670	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
672	** Sunday:	
673	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
675	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	** WeekDays:	
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
680	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	** Saturday:	
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
685	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
687	** Sunday:	
688	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
690	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	** WeekDays:	
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
695	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	** Saturday:	
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
700	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
702	** Sunday:	
703	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
705	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	** WeekDays:	
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
710	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	** Saturday:	
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
715	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
717	** Sunday:	
718	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
720	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	** WeekDays:	
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
725	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	** Saturday:	
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
730	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
732	** Sunday:	
733	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
735	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	** WeekDays:	
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
740	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	** Saturday:	
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
745	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
747	** Sunday:	
748	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
750	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	** WeekDays:	
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
755	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	** Saturday:	
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
760	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
762	** Sunday:	
763	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
765	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	** WeekDays:	
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
770	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	** Saturday:	
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
775	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
777	** Sunday:	
778	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
780	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	** WeekDays:	
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
785	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	** Saturday:	
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
790	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	EMISFACT VOL44	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
860	EMISFACT VOL44	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	** Saturday:	
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
865	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
867	** Sunday:	
868	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
870	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	** WeekDays:	
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
875	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	** Saturday:	
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
880	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
882	** Sunday:	
883	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
885	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	** WeekDays:	
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
890	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	** Saturday:	
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
895	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
897	** Sunday:	
898	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
900	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	** WeekDays:	
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
905	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	** Saturday:	
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
910	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
912	** Sunday:	
913	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
915	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	** WeekDays:	
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
920	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	** Saturday:	
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

924	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
925	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
926	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
927	** Sunday:	
928	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
929	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
930	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
931	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
932	** WeekDays:	
933	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
934	EMISFACT VOL49	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
935	EMISFACT VOL49	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
936	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
937	** Saturday:	
938	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
939	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
940	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
941	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
942	** Sunday:	
943	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
944	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
945	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
946	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
947	** WeekDays:	
948	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
949	EMISFACT VOL50	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
950	EMISFACT VOL50	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
951	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
952	** Saturday:	
953	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
954	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
955	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
956	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
957	** Sunday:	
958	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
959	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
960	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
961	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
962	** WeekDays:	
963	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
964	EMISFACT VOL51	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
965	EMISFACT VOL51	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
966	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
967	** Saturday:	
968	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
969	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
970	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
971	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
972	** Sunday:	
973	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
974	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
975	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
976	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
977	** WeekDays:	
978	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
979	EMISFACT VOL52	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
980	EMISFACT VOL52	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
981	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
982	** Saturday:	
983	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
984	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
985	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
986	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
987	** Sunday:	
988	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
989	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	** WeekDays:	
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	EMISFACT VOL53	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
995	EMISFACT VOL53	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	** Saturday:	
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1000	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1002	** Sunday:	
1003	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1005	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	** WeekDays:	
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1010	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	** Saturday:	
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1015	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1017	** Sunday:	
1018	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1020	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	** WeekDays:	
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1025	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	** Saturday:	
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1030	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1032	** Sunday:	
1033	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1035	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	** WeekDays:	
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1040	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	** Saturday:	
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1045	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1047	** Sunday:	
1048	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1050	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	** WeekDays:	
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1055	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

1056	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1057	** Saturday:	
1058	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1059	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1060	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1061	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1062	** Sunday:	
1063	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1064	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1065	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1066	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1067	** WeekDays:	
1068	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1069	EMISFACT VOL58	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1070	EMISFACT VOL58	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1071	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1072	** Saturday:	
1073	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1074	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1075	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1076	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1077	** Sunday:	
1078	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1079	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1080	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1081	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1082	** WeekDays:	
1083	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1084	EMISFACT VOL59	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1085	EMISFACT VOL59	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1086	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1087	** Saturday:	
1088	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1089	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1090	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1091	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1092	** Sunday:	
1093	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1094	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1095	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1096	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1097	** WeekDays:	
1098	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1099	EMISFACT VOL60	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1100	EMISFACT VOL60	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1101	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1102	** Saturday:	
1103	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1104	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1105	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1106	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1107	** Sunday:	
1108	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1109	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1110	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1111	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1112	** WeekDays:	
1113	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1114	EMISFACT VOL61	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1115	EMISFACT VOL61	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1116	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1117	** Saturday:	
1118	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1119	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1120	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1121	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1189	EMISFACT	VOL66	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1190	EMISFACT	VOL66	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1191	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1192	**	Saturday:							
1193	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1194	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1195	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1196	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1197	**	Sunday:							
1198	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1199	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1200	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1201	EMISFACT	VOL66	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1202	**	WeekDays:							
1203	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1204	EMISFACT	VOL67	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1205	EMISFACT	VOL67	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1206	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1207	**	Saturday:							
1208	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1209	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1210	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1211	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1212	**	Sunday:							
1213	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1214	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1215	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1216	EMISFACT	VOL67	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1217	**	WeekDays:							
1218	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1219	EMISFACT	VOL68	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1220	EMISFACT	VOL68	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1221	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1222	**	Saturday:							
1223	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1224	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1225	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1226	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1227	**	Sunday:							
1228	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1229	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1230	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1231	EMISFACT	VOL68	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1232	**	WeekDays:							
1233	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1234	EMISFACT	VOL69	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1235	EMISFACT	VOL69	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1236	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1237	**	Saturday:							
1238	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1239	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1240	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1241	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1242	**	Sunday:							
1243	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1244	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1245	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1246	EMISFACT	VOL69	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1247	**	WeekDays:							
1248	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1249	EMISFACT	VOL70	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1250	EMISFACT	VOL70	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1251	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1252	**	Saturday:							
1253	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1254	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1255	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1256	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1257	**	Sunday:							
1258	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1259	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1260	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1261	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1262	**	WeekDays:							
1263	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1264	EMISFACT	VOL71	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1265	EMISFACT	VOL71	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1266	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1267	**	Saturday:							
1268	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1269	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1270	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1271	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1272	**	Sunday:							
1273	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1274	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1275	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1276	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1277	**	WeekDays:							
1278	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1279	EMISFACT	VOL72	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1280	EMISFACT	VOL72	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1281	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1282	**	Saturday:							
1283	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1284	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1285	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1286	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1287	**	Sunday:							
1288	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1289	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1290	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1291	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1292	**	WeekDays:							
1293	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1294	EMISFACT	VOL73	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1295	EMISFACT	VOL73	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1296	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1297	**	Saturday:							
1298	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1299	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1300	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1301	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1302	**	Sunday:							
1303	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1304	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1305	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1306	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1307	**	WeekDays:							
1308	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1309	EMISFACT	VOL74	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1310	EMISFACT	VOL74	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1311	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1312	**	Saturday:							
1313	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1314	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1315	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1316	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1317	**	Sunday:							
1318	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1319	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	** WeekDays:	
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	EMISFACT VOL75	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1325	EMISFACT VOL75	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	** Saturday:	
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1330	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1332	** Sunday:	
1333	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1335	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	** WeekDays:	
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1340	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	** Saturday:	
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1345	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1347	** Sunday:	
1348	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1350	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	** WeekDays:	
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1355	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	** Saturday:	
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1360	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1362	** Sunday:	
1363	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1365	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	** WeekDays:	
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1370	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	** Saturday:	
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1375	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1377	** Sunday:	
1378	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1380	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	** WeekDays:	
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1385	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387 ** Saturday:
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1390     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1392 ** Sunday:
1393     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1395     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397 ** WeekDays:
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1400     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402 ** Saturday:
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1405     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1407 ** Sunday:
1408     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1410     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412 ** WeekDays:
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1415     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417 ** Saturday:
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1420     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1421     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1422 ** Sunday:
1423     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1424     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1425     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1426     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1427 ** WeekDays:
1428     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1429     EMISFACT PAREA1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1430     EMISFACT PAREA1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1431     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1432 ** Saturday:
1433     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1434     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1435     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1436     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1437 ** Sunday:
1438     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1439     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1440     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1441     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1442     SRCGROUP ALL
1443 SO FINISHED
1444 **
1445 *****
1446 ** AERMOD Receptor Pathway
1447 *****
1448 **
1449 **
1450 RE STARTING
1451 INCLUDED "15496 Cons PM25.rou"

```

```
1452 RE FINISHED
1453 **
1454 *****
1455 ** AERMOD Meteorology Pathway
1456 *****
1457 **
1458 **
1459 ME STARTING
1460     SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1461     PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1462     SURFDATA 3171 2010
1463     UAIRDATA 3190 2010
1464     SITEDATA 99999 2010
1465     PROFBASE 442.0 METERS
1466 ME FINISHED
1467 **
1468 *****
1469 ** AERMOD Output Pathway
1470 *****
1471 **
1472 **
1473 OU STARTING
1474     RECTABLE ALLAVE 1ST
1475     RECTABLE 24 1ST
1476 ** Auto-Generated Plotfiles
1477     PLOTFILE 24 ALL 1ST "15496 CONS PM25.AD\24H1GALL.PLT" 31
1478     SUMMFILE "15496 Cons PM25.sum"
1479 OU FINISHED
1480 **
1481 *****
1482 ** Project Parameters
1483 *****
1484 ** PROJCTN CoordinateSystemUTM
1485 ** DESCPTN UTM: Universal Transverse Mercator
1486 ** DATUM North American Datum 1983
1487 ** DTMRGN CONUS
1488 ** UNITS m
1489 ** ZONE 11
1490 ** ZONEINX 0
1491 **
1492
```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Cons
   PM25\15496 Cons PM25.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_2.5
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Cons PM25.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```


66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000	
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000	
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000	
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060	
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710	
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000	
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000	
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000	
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030	
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000	
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000	
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000	
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000	
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910	
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000	
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000	
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130	
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000	
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000	
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710	
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000	
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330	
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980	
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000	
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340	
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860	
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000	
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910	
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020	
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000	
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950	
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160	
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000	
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000	
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000	
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490	
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000	
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000	
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290	
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960	
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000	
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000	
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960	
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000	
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000	
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510	
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670	
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000	
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000	
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560	
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000	
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000	
118	LOCATION PAREA1	AREAPOLY	477448.461	3744922.560	450.380	
119	** Source Parameters **					
120	SRCPARAM VOL1		0.0000328468	5.000	9.349	1.400
121	SRCPARAM VOL2		0.0000328468	5.000	9.349	1.400
122	SRCPARAM VOL3		0.0000328468	5.000	9.349	1.400
123	SRCPARAM VOL4		0.0000328468	5.000	9.349	1.400
124	SRCPARAM VOL5		0.0000328468	5.000	9.349	1.400
125	SRCPARAM VOL6		0.0000328468	5.000	9.349	1.400
126	SRCPARAM VOL7		0.0000328468	5.000	9.349	1.400
127	SRCPARAM VOL8		0.0000328468	5.000	9.349	1.400
128	SRCPARAM VOL9		0.0000328468	5.000	9.349	1.400
129	SRCPARAM VOL10		0.0000328468	5.000	9.349	1.400
130	SRCPARAM VOL11		0.0000328468	5.000	9.349	1.400
131	SRCPARAM VOL12		0.0000328468	5.000	9.349	1.400

198	SRCPARAM	VOL79	0.0000328468	5.000	9.349	1.400
199	SRCPARAM	VOL80	0.0000328468	5.000	9.349	1.400
200	SRCPARAM	VOL81	0.0000328468	5.000	9.349	1.400
201	SRCPARAM	PAREA1	1.3071E-07	0.000	12	1.000
202	AREAVERT	PAREA1	477448.461	3744922.560	477641.593	3744922.560
203	AREAVERT	PAREA1	477640.896	3744776.839	477847.973	3744771.261
204	AREAVERT	PAREA1	477848.670	3744731.519	477640.896	3744733.611
205	AREAVERT	PAREA1	477640.896	3744530.717	477841.000	3744530.717
206	AREAVERT	PAREA1	477843.789	3744431.711	477599.759	3744431.014
207	AREAVERT	PAREA1	477599.759	3744464.481	477447.066	3744463.783
208	URBANSRC	ALL				

209

210 ** Variable Emissions Type: "By Hour / Day (HRDOW)"

211 ** Variable Emission Scenario: "Scenario 1"

212 ** WeekDays:

213	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
214	EMISFACT	VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
215	EMISFACT	VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
216	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

217 ** Saturday:

218	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
219	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
220	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
221	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

222 ** Sunday:

223	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
224	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
225	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
226	EMISFACT	VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

227 ** WeekDays:

228	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
229	EMISFACT	VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
230	EMISFACT	VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
231	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

232 ** Saturday:

233	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
234	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
235	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
236	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

237 ** Sunday:

238	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
239	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
240	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
241	EMISFACT	VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

242 ** WeekDays:

243	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
244	EMISFACT	VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
245	EMISFACT	VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
246	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

247 ** Saturday:

248	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
249	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
250	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
251	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

252 ** Sunday:

253	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
254	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
255	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
256	EMISFACT	VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

257 ** WeekDays:

258	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
259	EMISFACT	VOL4	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
260	EMISFACT	VOL4	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
261	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

262 ** Saturday:

263	EMISFACT	VOL4	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
-----	----------	------	-------	-----	-----	-----	-----	-----	-----

264	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
265	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
266	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
267	** Sunday:	
268	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
269	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
270	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
271	EMISFACT VOL4	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
272	** WeekDays:	
273	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
274	EMISFACT VOL5	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
275	EMISFACT VOL5	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
276	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
277	** Saturday:	
278	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
279	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
280	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
281	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
282	** Sunday:	
283	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
284	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
285	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
286	EMISFACT VOL5	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
287	** WeekDays:	
288	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
289	EMISFACT VOL6	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
290	EMISFACT VOL6	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
291	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
292	** Saturday:	
293	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
294	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
295	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
296	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
297	** Sunday:	
298	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
299	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
300	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
301	EMISFACT VOL6	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
302	** WeekDays:	
303	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
304	EMISFACT VOL7	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
305	EMISFACT VOL7	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
306	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
307	** Saturday:	
308	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
309	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
310	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
311	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
312	** Sunday:	
313	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
314	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
315	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
316	EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
317	** WeekDays:	
318	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
319	EMISFACT VOL8	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
320	EMISFACT VOL8	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
321	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
322	** Saturday:	
323	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
324	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
325	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
326	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
327	** Sunday:	
328	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
329	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

330	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
331	EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
332	** WeekDays:	
333	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
334	EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
335	EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
336	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
337	** Saturday:	
338	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
339	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
340	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
341	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
342	** Sunday:	
343	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
344	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
345	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
346	EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
347	** WeekDays:	
348	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
349	EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
350	EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
351	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
352	** Saturday:	
353	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
354	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
355	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
356	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
357	** Sunday:	
358	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
359	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
360	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
361	EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
362	** WeekDays:	
363	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
364	EMISFACT VOL11	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
365	EMISFACT VOL11	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
366	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
367	** Saturday:	
368	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
369	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
370	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
371	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
372	** Sunday:	
373	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
374	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
375	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
376	EMISFACT VOL11	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
377	** WeekDays:	
378	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
379	EMISFACT VOL12	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
380	EMISFACT VOL12	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
381	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
382	** Saturday:	
383	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
384	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
385	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
386	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
387	** Sunday:	
388	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
389	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
390	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
391	EMISFACT VOL12	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
392	** WeekDays:	
393	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
394	EMISFACT VOL13	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
395	EMISFACT VOL13	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

396	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
397	** Saturday:	
398	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
399	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
400	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
401	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
402	** Sunday:	
403	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
404	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
405	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
406	EMISFACT VOL13	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
407	** WeekDays:	
408	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
409	EMISFACT VOL14	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
410	EMISFACT VOL14	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
411	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
412	** Saturday:	
413	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
414	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
415	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
416	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
417	** Sunday:	
418	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
419	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
420	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
421	EMISFACT VOL14	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
422	** WeekDays:	
423	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
424	EMISFACT VOL15	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
425	EMISFACT VOL15	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
426	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
427	** Saturday:	
428	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
429	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
430	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
431	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
432	** Sunday:	
433	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
434	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
435	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
436	EMISFACT VOL15	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
437	** WeekDays:	
438	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
439	EMISFACT VOL16	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
440	EMISFACT VOL16	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
441	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
442	** Saturday:	
443	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
444	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
445	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
446	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
447	** Sunday:	
448	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
449	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
450	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
451	EMISFACT VOL16	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
452	** WeekDays:	
453	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
454	EMISFACT VOL17	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
455	EMISFACT VOL17	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
456	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
457	** Saturday:	
458	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
459	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
460	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
461	EMISFACT VOL17	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

528	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
529	EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
530	EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
531	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
532	** Saturday:	
533	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
534	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
535	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
536	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
537	** Sunday:	
538	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
539	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
540	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
541	EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
542	** WeekDays:	
543	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
544	EMISFACT VOL23	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
545	EMISFACT VOL23	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
546	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
547	** Saturday:	
548	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
549	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
550	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
551	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
552	** Sunday:	
553	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
554	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
555	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
556	EMISFACT VOL23	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
557	** WeekDays:	
558	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
559	EMISFACT VOL24	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
560	EMISFACT VOL24	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
561	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
562	** Saturday:	
563	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
564	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
565	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
566	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
567	** Sunday:	
568	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
569	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
570	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
571	EMISFACT VOL24	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
572	** WeekDays:	
573	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
574	EMISFACT VOL25	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
575	EMISFACT VOL25	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
576	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
577	** Saturday:	
578	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
579	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
580	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
581	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
582	** Sunday:	
583	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
584	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
585	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
586	EMISFACT VOL25	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
587	** WeekDays:	
588	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
589	EMISFACT VOL26	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
590	EMISFACT VOL26	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
591	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
592	** Saturday:	
593	EMISFACT VOL26	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

594	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
595	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
596	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
597	**	Sunday:							
598	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
599	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
600	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
601	EMISFACT	VOL26	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
602	**	WeekDays:							
603	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
604	EMISFACT	VOL27	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
605	EMISFACT	VOL27	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
606	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
607	**	Saturday:							
608	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
609	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
610	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
611	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
612	**	Sunday:							
613	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
614	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
615	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
616	EMISFACT	VOL27	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
617	**	WeekDays:							
618	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
619	EMISFACT	VOL28	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
620	EMISFACT	VOL28	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
621	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
622	**	Saturday:							
623	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
624	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
625	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
626	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
627	**	Sunday:							
628	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
629	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
630	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
631	EMISFACT	VOL28	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
632	**	WeekDays:							
633	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
634	EMISFACT	VOL29	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
635	EMISFACT	VOL29	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
636	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
637	**	Saturday:							
638	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
639	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
640	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
641	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
642	**	Sunday:							
643	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
644	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
645	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
646	EMISFACT	VOL29	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
647	**	WeekDays:							
648	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
649	EMISFACT	VOL30	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
650	EMISFACT	VOL30	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
651	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
652	**	Saturday:							
653	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
654	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
655	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
656	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
657	**	Sunday:							
658	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
659	EMISFACT	VOL30	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

660	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
661	EMISFACT VOL30	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
662	** WeekDays:	
663	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
664	EMISFACT VOL31	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
665	EMISFACT VOL31	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
666	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
667	** Saturday:	
668	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
669	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
670	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
671	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
672	** Sunday:	
673	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
674	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
675	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
676	EMISFACT VOL31	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
677	** WeekDays:	
678	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
679	EMISFACT VOL32	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
680	EMISFACT VOL32	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
681	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
682	** Saturday:	
683	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
684	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
685	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
686	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
687	** Sunday:	
688	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
689	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
690	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
691	EMISFACT VOL32	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
692	** WeekDays:	
693	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
694	EMISFACT VOL33	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
695	EMISFACT VOL33	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
696	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
697	** Saturday:	
698	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
699	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
700	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
701	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
702	** Sunday:	
703	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
704	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
705	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
706	EMISFACT VOL33	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
707	** WeekDays:	
708	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
709	EMISFACT VOL34	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
710	EMISFACT VOL34	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
711	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
712	** Saturday:	
713	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
714	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
715	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
716	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
717	** Sunday:	
718	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
719	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
720	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
721	EMISFACT VOL34	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
722	** WeekDays:	
723	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
724	EMISFACT VOL35	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
725	EMISFACT VOL35	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

726	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
727	** Saturday:	
728	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
729	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
730	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
731	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
732	** Sunday:	
733	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
734	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
735	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
736	EMISFACT VOL35	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
737	** WeekDays:	
738	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
739	EMISFACT VOL36	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
740	EMISFACT VOL36	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
741	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
742	** Saturday:	
743	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
744	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
745	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
746	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
747	** Sunday:	
748	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
749	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
750	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
751	EMISFACT VOL36	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
752	** WeekDays:	
753	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
754	EMISFACT VOL37	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
755	EMISFACT VOL37	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
756	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
757	** Saturday:	
758	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
759	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
760	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
761	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
762	** Sunday:	
763	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
764	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
765	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
766	EMISFACT VOL37	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
767	** WeekDays:	
768	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
769	EMISFACT VOL38	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
770	EMISFACT VOL38	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
771	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
772	** Saturday:	
773	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
774	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
775	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
776	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
777	** Sunday:	
778	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
779	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
780	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
781	EMISFACT VOL38	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
782	** WeekDays:	
783	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
784	EMISFACT VOL39	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
785	EMISFACT VOL39	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
786	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
787	** Saturday:	
788	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
789	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
790	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
791	EMISFACT VOL39	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

858	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
859	EMISFACT VOL44	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
860	EMISFACT VOL44	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
861	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
862	** Saturday:	
863	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
864	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
865	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
866	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
867	** Sunday:	
868	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
869	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
870	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
871	EMISFACT VOL44	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
872	** WeekDays:	
873	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
874	EMISFACT VOL45	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
875	EMISFACT VOL45	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
876	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
877	** Saturday:	
878	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
879	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
880	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
881	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
882	** Sunday:	
883	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
884	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
885	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
886	EMISFACT VOL45	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
887	** WeekDays:	
888	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
889	EMISFACT VOL46	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
890	EMISFACT VOL46	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
891	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
892	** Saturday:	
893	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
894	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
895	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
896	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
897	** Sunday:	
898	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
899	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
900	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
901	EMISFACT VOL46	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
902	** WeekDays:	
903	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
904	EMISFACT VOL47	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
905	EMISFACT VOL47	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
906	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
907	** Saturday:	
908	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
909	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
910	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
911	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
912	** Sunday:	
913	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
914	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
915	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
916	EMISFACT VOL47	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
917	** WeekDays:	
918	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
919	EMISFACT VOL48	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
920	EMISFACT VOL48	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
921	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
922	** Saturday:	
923	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

924	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
925	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
926	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
927	** Sunday:	
928	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
929	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
930	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
931	EMISFACT VOL48	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
932	** WeekDays:	
933	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
934	EMISFACT VOL49	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
935	EMISFACT VOL49	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
936	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
937	** Saturday:	
938	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
939	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
940	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
941	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
942	** Sunday:	
943	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
944	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
945	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
946	EMISFACT VOL49	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
947	** WeekDays:	
948	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
949	EMISFACT VOL50	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
950	EMISFACT VOL50	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
951	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
952	** Saturday:	
953	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
954	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
955	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
956	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
957	** Sunday:	
958	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
959	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
960	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
961	EMISFACT VOL50	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
962	** WeekDays:	
963	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
964	EMISFACT VOL51	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
965	EMISFACT VOL51	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
966	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
967	** Saturday:	
968	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
969	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
970	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
971	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
972	** Sunday:	
973	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
974	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
975	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
976	EMISFACT VOL51	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
977	** WeekDays:	
978	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
979	EMISFACT VOL52	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
980	EMISFACT VOL52	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
981	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
982	** Saturday:	
983	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
984	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
985	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
986	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
987	** Sunday:	
988	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
989	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

990	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
991	EMISFACT VOL52	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
992	** WeekDays:	
993	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
994	EMISFACT VOL53	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
995	EMISFACT VOL53	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
996	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
997	** Saturday:	
998	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
999	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1000	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1001	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1002	** Sunday:	
1003	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1004	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1005	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1006	EMISFACT VOL53	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1007	** WeekDays:	
1008	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1009	EMISFACT VOL54	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1010	EMISFACT VOL54	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1011	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1012	** Saturday:	
1013	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1014	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1015	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1016	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1017	** Sunday:	
1018	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1019	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1020	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1021	EMISFACT VOL54	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1022	** WeekDays:	
1023	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1024	EMISFACT VOL55	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1025	EMISFACT VOL55	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1026	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1027	** Saturday:	
1028	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1029	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1030	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1031	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1032	** Sunday:	
1033	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1034	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1035	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1036	EMISFACT VOL55	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1037	** WeekDays:	
1038	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1039	EMISFACT VOL56	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1040	EMISFACT VOL56	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1041	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1042	** Saturday:	
1043	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1044	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1045	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1046	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1047	** Sunday:	
1048	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1049	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1050	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1051	EMISFACT VOL56	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1052	** WeekDays:	
1053	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1054	EMISFACT VOL57	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1055	EMISFACT VOL57	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

1056	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1057	** Saturday:	
1058	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1059	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1060	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1061	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1062	** Sunday:	
1063	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1064	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1065	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1066	EMISFACT VOL57	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1067	** WeekDays:	
1068	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1069	EMISFACT VOL58	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1070	EMISFACT VOL58	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1071	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1072	** Saturday:	
1073	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1074	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1075	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1076	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1077	** Sunday:	
1078	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1079	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1080	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1081	EMISFACT VOL58	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1082	** WeekDays:	
1083	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1084	EMISFACT VOL59	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1085	EMISFACT VOL59	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1086	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1087	** Saturday:	
1088	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1089	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1090	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1091	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1092	** Sunday:	
1093	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1094	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1095	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1096	EMISFACT VOL59	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1097	** WeekDays:	
1098	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1099	EMISFACT VOL60	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1100	EMISFACT VOL60	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1101	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1102	** Saturday:	
1103	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1104	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1105	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1106	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1107	** Sunday:	
1108	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1109	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1110	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1111	EMISFACT VOL60	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1112	** WeekDays:	
1113	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1114	EMISFACT VOL61	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1115	EMISFACT VOL61	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1116	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1117	** Saturday:	
1118	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1119	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1120	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1121	EMISFACT VOL61	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1188	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1189	EMISFACT VOL66	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1190	EMISFACT VOL66	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1191	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1192	** Saturday:	
1193	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1194	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1195	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1196	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1197	** Sunday:	
1198	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1199	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1200	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1201	EMISFACT VOL66	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1202	** WeekDays:	
1203	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1204	EMISFACT VOL67	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1205	EMISFACT VOL67	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1206	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1207	** Saturday:	
1208	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1209	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1210	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1211	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1212	** Sunday:	
1213	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1214	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1215	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1216	EMISFACT VOL67	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1217	** WeekDays:	
1218	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1219	EMISFACT VOL68	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1220	EMISFACT VOL68	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1221	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1222	** Saturday:	
1223	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1224	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1225	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1226	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1227	** Sunday:	
1228	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1229	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1230	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1231	EMISFACT VOL68	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1232	** WeekDays:	
1233	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1234	EMISFACT VOL69	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1235	EMISFACT VOL69	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1236	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1237	** Saturday:	
1238	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1239	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1240	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1241	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1242	** Sunday:	
1243	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1244	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1245	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1246	EMISFACT VOL69	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1247	** WeekDays:	
1248	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1249	EMISFACT VOL70	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1250	EMISFACT VOL70	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1251	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1252	** Saturday:	
1253	EMISFACT VOL70	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

1254	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1255	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1256	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1257	**	Sunday:							
1258	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1259	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1260	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1261	EMISFACT	VOL70	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1262	**	WeekDays:							
1263	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1264	EMISFACT	VOL71	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1265	EMISFACT	VOL71	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1266	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1267	**	Saturday:							
1268	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1269	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1270	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1271	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1272	**	Sunday:							
1273	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1274	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1275	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1276	EMISFACT	VOL71	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1277	**	WeekDays:							
1278	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1279	EMISFACT	VOL72	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1280	EMISFACT	VOL72	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1281	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1282	**	Saturday:							
1283	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1284	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1285	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1286	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1287	**	Sunday:							
1288	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1289	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1290	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1291	EMISFACT	VOL72	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1292	**	WeekDays:							
1293	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1294	EMISFACT	VOL73	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1295	EMISFACT	VOL73	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1296	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1297	**	Saturday:							
1298	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1299	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1300	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1301	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1302	**	Sunday:							
1303	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1304	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1305	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1306	EMISFACT	VOL73	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1307	**	WeekDays:							
1308	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1309	EMISFACT	VOL74	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
1310	EMISFACT	VOL74	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
1311	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1312	**	Saturday:							
1313	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1314	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1315	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1316	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1317	**	Sunday:							
1318	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
1319	EMISFACT	VOL74	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

1320	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1321	EMISFACT VOL74	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1322	** WeekDays:	
1323	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1324	EMISFACT VOL75	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1325	EMISFACT VOL75	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1326	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1327	** Saturday:	
1328	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1329	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1330	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1331	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1332	** Sunday:	
1333	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1334	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1335	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1336	EMISFACT VOL75	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1337	** WeekDays:	
1338	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1339	EMISFACT VOL76	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1340	EMISFACT VOL76	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1341	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1342	** Saturday:	
1343	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1344	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1345	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1346	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1347	** Sunday:	
1348	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1349	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1350	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1351	EMISFACT VOL76	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1352	** WeekDays:	
1353	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1354	EMISFACT VOL77	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1355	EMISFACT VOL77	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1356	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1357	** Saturday:	
1358	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1359	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1360	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1361	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1362	** Sunday:	
1363	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1364	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1365	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1366	EMISFACT VOL77	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1367	** WeekDays:	
1368	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1369	EMISFACT VOL78	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1370	EMISFACT VOL78	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1371	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1372	** Saturday:	
1373	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1374	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1375	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1376	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1377	** Sunday:	
1378	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1379	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1380	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1381	EMISFACT VOL78	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1382	** WeekDays:	
1383	EMISFACT VOL79	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1384	EMISFACT VOL79	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1385	EMISFACT VOL79	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0

```

1386     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1387 ** Saturday:
1388     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1389     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1390     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1391     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1392 ** Sunday:
1393     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1394     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1395     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1396     EMISFACT VOL79           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1397 ** WeekDays:
1398     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1399     EMISFACT VOL80           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1400     EMISFACT VOL80           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1401     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1402 ** Saturday:
1403     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1404     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1405     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1406     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1407 ** Sunday:
1408     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1409     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1410     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1411     EMISFACT VOL80           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1412 ** WeekDays:
1413     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1414     EMISFACT VOL81           HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1415     EMISFACT VOL81           HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1416     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1417 ** Saturday:
1418     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1419     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1420     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1421     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1422 ** Sunday:
1423     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1424     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1425     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1426     EMISFACT VOL81           HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1427 ** WeekDays:
1428     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1429     EMISFACT PAREA1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
1430     EMISFACT PAREA1         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
1431     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1432 ** Saturday:
1433     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1434     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1435     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1436     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1437 ** Sunday:
1438     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1439     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1440     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1441     EMISFACT PAREA1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
1442     SRCGROUP ALL
1443 SO FINISHED
1444 **
1445 *****
1446 ** AERMOD Receptor Pathway
1447 *****
1448 **
1449 **
1450 RE STARTING
1451 INCLUDED "15496 Cons PM25.rou"

```

```

1452 RE FINISHED
1453 **
1454 *****
1455 ** AERMOD Meteorology Pathway
1456 *****
1457 **
1458 **
1459 ME STARTING
1460 SURFFILE PERI_V9_ADJU\PERI_v9.SFC
1461 PROFFILE PERI_V9_ADJU\PERI_v9.PFL
1462 SURFDATA 3171 2010
1463 UAIRDATA 3190 2010
1464 SITEDATA 99999 2010
1465 PROFBASE 442.0 METERS
1466 ME FINISHED
1467 **
1468 *****
1469 ** AERMOD Output Pathway
1470 *****
1471 **
1472 **
1473 OU STARTING
1474 RECTABLE ALLAVE 1ST
1475 RECTABLE 24 1ST
1476 ** Auto-Generated Plotfiles
1477 PLOTFILE 24 ALL 1ST "15496 CONS PM25.AD\24H1GALL.PLT" 31
1478 SUMMFILE "15496 Cons PM25.sum"
1479 OU FINISHED
1480
1481
1482 *** Message Summary For AERMOD Model Setup ***
1483
1484 ----- Summary of Total Messages -----
1485
1486 A Total of          0 Fatal Error Message(s)
1487 A Total of          2 Warning Message(s)
1488 A Total of          0 Informational Message(s)
1489
1490
1491 ***** FATAL ERROR MESSAGES *****
1492             *** NONE ***
1493
1494
1495 ***** WARNING MESSAGES *****
1496 ME W186    1466      MEOpen: THRESH_1MIN 1-min ASOS wind speed threshold
1497 used              0.50
1498 ME W187    1466      MEOpen: ADJ_U* Option for Stable Low Winds used in
1499 AERMET
1500
1501 *****
1502 *** SETUP Finishes Successfully ***
1503 *****
1504 HP *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
1505 Ramona and Webster\15496 ***          04/23/24
1506 *** AERMET - VERSION 16216 ***
1507 ***
1508 10:54:07
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

```

```

1511 ** Model Options Selected:
1512 * Model Uses Regulatory DEFAULT Options
1513 * Model Is Setup For Calculation of Average CONCentration Values.
1514 * NO GAS DEPOSITION Data Provided.
1515 * NO PARTICLE DEPOSITION Data Provided.
1516 * Model Uses NO DRY DEPLETION. DDPLETE = F
1517 * Model Uses NO WET DEPLETION. WETDPLT = F
1518 * Stack-tip Downwash.
1519 * Model Accounts for ELEVated Terrain Effects.
1520 * Use Calms Processing Routine.
1521 * Use Missing Data Processing Routine.
1522 * No Exponential Decay.
1523 * Model Uses URBAN Dispersion Algorithm for the SBL for 82 Source(s),
1524 for Total of 1 Urban Area(s):
1525 Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
1526 * Urban Roughness Length of 1.0 Meter Used.
1527 * ADJ_U* - Use ADJ_U* option for SBL in AERMET
1528 * CCVR_Sub - Meteorological data includes CCVR substitutions
1529 * TEMP_Sub - Meteorological data includes TEMP substitutions
1530 * Model Accepts FLAGPOLE Receptor . Heights.
1531 * The User Specified a Pollutant Type of: PM_2.5
1532
1533 **Model Calculates 1 Short Term Average(s) of: 24-HR
1534
1535 **This Run Includes: 82 Source(s); 1 Source Group(s); and 66 Receptor(s)
1536
1537 with: 0 POINT(s), including
1538 0 POINTCAP(s) and 0 POINTHOR(s)
1539 and: 81 VOLUME source(s)
1540 and: 1 AREA type source(s)
1541 and: 0 LINE source(s)
1542 and: 0 RLINE/RLINEXT source(s)
1543 and: 0 OPENPIT source(s)
1544 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
1545 and: 0 SWPOINT source(s)
1546
1547
1548 **Model Set To Continue RUNning After the Setup Testing.
1549
1550 **The AERMET Input Meteorological Data Version Date: 16216
1551
1552 **Output Options Selected:
1553 Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
1554 Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
1555 Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
1556
1557 **NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
1558 m for Missing Hours
1559 b for Both Calm and
Missing Hours
1560
1561 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.
= 0.000 ; Rot. Angle = 0.0
1562 Emission Units = GRAMS/SEC ; Emission
Rate Unit Factor = 0.10000E+07
1563 Output Units = MICROGRAMS/M**3
1564
1565 **Approximate Storage Requirements of Model = 3.6 MB of RAM.
1566
1567 **Input Runstream File:
aermod.inp
1568
1568 **Output Print File:
aermod.out

```

1569
 1570 **Detailed Error/Message File: 15496 Cons
 PM25.err
 1571 **File for Summary of Results: 15496 Cons
 PM25.sum
 1572 **PM** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1573 *** AERMET - VERSION 16216 ***

 10:54:07

1574
 1575 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1576
 1577
 1578
 1579

*** VOLUME SOURCE DATA ***

		NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
		INIT.	URBAN	EMISSION	AIRCRAFT			
1581	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY
1582	SZ	SOURCE	SCALAR	VARY				
1583	ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
	(METERS)		BY					
1584								
1585	VOL1	0	0.32847E-04	477827.9	3744751.3	448.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1586	VOL2	0	0.32847E-04	477788.0	3744752.1	448.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1587	VOL3	0	0.32847E-04	477747.5	3744752.6	448.7	5.00	9.35
	1.40	YES	HRDOW	NO				
1588	VOL4	0	0.32847E-04	477707.6	3744753.6	449.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1589	VOL5	0	0.32847E-04	477666.9	3744753.8	449.1	5.00	9.35
	1.40	YES	HRDOW	NO				
1590	VOL6	0	0.32847E-04	477468.7	3744902.9	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1591	VOL7	0	0.32847E-04	477509.6	3744902.4	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1592	VOL8	0	0.32847E-04	477550.0	3744901.5	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1593	VOL9	0	0.32847E-04	477590.9	3744901.9	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1594	VOL10	0	0.32847E-04	477621.3	3744901.9	449.6	5.00	9.35
	1.40	YES	HRDOW	NO				
1595	VOL11	0	0.32847E-04	477621.3	3744861.0	449.6	5.00	9.35
	1.40	YES	HRDOW	NO				
1596	VOL12	0	0.32847E-04	477580.4	3744861.5	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1597	VOL13	0	0.32847E-04	477540.0	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1598	VOL14	0	0.32847E-04	477499.6	3744861.0	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1599	VOL15	0	0.32847E-04	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES	HRDOW	NO				
1600	VOL16	0	0.32847E-04	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES	HRDOW	NO				
1601	VOL17	0	0.32847E-04	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1602	VOL18	0	0.32847E-04	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1603	VOL19	0	0.32847E-04	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES	HRDOW	NO				
1604	VOL20	0	0.32847E-04	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES	HRDOW	NO				

1605	VOL21		0	0.32847E-04	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES	HRDOW		NO				
1606	VOL22		0	0.32847E-04	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1607	VOL23		0	0.32847E-04	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1608	VOL24		0	0.32847E-04	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1609	VOL25		0	0.32847E-04	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1610	VOL26		0	0.32847E-04	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1611	VOL27		0	0.32847E-04	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES	HRDOW		NO				
1612	VOL28		0	0.32847E-04	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1613	VOL29		0	0.32847E-04	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1614	VOL30		0	0.32847E-04	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1615	VOL31		0	0.32847E-04	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1616	VOL32		0	0.32847E-04	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1617	VOL33		0	0.32847E-04	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES	HRDOW		NO				
1618	VOL34		0	0.32847E-04	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES	HRDOW		NO				
1619	VOL35		0	0.32847E-04	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1620	VOL36		0	0.32847E-04	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1621	VOL37		0	0.32847E-04	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1622	VOL38		0	0.32847E-04	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1623	VOL39		0	0.32847E-04	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1624	VOL40		0	0.32847E-04	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				

1625 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1626 *** AERMET - VERSION 16216 ***

 10:54:07

1627
 PAGE 3
 1628 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1629
 1630
 1631 *** VOLUME SOURCE DATA ***
 1632

	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.	
	INIT.	URBAN	EMISSION	AIRCRAFT				
1634	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY
1635	SZ	SOURCE	SCALAR	VARY				
	ID	CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
	(METERS)		BY					
1636	-	-	-	-	-	-	-	-
1637	-	-	-	-	-	-	-	-

1638	VOL41		0	0.32847E-04	477620.7	3744620.8	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1639	VOL42		0	0.32847E-04	477580.8	3744620.5	450.0	5.00	9.35
	1.40	YES	HRDOW		NO				
1640	VOL43		0	0.32847E-04	477540.8	3744620.3	450.9	5.00	9.35

1641	1.40	YES	HRDOW	NO	0	0.32847E-04	477500.8	3744620.5	451.0	5.00	9.35
1642	1.40	YES	HRDOW	NO	0	0.32847E-04	477468.8	3744620.5	451.0	5.00	9.35
1643	1.40	YES	HRDOW	NO	0	0.32847E-04	477469.1	3744580.5	451.1	5.00	9.35
1644	1.40	YES	HRDOW	NO	0	0.32847E-04	477509.0	3744580.5	451.0	5.00	9.35
1645	1.40	YES	HRDOW	NO	0	0.32847E-04	477549.2	3744580.3	451.0	5.00	9.35
1646	1.40	YES	HRDOW	NO	0	0.32847E-04	477588.7	3744580.5	450.7	5.00	9.35
1647	1.40	YES	HRDOW	NO	0	0.32847E-04	477621.0	3744580.8	450.0	5.00	9.35
1648	1.40	YES	HRDOW	NO	0	0.32847E-04	477620.7	3744540.8	450.3	5.00	9.35
1649	1.40	YES	HRDOW	NO	0	0.32847E-04	477581.0	3744540.2	451.0	5.00	9.35
1650	1.40	YES	HRDOW	NO	0	0.32847E-04	477540.9	3744540.1	451.0	5.00	9.35
1651	1.40	YES	HRDOW	NO	0	0.32847E-04	477500.6	3744540.3	451.3	5.00	9.35
1652	1.40	YES	HRDOW	NO	0	0.32847E-04	477469.0	3744540.5	451.9	5.00	9.35
1653	1.40	YES	HRDOW	NO	0	0.32847E-04	477468.7	3744500.2	452.0	5.00	9.35
1654	1.40	YES	HRDOW	NO	0	0.32847E-04	477508.8	3744500.2	451.9	5.00	9.35
1655	1.40	YES	HRDOW	NO	0	0.32847E-04	477549.1	3744499.8	451.0	5.00	9.35
1656	1.40	YES	HRDOW	NO	0	0.32847E-04	477589.6	3744500.0	451.0	5.00	9.35
1657	1.40	YES	HRDOW	NO	0	0.32847E-04	477620.2	3744500.2	450.9	5.00	9.35
1658	1.40	YES	HRDOW	NO	0	0.32847E-04	477660.7	3744510.6	450.2	5.00	9.35
1659	1.40	YES	HRDOW	NO	0	0.32847E-04	477700.6	3744510.6	450.0	5.00	9.35
1660	1.40	YES	HRDOW	NO	0	0.32847E-04	477741.1	3744510.4	450.0	5.00	9.35
1661	1.40	YES	HRDOW	NO	0	0.32847E-04	477781.2	3744510.2	450.0	5.00	9.35
1662	1.40	YES	HRDOW	NO	0	0.32847E-04	477821.9	3744510.4	449.5	5.00	9.35
1663	1.40	YES	HRDOW	NO	0	0.32847E-04	477823.4	3744451.3	450.0	5.00	9.35
1664	1.40	YES	HRDOW	NO	0	0.32847E-04	477783.1	3744451.3	450.0	5.00	9.35
1665	1.40	YES	HRDOW	NO	0	0.32847E-04	477742.6	3744451.3	450.3	5.00	9.35
1666	1.40	YES	HRDOW	NO	0	0.32847E-04	477702.5	3744451.1	451.0	5.00	9.35
1667	1.40	YES	HRDOW	NO	0	0.32847E-04	477662.4	3744451.1	451.0	5.00	9.35
1668	1.40	YES	HRDOW	NO	0	0.32847E-04	477621.7	3744451.3	451.0	5.00	9.35
1669	1.40	YES	HRDOW	NO	0	0.32847E-04	477822.1	3744480.6	450.0	5.00	9.35
1670	1.40	YES	HRDOW	NO	0	0.32847E-04	477781.8	3744480.6	450.0	5.00	9.35
1671	1.40	YES	HRDOW	NO	0	0.32847E-04	477741.3	3744480.4	450.0	5.00	9.35
1672	1.40	YES	HRDOW	NO	0	0.32847E-04	477701.0	3744480.4	450.5	5.00	9.35
1673	1.40	YES	HRDOW	NO	0	0.32847E-04	477660.5	3744480.4	450.7	5.00	9.35

1674 1.40 YES HRDOW NO
 VOL77 0 0.32847E-04 477620.6 3744480.4 451.0 5.00 9.35
 1675 1.40 YES HRDOW NO
 VOL78 0 0.32847E-04 477581.6 3744484.2 451.0 5.00 9.35
 1676 1.40 YES HRDOW NO
 VOL79 0 0.32847E-04 477541.1 3744484.6 451.6 5.00 9.35
 1677 1.40 YES HRDOW NO
 VOL80 0 0.32847E-04 477501.2 3744484.2 452.0 5.00 9.35
 1678 1.40 YES HRDOW NO

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1679 *** AERMET - VERSION 16216 ***

 10:54:07

1680

PAGE 4
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1681

1682

1683

1684

1685

1686

*** VOLUME SOURCE DATA ***

NUMBER EMISSION RATE		BASE	RELEASE	INIT.
SOURCE	INIT. URBAN EMISSION RATE	AIRCRAFT	ELEV.	HEIGHT
SZ	SOURCE SCALAR VARY	(GRAMS/SEC)	X	Y
ID	CATS.	(METERS)	(METERS)	(METERS)
(METERS)	BY	(METERS)	(METERS)	(METERS)

1687 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT SY
 1688 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
 1689 (METERS) BY (METERS) (METERS) (METERS) (METERS) (METERS)

1690

1691 VOL81 0 0.32847E-04 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES HRDOW NO

1692 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1693 *** AERMET - VERSION 16216 ***

 10:54:07

1694

PAGE 5
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1695

1696

1697

1698

1699

1700

*** AREAPOLY SOURCE DATA ***

NUMBER EMISSION RATE		LOCATION OF AREA	BASE	RELEASE	NUMBER
SOURCE	INIT. URBAN EMISSION RATE	AIRCRAFT	ELEV.	HEIGHT	OF VERTS.
SZ	SOURCE SCALAR VARY	(GRAMS/SEC)	X	Y	(METERS)
ID	CATS.	(METER**2)	(METERS)	(METERS)	(METERS)
(METERS)	BY	(METERS)	(METERS)	(METERS)	(METERS)

1701 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT OF VERTS.
 1702 ID CATS. /METER**2 (METERS) (METERS) (METERS) (METERS)
 1703 (METERS) BY (METERS) (METERS) (METERS) (METERS) (METERS)

1704

1705 PAREAL 0 0.13071E-06 477448.5 3744922.6 450.4 0.00 12
 1.00 YES HRDOW NO

1706 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

1707 *** AERMET - VERSION 16216 ***

 10:54:07

1708

PAGE 6
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1709

1710

1711

1712

*** SOURCE IDs DEFINING SOURCE GROUPS ***

```

1713
1714 SRCGROUP ID SOURCE IDs
1715 -----
1716
1717
1718 ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 ,
1719
1720 VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 ,
1721
1722 VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 ,
1723
1724 VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,
VOL30 , VOL31 , VOL32 ,
1725
1726 VOL33 , VOL34 , VOL35 , VOL36 , VOL37 ,
VOL38 , VOL39 , VOL40 ,
1727
1728 VOL41 , VOL42 , VOL43 , VOL44 , VOL45 ,
VOL46 , VOL47 , VOL48 ,
1729
1730 VOL49 , VOL50 , VOL51 , VOL52 , VOL53 ,
VOL54 , VOL55 , VOL56 ,
1731
1732 VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,
VOL62 , VOL63 , VOL64 ,
1733
1734 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
VOL70 , VOL71 , VOL72 ,
1735
1736 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
VOL78 , VOL79 , VOL80 ,
1737
1738 VOL81 , PAREA1 ,

```

```

1739 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

1740 *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

1741
1742 PAGE 7
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

1747 URBAN ID URBAN POP SOURCE IDs
1748 -----
1749
1750
1751 2189641. VOL1 , VOL2 , VOL3 , VOL4 ,
VOL5 , VOL6 , VOL7 ,
1752 VOL8 ,
1753
1754 VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 ,
1755
1756 VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 ,
1757
1758 VOL25 , VOL26 , VOL27 , VOL28 , VOL29 ,
VOL30 , VOL31 , VOL32 ,
1759
1760 VOL33 , VOL34 , VOL35 , VOL36 , VOL37 ,

```

1761 VOL38 , VOL39 , VOL40 ,
 1762 VOL41 , VOL42 , VOL43 , VOL44 , VOL45 ,
 VOL46 , VOL47 , VOL48 ,
 1763
 1764 VOL49 , VOL50 , VOL51 , VOL52 , VOL53 ,
 VOL54 , VOL55 , VOL56 ,
 1765
 1766 VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,
 VOL62 , VOL63 , VOL64 ,
 1767
 1768 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
 VOL70 , VOL71 , VOL72 ,
 1769
 1770 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
 VOL78 , VOL79 , VOL80 ,

1771
 1772 VOL81 , PAREAL ,
 1773 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1774 *** AERMET - VERSION 16216 ***
 *** ***
 10:54:07

1775
 1776 PAGE 8
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1777
 1778 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1779
 1780 SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :
 1781 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 1782 - - - - -

1783 DAY OF WEEK = WEEKDAY
 1784 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1785 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1786 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1787 DAY OF WEEK = SATURDAY
 1788 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1789 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1790 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1791 DAY OF WEEK = SUNDAY
 1792 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1793 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1794 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1795 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1796 *** AERMET - VERSION 16216 ***
 *** ***
 10:54:07

1797
 1798 PAGE 9
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1799
 1800 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

1801
 1802 SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :
 1803 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 1804 -----

1805 DAY OF WEEK = WEEKDAY
 1806 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1807 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1808 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1809 DAY OF WEEK = SATURDAY
 1810 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1811 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1812 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1813 DAY OF WEEK = SUNDAY
 1814 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1815 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1816 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1817 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 1818 *** AERMET - VERSION 16216 ***
 *** ***
 10:54:07

1819 PAGE 10
 1820 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 1821
 1822 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

1823 SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
 1824 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 1825 -----

1826 DAY OF WEEK = WEEKDAY
 1827 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1828 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 1829 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1830 DAY OF WEEK = SATURDAY
 1831 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1832 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1833 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1834 DAY OF WEEK = SUNDAY
 1835 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 1836 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 1837 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

1839 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1840 *** AERMET - VERSION 16216 ***

10:54:07

1841

PAGE 11

1842 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1843

1844 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1845

1846 SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

1847 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1848

1849 DAY OF WEEK = WEEKDAY

1850 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1851 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1852 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1853 DAY OF WEEK = SATURDAY

1854 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1855 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1856 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1857 DAY OF WEEK = SUNDAY

1858 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1859 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1860 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1861 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1862 *** AERMET - VERSION 16216 ***

10:54:07

1863

PAGE 12

1864 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1865

1866 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1867

1868 SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

1869 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1870

1871 DAY OF WEEK = WEEKDAY

1872 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1873 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

1874 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1875 DAY OF WEEK = SATURDAY

1876 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

1877 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

1878 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1880 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1881 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1882 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1883 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1884 *** AERMET - VERSION 16216 ***

10:54:07

1885

PAGE 13

1886 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1887

1888 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1889

1890 SOURCE ID = VOL6 ; SOURCE TYPE = VOLUME :
1891 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1892 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1894 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1895 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1896 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1897 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1898 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1899 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1901 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1902 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1903 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1904 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1905 *** AERMET - VERSION 16216 ***

10:54:07

1907

PAGE 14

1908 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1909

1910 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1911

1912 SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
1913 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1914 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1915

1916 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1917 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1918 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1919
1920 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1921 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1922 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1923
1924 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1925 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1926 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1927 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1928 *** AERMET - VERSION 16216 ***

10:54:07

1929

PAGE 15

1930 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1931

1932 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1933

1934 SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

1935 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1936

DAY OF WEEK = WEEKDAY

1937
1938 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1939 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1940 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1941
1942 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1943 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1944 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1945
1946 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1947 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1948 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1949 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1950 *** AERMET - VERSION 16216 ***

10:54:07

1951

PAGE 16

1952 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1953
1954

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1955

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

1957 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1958 - - - - -
- - - - -

1959 DAY OF WEEK = WEEKDAY

1960 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1961 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1962 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1963 DAY OF WEEK = SATURDAY

1964 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1965 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1966 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1967 DAY OF WEEK = SUNDAY

1968 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1969 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1970 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1971 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1972 *** AERMET - VERSION 16216 ***

10:54:07

1973

PAGE 17

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1974

1975

1976 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

1977

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :

1979 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

1980 - - - - -
- - - - -

1981 DAY OF WEEK = WEEKDAY

1982 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1983 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
1984 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1985 DAY OF WEEK = SATURDAY

1986 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1987 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
1988 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

1989 DAY OF WEEK = SUNDAY

1990 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
1991 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

1992 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22

.0000E+00 23 .0000E+00 24 .0000E+00

1993 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

1994 *** AERMET - VERSION 16216 ***

10:54:07

1995

PAGE 18

1996 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

1997

1998 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

1999

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

2000 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2001 SCALAR HOUR SCALAR HOUR SCALAR

2002 - - - - -
- - - - -

2003 DAY OF WEEK = WEEKDAY

2004 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2005 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2006 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2007 DAY OF WEEK = SATURDAY

2008 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2009 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2010 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2011 DAY OF WEEK = SUNDAY

2012 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2013 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2014 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2015 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2016 *** AERMET - VERSION 16216 ***

10:54:07

2017

PAGE 19

2018 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2019

2020 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2021

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :

2022 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2023 SCALAR HOUR SCALAR HOUR SCALAR

2024 - - - - -
- - - - -

2025 DAY OF WEEK = WEEKDAY

2026 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2027 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2028 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2029 DAY OF WEEK = SATURDAY

2030 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00  7 .0000E+00  8 .0000E+00
2031  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2032 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2033
2034 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2035  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2036 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2037 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2038 *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

2039
PAGE 20
2040 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2041
2042 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2043
2044 SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
2045 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2046 - - - - -
- - - - -

```

```

2047 DAY OF WEEK = WEEKDAY
2048 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2049  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2050 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2051 DAY OF WEEK = SATURDAY
2052 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2053  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2054 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2055 DAY OF WEEK = SUNDAY
2056 1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
.0000E+00  7 .0000E+00  8 .0000E+00
2057  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2058 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2059 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2060 *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

2061
PAGE 21
2062 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2063
2064 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2065
2066 SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
2067 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2068 - - - - -
- - - - -

```

2069 DAY OF WEEK = WEEKDAY
 2070 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2071 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2072 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2073 DAY OF WEEK = SATURDAY
 2074 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2075 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2076 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2077 DAY OF WEEK = SUNDAY
 2078 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2079 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2080 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2081 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2082 *** AERMET - VERSION 16216 ***
 *** ***
 10:54:07

2083

PAGE 22
 2084 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2085
 2086 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2087
 2088 SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
 2089 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR

2090 -----

2091 DAY OF WEEK = WEEKDAY
 2092 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2093 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2094 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2095 DAY OF WEEK = SATURDAY
 2096 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2097 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2098 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2099 DAY OF WEEK = SUNDAY
 2100 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2101 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2102 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2103 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2104 *** AERMET - VERSION 16216 ***
 *** ***
 10:54:07

2105

2106 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2107
2108 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2109
2110 SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
2111 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2112 SCALAR HOUR SCALAR HOUR SCALAR

2113 - - - - -

2114 DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2115 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2116 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2117 DAY OF WEEK = SATURDAY
2118 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2119 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2120 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2121 DAY OF WEEK = SUNDAY
2122 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2123 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2124 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2125 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2126 *** AERMET - VERSION 16216 ***

10:54:07

2127
2128 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2129
2130 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2131
2132 SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
2133 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2134 SCALAR HOUR SCALAR HOUR SCALAR

2135 - - - - -

2136 DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2137 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2138 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2139 DAY OF WEEK = SATURDAY
2140 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2141 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2142 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2143 DAY OF WEEK = SUNDAY
2144 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2145 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2146 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2147 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2148 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2149
PAGE 25
2150 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2151
2152 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2153 SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :
2154 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2155 SCALAR HOUR SCALAR HOUR SCALAR
2156 - - - - -

2157 DAY OF WEEK = WEEKDAY
2158 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2159 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2160 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2161 DAY OF WEEK = SATURDAY
2162 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2163 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2164 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2165 DAY OF WEEK = SUNDAY
2166 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2167 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2168 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2169 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2170 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2171
PAGE 26
2172 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2173
2174 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2175 SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :
2176 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2177 SCALAR HOUR SCALAR HOUR SCALAR
2178 - - - - -

2179 DAY OF WEEK = WEEKDAY
2180 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2181 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2182 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2183 DAY OF WEEK = SATURDAY
2184 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2185 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2186 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2187 DAY OF WEEK = SUNDAY
2188 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2189 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2190 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2191 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2192 *** AERMET - VERSION 16216 ***

10:54:07

2193 PAGE 27
2194 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2195
2196 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2197 SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
2198 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2199 SCALAR HOUR SCALAR HOUR SCALAR
2200 - - - - -

2201 DAY OF WEEK = WEEKDAY
2202 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2203 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2204 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2205 DAY OF WEEK = SATURDAY
2206 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2207 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2208 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2209 DAY OF WEEK = SUNDAY
2210 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2211 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2212 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2213 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2214 *** AERMET - VERSION 16216 ***

10:54:07

2215 PAGE 28
2216 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2217
2218 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2219 SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
2220 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2221 SCALAR HOUR SCALAR HOUR SCALAR


```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2222  - - - - -
2223  DAY OF WEEK = WEEKDAY
2224  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2225  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2226  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2227  DAY OF WEEK = SATURDAY
2228  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2229  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2230  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2231  DAY OF WEEK = SUNDAY
2232  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2233  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2234  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2235  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2236  *** AERMET - VERSION 16216 ***
      ***
      10:54:07
2237
      PAGE 29
2238  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2239
2240  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2241
2242  SOURCE ID = VOL22      ; SOURCE TYPE = VOLUME      :
2243  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
2244  - - - - -
2245  DAY OF WEEK = WEEKDAY
2246  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2247  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2248  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2249  DAY OF WEEK = SATURDAY
2250  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2251  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2252  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2253  DAY OF WEEK = SUNDAY
2254  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2255  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2256  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2257  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2258  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:54:07

2259

2260 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2261

2262 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2263

2264 SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :

2265 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
2266 SCALAR HOUR SCALAR HOUR SCALAR SCALAR

2266

2267 DAY OF WEEK = WEEKDAY

2268 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2269 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2270 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2271 DAY OF WEEK = SATURDAY

2272 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2273 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2274 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2275 DAY OF WEEK = SUNDAY

2276 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2277 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2278 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2279 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2280 *** AERMET - VERSION 16216 ***

10:54:07

2281

2282 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2283

2284 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2285

2286 SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :

2287 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
2288 SCALAR HOUR SCALAR HOUR SCALAR SCALAR

2288

2289 DAY OF WEEK = WEEKDAY

2290 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2291 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2292 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2293 DAY OF WEEK = SATURDAY

2294 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2295 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2296 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2297 DAY OF WEEK = SUNDAY

2298 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2299 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2300 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2301 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2302 *** AERMET - VERSION 16216 ***

10:54:07

2303

PAGE 32

2304 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2305

2306 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2307

2308 SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :
2309 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2310 - - - - -
- - - - -

2311 DAY OF WEEK = WEEKDAY

2312 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2313 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2314 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2315 DAY OF WEEK = SATURDAY

2316 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2317 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2318 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2319 DAY OF WEEK = SUNDAY

2320 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2321 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2322 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2323 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2324 *** AERMET - VERSION 16216 ***

10:54:07

2325

PAGE 33

2326 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2327

2328 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2329

2330 SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :
2331 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2332 - - - - -
- - - - -

2333 DAY OF WEEK = WEEKDAY

2334 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2335 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2336 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2337
2338 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2339 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2340 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2341
2342 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2343 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2344 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2345 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2346 *** AERMET - VERSION 16216 ***

10:54:07

2347
PAGE 34

2348 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2349

2350 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2351 SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :
2352 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR

2353 SCALAR HOUR SCALAR HOUR SCALAR
2354 - - - - -

DAY OF WEEK = WEEKDAY

2355
2356 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2357 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2358 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2359
2360 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2361 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2362 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2363
2364 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2365 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2366 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2367 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2368 *** AERMET - VERSION 16216 ***

10:54:07

2369
PAGE 35

2370 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2371

2372 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2373

```

2374 SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :
2375 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2376 -----
2377 DAY OF WEEK = WEEKDAY
2378 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2379 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2380 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2381 DAY OF WEEK = SATURDAY
2382 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2383 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2384 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2385 DAY OF WEEK = SUNDAY
2386 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2387 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2388 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2389 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2390 *** AERMET - VERSION 16216 ***
*** ***
10:54:07
2391
PAGE 36
2392 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2393
2394 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2395
2396 SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :
2397 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2398 -----
2399 DAY OF WEEK = WEEKDAY
2400 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2401 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2402 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2403 DAY OF WEEK = SATURDAY
2404 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2405 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2406 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2407 DAY OF WEEK = SUNDAY
2408 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2409 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2410 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2411 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

2412 *** AERMET - VERSION 16216 ***

10:54:07

2413

PAGE 37

2414 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2415

2416 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2417

2418 SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

2419 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2420 SCALAR HOUR SCALAR HOUR SCALAR

2420

2421 DAY OF WEEK = WEEKDAY

2422 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2423 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2424 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2425 DAY OF WEEK = SATURDAY

2426 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2427 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2428 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2429 DAY OF WEEK = SUNDAY

2430 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2431 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2432 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2433 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2434 *** AERMET - VERSION 16216 ***

10:54:07

2435

PAGE 38

2436 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2437

2438 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2439

2440 SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :

2441 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2442 SCALAR HOUR SCALAR HOUR SCALAR

2442

2443 DAY OF WEEK = WEEKDAY

2444 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2445 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2446 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2447 DAY OF WEEK = SATURDAY

2448 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2449 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2450 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00

.0000E+00 23 .0000E+00 24 .0000E+00
2451 DAY OF WEEK = SUNDAY
2452 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2453 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2454 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2455 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2456 *** AERMET - VERSION 16216 ***

10:54:07

2457

PAGE 39
2458 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2459

2460 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2461 SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
2462 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2463 SCALAR HOUR SCALAR HOUR SCALAR
2464 - - - - -

2465 DAY OF WEEK = WEEKDAY
2466 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2467 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2468 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2469 DAY OF WEEK = SATURDAY
2470 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2471 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2472 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2473 DAY OF WEEK = SUNDAY
2474 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2475 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2476 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2477 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2478 *** AERMET - VERSION 16216 ***

10:54:07

2479

PAGE 40
2480 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2481

2482 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2483 SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
2484 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2485 SCALAR HOUR SCALAR HOUR SCALAR
2486 - - - - -

2487 DAY OF WEEK = WEEKDAY
2488 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2489 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2490 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2492 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2493 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2494 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2496 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2497 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2498 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2499 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2500 *** AERMET - VERSION 16216 ***

10:54:07

2501

PAGE 41

2502 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2503

2504 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2505

2506 SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

2507 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2508

DAY OF WEEK = WEEKDAY

2510 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2511 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2512 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2514 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2515 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2516 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2518 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2519 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2520 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2521 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2522 *** AERMET - VERSION 16216 ***

10:54:07

2523

PAGE 42

2524 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2525

2526 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

WEEK (HRDOW) *

```

2527
2528 SOURCE ID = VOL35          ; SOURCE TYPE = VOLUME      :
2529   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
2530   SCALAR  HOUR    SCALAR  HOUR    SCALAR
-----
2531                                     DAY OF WEEK = WEEKDAY
2532   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2533   .0000E+00   7 .0000E+00   8 .0000E+00
2534   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
2535   .1000E+01  15 .1000E+01  16 .1000E+01
2536  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2537   .0000E+00  23 .0000E+00  24 .0000E+00
2538                                     DAY OF WEEK = SATURDAY
2539   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2540   .0000E+00   7 .0000E+00   8 .0000E+00
2541   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2542   .0000E+00  15 .0000E+00  16 .0000E+00
2543  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2544   .0000E+00  23 .0000E+00  24 .0000E+00
2545                                     DAY OF WEEK = SUNDAY
2546   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2547   .0000E+00   7 .0000E+00   8 .0000E+00
2548   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2549   .0000E+00  15 .0000E+00  16 .0000E+00
2550  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2551   .0000E+00  23 .0000E+00  24 .0000E+00
2552 *** AERMOD - VERSION 23132 ***   *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
2553 *** AERMET - VERSION 16216 ***   ***
2554 ***
2555 10:54:07
2556
2557                                     PAGE 43
2558 *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2559
2560 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
2561 WEEK (HRDOW) *
2562 SOURCE ID = VOL36          ; SOURCE TYPE = VOLUME      :
2563   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR
2564   SCALAR  HOUR    SCALAR  HOUR    SCALAR
-----
2565                                     DAY OF WEEK = WEEKDAY
2566   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2567   .0000E+00   7 .0000E+00   8 .0000E+00
2568   9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
2569   .1000E+01  15 .1000E+01  16 .1000E+01
2570  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2571   .0000E+00  23 .0000E+00  24 .0000E+00
2572                                     DAY OF WEEK = SATURDAY
2573   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2574   .0000E+00   7 .0000E+00   8 .0000E+00
2575   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2576   .0000E+00  15 .0000E+00  16 .0000E+00
2577  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2578   .0000E+00  23 .0000E+00  24 .0000E+00
2579                                     DAY OF WEEK = SUNDAY
2580   1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6
2581   .0000E+00   7 .0000E+00   8 .0000E+00
2582   9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
2583   .0000E+00  15 .0000E+00  16 .0000E+00
2584  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
2585   .0000E+00  23 .0000E+00  24 .0000E+00

```

2565 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2566 *** AERMET - VERSION 16216 ***

10:54:07

2567

PAGE 44

2568 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2569

2570 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2571

2572 SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :

2573 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2574

2575 DAY OF WEEK = WEEKDAY

2576 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2577 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2578 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2579 DAY OF WEEK = SATURDAY

2580 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2581 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2582 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2583 DAY OF WEEK = SUNDAY

2584 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2585 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2586 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2587 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2588 *** AERMET - VERSION 16216 ***

10:54:07

2589

PAGE 45

2590 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2591

2592 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2593

2594 SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :

2595 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2596

2597 DAY OF WEEK = WEEKDAY

2598 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2599 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2600 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2601 DAY OF WEEK = SATURDAY

2602 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2603 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
2604 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2605
2606 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2607 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2608 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2609 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2610 *** AERMET - VERSION 16216 ***

10:54:07

2611

PAGE 46

2612 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2613
2614 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2615

2616 SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
2617 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2618 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

2619
2620 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2621 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2622 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2623
2624 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2625 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2626 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2627
2628 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2629 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2630 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2631 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2632 *** AERMET - VERSION 16216 ***

10:54:07

2633

PAGE 47

2634 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2635
2636 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2637

2638 SOURCE ID = VOL40 ; SOURCE TYPE = VOLUME :
2639 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2640 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

2641

2642 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2643 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2644 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2646 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2647 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2648 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2649 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2651 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2652 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2653 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2654 *** AERMET - VERSION 16216 ***

10:54:07

2655

PAGE 48

2656 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2657

2658 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2659

2660 SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :

2661 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2662

DAY OF WEEK = WEEKDAY

2663 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2665 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2666 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

2667 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2669 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2670 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

2671 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2673 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2674 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2675 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2676 *** AERMET - VERSION 16216 ***

10:54:07

2677

PAGE 49

2678 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2679
2680

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2681

2682 SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :
2683 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2684 - - - - -
- - - - -

2685 DAY OF WEEK = WEEKDAY
2686 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2687 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2688 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2689 DAY OF WEEK = SATURDAY
2690 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2691 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2692 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2693 DAY OF WEEK = SUNDAY
2694 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2695 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2696 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2697 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2698 *** AERMET - VERSION 16216 ***
*** **
10:54:07

2699

2700 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2701

2702 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2703

2704 SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
2705 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

2706 - - - - -
- - - - -

2707 DAY OF WEEK = WEEKDAY
2708 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2709 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2710 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2711 DAY OF WEEK = SATURDAY
2712 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2713 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2714 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2715 DAY OF WEEK = SUNDAY
2716 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2717 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

2718 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2719 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2720 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2721
PAGE 51
2722 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2723
2724 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2725
2726 SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :
2727 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2728 - - - - -

DAY OF WEEK = WEEKDAY
2729
2730 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2731 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2732 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
2733
2734 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2735 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2736 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
2737
2738 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2739 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2740 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2741 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2742 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2743
PAGE 52
2744 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2745
2746 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2747
2748 SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :
2749 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2750 - - - - -

DAY OF WEEK = WEEKDAY
2751
2752 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2753 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2754 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
2755
2756 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

```

.0000E+00 7 .0000E+00 8 .0000E+00
2757 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2758 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2759 DAY OF WEEK = SUNDAY
2760 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2761 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2762 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2763 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2764 *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

2765 PAGE 53
2766 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2767
2768 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2769
2770 SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :
2771 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2772 - - - - -

```

```

2773 DAY OF WEEK = WEEKDAY
2774 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2775 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2776 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2777 DAY OF WEEK = SATURDAY
2778 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2779 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2780 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2781 DAY OF WEEK = SUNDAY
2782 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2783 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2784 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2785 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2786 *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

2787 PAGE 54
2788 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2789
2790 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *
2791
2792 SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :
2793 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
2794 - - - - -

```

2795 DAY OF WEEK = WEEKDAY
 2796 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2797 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2798 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2799 DAY OF WEEK = SATURDAY
 2800 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2801 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2802 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2803 DAY OF WEEK = SUNDAY
 2804 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2805 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2806 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2807 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2808 *** AERMET - VERSION 16216 ***

 10:54:07

2809 PAGE 55
 2810 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 2811
 2812 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

2813 SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
 2814 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 2815 SCALAR HOUR SCALAR HOUR SCALAR
 2816 -----

2817 DAY OF WEEK = WEEKDAY
 2818 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2819 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 2820 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2821 DAY OF WEEK = SATURDAY
 2822 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2823 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2824 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2825 DAY OF WEEK = SUNDAY
 2826 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 2827 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 2828 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

2829 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

2830 *** AERMET - VERSION 16216 ***

 10:54:07

2831

2832 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2833

2834

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2835

2836 SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :

2837 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2838 SCALAR HOUR SCALAR HOUR SCALAR

2838

2839 DAY OF WEEK = WEEKDAY

2840 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2841 .0000E+00 7 .0000E+00 8 .0000E+00
2842 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2843 .1000E+01 15 .1000E+01 16 .1000E+01
2844 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2845 .0000E+00 23 .0000E+00 24 .0000E+00

2846 DAY OF WEEK = SATURDAY

2847 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2848 .0000E+00 7 .0000E+00 8 .0000E+00
2849 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2850 .0000E+00 15 .0000E+00 16 .0000E+00
2851 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2852 .0000E+00 23 .0000E+00 24 .0000E+00

2847 DAY OF WEEK = SUNDAY

2848 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2849 .0000E+00 7 .0000E+00 8 .0000E+00
2850 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2851 .0000E+00 15 .0000E+00 16 .0000E+00
2852 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2853 .0000E+00 23 .0000E+00 24 .0000E+00

2851 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

2852 *** AERMET - VERSION 16216 ***

*** 10:54:07 ***

2853

2854 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2855

2856

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2857

2858 SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :

2859 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2860 SCALAR HOUR SCALAR HOUR SCALAR

2860

2861 DAY OF WEEK = WEEKDAY

2862 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2863 .0000E+00 7 .0000E+00 8 .0000E+00
2864 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
2865 .1000E+01 15 .1000E+01 16 .1000E+01
2866 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2867 .0000E+00 23 .0000E+00 24 .0000E+00

2868 DAY OF WEEK = SATURDAY

2869 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2870 .0000E+00 7 .0000E+00 8 .0000E+00
2871 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
2872 .0000E+00 15 .0000E+00 16 .0000E+00
2873 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
2874 .0000E+00 23 .0000E+00 24 .0000E+00

2869 DAY OF WEEK = SUNDAY

2870 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
2871 .0000E+00 7 .0000E+00 8 .0000E+00

2871 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2872 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
2873 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2874 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2875
PAGE 58
2876 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2877
2878 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2879 SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
2880 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2881 SCALAR HOUR SCALAR HOUR SCALAR
2882 - - - - -

2883 DAY OF WEEK = WEEKDAY
2884 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2885 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2886 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2887 DAY OF WEEK = SATURDAY
2888 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2889 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2890 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2891 DAY OF WEEK = SUNDAY
2892 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2893 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2894 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2895 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2896 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

2897
PAGE 59
2898 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2899
2900 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2901 SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
2902 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2903 SCALAR HOUR SCALAR HOUR SCALAR
2904 - - - - -

2905 DAY OF WEEK = WEEKDAY
2906 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2907 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2908 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2909 DAY OF WEEK = SATURDAY
2910 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2911 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2912 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2913 DAY OF WEEK = SUNDAY
2914 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2915 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2916 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2917 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2918 *** AERMET - VERSION 16216 ***

10:54:07

2919
2920 PAGE 60
2921 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2922 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2923 SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
2924 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2925 SCALAR HOUR SCALAR HOUR SCALAR
2926 - - - - -

2927 DAY OF WEEK = WEEKDAY
2928 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2929 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
2930 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2931 DAY OF WEEK = SATURDAY
2932 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2933 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2934 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2935 DAY OF WEEK = SUNDAY
2936 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
2937 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
2938 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2939 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
2940 *** AERMET - VERSION 16216 ***

10:54:07

2941
2942 PAGE 61
2943 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2944 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

2945 SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
2946 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2947 SCALAR HOUR SCALAR HOUR SCALAR

```

SCALAR  HOUR  SCALAR  HOUR  SCALAR
2948  - - - - -
2949  DAY OF WEEK = WEEKDAY
2950  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2951  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2952  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2953  DAY OF WEEK = SATURDAY
2954  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2955  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2956  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2957  DAY OF WEEK = SUNDAY
2958  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2959  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2960  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2961  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2962  *** AERMET - VERSION 16216 ***
      ***
      10:54:07
2963
      PAGE 62
2964  *** MODELOPTs:  RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
2965
2966  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
2967
2968  SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
2969  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
      SCALAR HOUR SCALAR HOUR SCALAR
2970  - - - - -
2971  DAY OF WEEK = WEEKDAY
2972  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2973  9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01  14
      .1000E+01  15 .1000E+01  16 .1000E+01
2974  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2975  DAY OF WEEK = SATURDAY
2976  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2977  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2978  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2979  DAY OF WEEK = SUNDAY
2980  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
2981  9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00  14
      .0000E+00  15 .0000E+00  16 .0000E+00
2982  17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00  22
      .0000E+00  23 .0000E+00  24 .0000E+00
2983  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
2984  *** AERMET - VERSION 16216 ***
      ***
      ***

```

10:54:07

2985

2986 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

2987

2988 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

2989

2990 SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :

2991 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
2992 SCALAR HOUR SCALAR HOUR SCALAR

2992 - - - - -

2993 DAY OF WEEK = WEEKDAY

2994 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2995 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

2996 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

2997 DAY OF WEEK = SATURDAY

2998 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

2999 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3000 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3001 DAY OF WEEK = SUNDAY

3002 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3003 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3004 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3005 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3006 *** AERMET - VERSION 16216 ***

10:54:07

3007

3008 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3009

3010 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3011

3012 SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :

3013 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3014 SCALAR HOUR SCALAR HOUR SCALAR

3014 - - - - -

3015 DAY OF WEEK = WEEKDAY

3016 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3017 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3018 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3019 DAY OF WEEK = SATURDAY

3020 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3021 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3022 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3023 DAY OF WEEK = SUNDAY

```

3024      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
          .0000E+00      7 .0000E+00      8 .0000E+00
3025      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
          .0000E+00     15 .0000E+00     16 .0000E+00
3026     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
          .0000E+00     23 .0000E+00     24 .0000E+00
3027 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3028     *** AERMET - VERSION 16216 ***
          ***
10:54:07

```

```

3029
3030          PAGE 65
3031 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3032
          * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
          WEEK (HRDOW) *

```

```

3033 SOURCE ID = VOL58          ; SOURCE TYPE = VOLUME      :
3034 HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR
3035 SCALAR HOUR  SCALAR HOUR  SCALAR
3036 - - - - -

```

```

3037          DAY OF WEEK = WEEKDAY
3038      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
          .0000E+00      7 .0000E+00      8 .0000E+00
3039      9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01     14
          .1000E+01     15 .1000E+01     16 .1000E+01
3040     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
          .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3041          DAY OF WEEK = SATURDAY
3042      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
          .0000E+00      7 .0000E+00      8 .0000E+00
3043      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
          .0000E+00     15 .0000E+00     16 .0000E+00
3044     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
          .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3045          DAY OF WEEK = SUNDAY
3046      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
          .0000E+00      7 .0000E+00      8 .0000E+00
3047      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
          .0000E+00     15 .0000E+00     16 .0000E+00
3048     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
          .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3049 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3050     *** AERMET - VERSION 16216 ***
          ***
10:54:07

```

```

3051
3052          PAGE 66
3053 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3054
          * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
          WEEK (HRDOW) *

```

```

3055 SOURCE ID = VOL59          ; SOURCE TYPE = VOLUME      :
3056 HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR  SCALAR HOUR
3057 SCALAR HOUR  SCALAR HOUR  SCALAR
3058 - - - - -

```

```

3059          DAY OF WEEK = WEEKDAY
3060      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
          .0000E+00      7 .0000E+00      8 .0000E+00
3061      9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01     14
          .1000E+01     15 .1000E+01     16 .1000E+01

```

3062 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3063
3064 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3065 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3066 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3067
3068 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3069 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3070 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3071 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3072 *** AERMET - VERSION 16216 ***

10:54:07

3073

PAGE 67

3074 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3075

3076

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3077

3078 SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

3079 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3080 - - - - -
- - - - -

DAY OF WEEK = WEEKDAY

3081
3082 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3083 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3084 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3085
3086 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3087 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3088 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3089
3090 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3091 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3092 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3093 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3094 *** AERMET - VERSION 16216 ***

10:54:07

3095

PAGE 68

3096 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3097

3098

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3099

```

3100 SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
3101 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3102 SCALAR HOUR SCALAR HOUR SCALAR
-----
3103 DAY OF WEEK = WEEKDAY
3104 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3105 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3106 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3107 DAY OF WEEK = SATURDAY
3108 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3109 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3110 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3111 DAY OF WEEK = SUNDAY
3112 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3113 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3114 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3115 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3116 *** AERMET - VERSION 16216 ***
      ***
      10:54:07
3117
      PAGE 69
3118 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3119
3120 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
3121
3122 SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
3123 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3124 SCALAR HOUR SCALAR HOUR SCALAR
-----
3125 DAY OF WEEK = WEEKDAY
3126 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3127 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3128 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3129 DAY OF WEEK = SATURDAY
3130 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3131 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3132 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3133 DAY OF WEEK = SUNDAY
3134 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3135 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3136 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3137 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24

```


3138 *** AERMET - VERSION 16216 ***

10:54:07

3139

PAGE 70

3140 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3141

3142 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3143

3144 SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :

3145 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3146 SCALAR HOUR SCALAR HOUR SCALAR

3146

3147 DAY OF WEEK = WEEKDAY

3148 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3149 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3150 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3151 DAY OF WEEK = SATURDAY

3152 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3153 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3154 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3155 DAY OF WEEK = SUNDAY

3156 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3157 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3158 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3159 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3160 *** AERMET - VERSION 16216 ***

10:54:07

3161

PAGE 71

3162 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3163

3164 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3165

3166 SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :

3167 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3168 SCALAR HOUR SCALAR HOUR SCALAR

3168

3169 DAY OF WEEK = WEEKDAY

3170 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3171 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3172 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3173 DAY OF WEEK = SATURDAY

3174 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3175 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3176 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

```

.0000E+00  23 .0000E+00  24 .0000E+00
3177                                     DAY OF WEEK = SUNDAY
3178  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3179  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3180 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3181 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
3182 *** AERMET - VERSION 16216 ***
      ***
10:54:07

```

```

3183
3184                                     PAGE 72
3185 *** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3186
      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
3187
3188 SOURCE ID = VOL65          ; SOURCE TYPE = VOLUME      :
3189  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
3190  - - - - -
      - - - - -

```

```

3191                                     DAY OF WEEK = WEEKDAY
3192  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3193  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3194 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3195                                     DAY OF WEEK = SATURDAY
3196  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3197  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3198 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3199                                     DAY OF WEEK = SUNDAY
3200  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00
3201  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3202 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3203 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
3204 *** AERMET - VERSION 16216 ***
      ***
10:54:07

```

```

3205
3206                                     PAGE 73
3207 *** MODELOPTs:  RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
3208
      * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *
3209
3210 SOURCE ID = VOL66          ; SOURCE TYPE = VOLUME      :
3211  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR
      SCALAR  HOUR  SCALAR  HOUR  SCALAR
3212  - - - - -
      - - - - -

```

```

3213                                     DAY OF WEEK = WEEKDAY
3214  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00  6
      .0000E+00  7 .0000E+00  8 .0000E+00

```

```

3215 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3216 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3217                                     DAY OF WEEK = SATURDAY
3218 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3219 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3220 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3221                                     DAY OF WEEK = SUNDAY
3222 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3223 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3224 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00
3225 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3226 *** AERMET - VERSION 16216 ***
      ***
      10:54:07

```

```

3227                                     PAGE 74
3228 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3229
3230 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
      WEEK (HRDOW) *

```

```

3231 SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :
3232 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3233 SCALAR HOUR SCALAR HOUR SCALAR
3234 - - - - -

```

```

3235                                     DAY OF WEEK = WEEKDAY
3236 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3237 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
      .1000E+01 15 .1000E+01 16 .1000E+01
3238 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3239                                     DAY OF WEEK = SATURDAY
3240 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3241 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3242 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3243                                     DAY OF WEEK = SUNDAY
3244 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
      .0000E+00 7 .0000E+00 8 .0000E+00
3245 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
      .0000E+00 15 .0000E+00 16 .0000E+00
3246 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
      .0000E+00 23 .0000E+00 24 .0000E+00

```

```

3247 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 *** 04/23/24
3248 *** AERMET - VERSION 16216 ***
      ***
      10:54:07

```

```

3249                                     PAGE 75
3250 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3251
3252 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF

```

WEEK (HRDOW) *

3253
 3254 SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
 3255 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3256 -----

3257 DAY OF WEEK = WEEKDAY
 3258 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3259 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3260 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3261 DAY OF WEEK = SATURDAY
 3262 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3263 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3264 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3265 DAY OF WEEK = SUNDAY
 3266 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3267 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3268 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3269 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3270 *** AERMET - VERSION 16216 ***

 10:54:07

3271 PAGE 76
 3272 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 3273
 3274 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
 WEEK (HRDOW) *

3275
 3276 SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
 3277 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
 SCALAR HOUR SCALAR HOUR SCALAR
 3278 -----

3279 DAY OF WEEK = WEEKDAY
 3280 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3281 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
 .1000E+01 15 .1000E+01 16 .1000E+01
 3282 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3283 DAY OF WEEK = SATURDAY
 3284 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3285 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3286 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3287 DAY OF WEEK = SUNDAY
 3288 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
 .0000E+00 7 .0000E+00 8 .0000E+00
 3289 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
 .0000E+00 15 .0000E+00 16 .0000E+00
 3290 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
 .0000E+00 23 .0000E+00 24 .0000E+00

3291 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3292 *** AERMET - VERSION 16216 ***

10:54:07

3293

PAGE 77

3294 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3295

3296 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3297

3298 SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

3299 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3300

3301 DAY OF WEEK = WEEKDAY

3302 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3303 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3304 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3305 DAY OF WEEK = SATURDAY

3306 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3307 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3308 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3309 DAY OF WEEK = SUNDAY

3310 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3311 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3312 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3313 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3314 *** AERMET - VERSION 16216 ***

10:54:07

3315

PAGE 78

3316 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3317

3318 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3319

3320 SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :

3321 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3322

3323 DAY OF WEEK = WEEKDAY

3324 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3325 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01

3326 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3327 DAY OF WEEK = SATURDAY

3328 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00

3329 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14

.0000E+00 15 .0000E+00 16 .0000E+00
3330 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3331 DAY OF WEEK = SUNDAY

3332 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3333 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3334 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3335 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3336 *** AERMET - VERSION 16216 ***

10:54:07

3337

PAGE 79

3338 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3339

3340 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3341

3342 SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
3343 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3344 - - - - -
- - - - -

3345 DAY OF WEEK = WEEKDAY

3346 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3347 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3348 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3349 DAY OF WEEK = SATURDAY

3350 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3351 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3352 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3353 DAY OF WEEK = SUNDAY

3354 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3355 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3356 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3357 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3358 *** AERMET - VERSION 16216 ***

10:54:07

3359

PAGE 80

3360 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3361

3362 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3363

3364 SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
3365 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3366 - - - - -
- - - - -

3367 DAY OF WEEK = WEEKDAY

3368 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3369 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3370 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3372 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3373 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3374 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3376 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3377 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3378 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3379 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3380 *** AERMET - VERSION 16216 ***

10:54:07

3381

PAGE 81

3382 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3383

3384 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3385

3386 SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :

3387 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3388

DAY OF WEEK = WEEKDAY

3390 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3391 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3392 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3394 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3395 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3396 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3398 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3399 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3400 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3401 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3402 *** AERMET - VERSION 16216 ***

10:54:07

3403

PAGE 82

3404 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3405
3406

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3407

3408 SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :
3409 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3410 - - - - -
- - - - -

3411 DAY OF WEEK = WEEKDAY
3412 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3413 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3414 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3415 DAY OF WEEK = SATURDAY
3416 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3417 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3418 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3419 DAY OF WEEK = SUNDAY
3420 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3421 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3422 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3423 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3424 *** AERMET - VERSION 16216 ***
*** **
10:54:07

3425

3426 PAGE 83
3427 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3428 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3429

3430 SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
3431 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3432 - - - - -
- - - - -

3433 DAY OF WEEK = WEEKDAY
3434 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3435 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3436 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3437 DAY OF WEEK = SATURDAY
3438 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3439 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3440 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3441 DAY OF WEEK = SUNDAY
3442 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3443 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00

3444 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00
3445 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3446 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

3447 PAGE 84
3448 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3449
3450 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3451 SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :
3452 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3453 SCALAR HOUR SCALAR HOUR SCALAR
3454 - - - - -

3455 DAY OF WEEK = WEEKDAY
3456 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3457 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3458 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3459 DAY OF WEEK = SATURDAY
3460 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3461 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3462 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3463 DAY OF WEEK = SUNDAY
3464 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3465 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3466 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3467 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3468 *** AERMET - VERSION 16216 ***
*** ***
10:54:07

3469 PAGE 85
3470 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3471
3472 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3473 SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :
3474 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3475 SCALAR HOUR SCALAR HOUR SCALAR
3476 - - - - -

3477 DAY OF WEEK = WEEKDAY
3478 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3479 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3480 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

3481 DAY OF WEEK = SATURDAY
3482 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6

.0000E+00 7 .0000E+00 8 .0000E+00
3483 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3484 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3486 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3487 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3488 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3490 *** AERMET - VERSION 16216 ***

10:54:07

3491

PAGE 86

3492 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3493

3494 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3495

3496 SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :

3497 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3498

DAY OF WEEK = WEEKDAY

3499 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3501 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
.1000E+01 15 .1000E+01 16 .1000E+01
3502 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

3503 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3505 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3506 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

3507 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
.0000E+00 7 .0000E+00 8 .0000E+00
3509 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
.0000E+00 15 .0000E+00 16 .0000E+00
3510 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
.0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3512 *** AERMET - VERSION 16216 ***

10:54:07

3513

PAGE 87

3514 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3515

3516 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

3517

3518 SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :

3519 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR

3520

```

3521                                     DAY OF WEEK = WEEKDAY
3522      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3523      9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01     14
      .1000E+01     15 .1000E+01     16 .1000E+01
3524     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3525                                     DAY OF WEEK = SATURDAY
3526      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3527      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
      .0000E+00     15 .0000E+00     16 .0000E+00
3528     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3529                                     DAY OF WEEK = SUNDAY
3530      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3531      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
      .0000E+00     15 .0000E+00     16 .0000E+00
3532     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3533  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3534  *** AERMET - VERSION 16216 ***
***
10:54:07

```

```

3535
                                     PAGE 88
3536  *** MODELOPTs:      RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3537
3538  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF
WEEK (HRDOW) *

```

```

3539
3540  SOURCE ID = VOL81      ; SOURCE TYPE = VOLUME      :
3541  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
SCALAR HOUR SCALAR HOUR SCALAR
3542  -----

```

```

3543                                     DAY OF WEEK = WEEKDAY
3544      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3545      9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01     14
      .1000E+01     15 .1000E+01     16 .1000E+01
3546     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3547                                     DAY OF WEEK = SATURDAY
3548      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3549      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
      .0000E+00     15 .0000E+00     16 .0000E+00
3550     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3551                                     DAY OF WEEK = SUNDAY
3552      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00      6
      .0000E+00      7 .0000E+00      8 .0000E+00
3553      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00     14
      .0000E+00     15 .0000E+00     16 .0000E+00
3554     17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00     22
      .0000E+00     23 .0000E+00     24 .0000E+00

```

```

3555  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3556  *** AERMET - VERSION 16216 ***
***
10:54:07

```

3557

3558 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3559
3560 * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

3561 SOURCE ID = PAREAL ; SOURCE TYPE = AREAPOLY :
3562 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR
3563 SCALAR HOUR SCALAR HOUR SCALAR
3564 - - - - -

3565 DAY OF WEEK = WEEKDAY
3566 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3567 .0000E+00 7 .0000E+00 8 .0000E+00
3567 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14
3568 .1000E+01 15 .1000E+01 16 .1000E+01
3568 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3569 .0000E+00 23 .0000E+00 24 .0000E+00

3569 DAY OF WEEK = SATURDAY
3570 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3571 .0000E+00 7 .0000E+00 8 .0000E+00
3571 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3572 .0000E+00 15 .0000E+00 16 .0000E+00
3572 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3573 .0000E+00 23 .0000E+00 24 .0000E+00

3573 DAY OF WEEK = SUNDAY
3574 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6
3575 .0000E+00 7 .0000E+00 8 .0000E+00
3575 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14
3576 .0000E+00 15 .0000E+00 16 .0000E+00
3576 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22
3577 .0000E+00 23 .0000E+00 24 .0000E+00

3577 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
3578 *** AERMET - VERSION 16216 ***

10:54:07

3580 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3581
3582 *** DISCRETE CARTESIAN RECEPTORS ***
3583 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
3584 (METERS)

3586 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
3744370.0, 454.0, 454.0, 2.0);
3587 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
3744278.7, 453.2, 453.2, 2.0);
3588 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
3744412.1, 451.0, 451.0, 2.0);
3589 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
3744606.0, 449.0, 449.0, 2.0);
3590 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
3744630.3, 448.9, 448.9, 2.0);
3591 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
3744794.0, 448.0, 448.0, 2.0);
3592 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
3744567.4, 448.0, 448.0, 2.0);
3593 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
3745009.3, 450.0, 450.0, 2.0);
3594 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
3744987.4, 449.0, 449.0, 2.0);
3595 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
3744991.7, 448.6, 448.6, 2.0);
3596 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,

3631
1
3632 1
1
3633 1
1
3634 1
3635
3636

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

3637
3638
3639
3640

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***
(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

3644 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

3645 *** AERMET - VERSION 16216 *** ***
*** 10:54:07

3646

PAGE 92

3647 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3648

3649 *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

3650

3651 Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216

3652 Profile file:
PERI_V9_ADJU\PERI_v9.PFL

3653 Surface format:
FREE

3654 Profile format:
FREE

3655 Surface station no.: 3171 Upper air station no.: 3190
3656 Name: UNKNOWN Name:
UNKNOWN
3657 Year: 2010 Year: 2010
3658

3659 First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
REF	WS	WD		HT	REF	TA	HT								
10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.		21.2	0.19	0.61	1.00
		1.30	335.		9.1	282.5		5.5							
10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
		0.90	142.		9.1	280.9		5.5							
10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
		0.90	324.		9.1	280.4		5.5							
10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
		0.40	294.		9.1	278.8		5.5							
10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.		15.0	0.19	0.61	1.00
		0.90	205.		9.1	278.1		5.5							
10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
		0.40	3.		9.1	277.0		5.5							
10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.		21.0	0.19	0.61	1.00
		1.30	99.		9.1	277.0		5.5							
10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.		16.8	0.19	0.61	0.54

3670	0.90	319.	9.1	278.8	5.5								
	10 01 01	1 09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	
	0.90	239.	9.1	284.2	5.5								
3671	10 01 01	1 10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	
	0.40	188.	9.1	289.2	5.5								
3672	10 01 01	1 11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	
	2.70	310.	9.1	290.9	5.5								
3673	10 01 01	1 12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	
	2.20	357.	9.1	293.1	5.5								
3674	10 01 01	1 13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	
	2.20	356.	9.1	293.8	5.5								
3675	10 01 01	1 14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	
	2.20	50.	9.1	294.2	5.5								
3676	10 01 01	1 15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	
	1.80	53.	9.1	293.8	5.5								
3677	10 01 01	1 16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	
	1.80	11.	9.1	292.5	5.5								
3678	10 01 01	1 17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	
	0.90	351.	9.1	290.4	5.5								
3679	10 01 01	1 18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	
	0.90	186.	9.1	287.5	5.5								
3680	10 01 01	1 19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	
	0.90	275.	9.1	285.9	5.5								
3681	10 01 01	1 20	-1.2	0.064	-9.000	-9.000	-999.	39.	18.1	0.19	0.61	1.00	
	0.40	181.	9.1	285.4	5.5								
3682	10 01 01	1 21	-7.8	0.125	-9.000	-9.000	-999.	106.	21.3	0.19	0.61	1.00	
	1.30	318.	9.1	284.9	5.5								
3683	10 01 01	1 22	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
	0.90	196.	9.1	283.1	5.5								
3684	10 01 01	1 23	-3.8	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
	0.90	330.	9.1	281.4	5.5								
3685	10 01 01	1 24	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	
	1.30	332.	9.1	280.9	5.5								

3686
3687

First hour of profile data

3688	YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV	
3689	10	01	01	01	5.5	0	-999.	-99.00	282.6	99.0	-99.00	-99.00	
3690	10	01	01	01	9.1	1	335.	1.30	-999.0	99.0	-99.00	-99.00	

3692

F indicates top of profile (=1) or below (=0)

3694 **FF** *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

3695 *** AERMET - VERSION 16216 ***

10:54:07

3696

PAGE 93

3697 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

3698

3699 *** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES
 FOR SOURCE GROUP: ALL ***

3700					INCLUDING SOURCE(S):	VOL1	, VOL2	,					
					VOL3	, VOL4	, VOL5	,					
3701					VOL6	, VOL7	, VOL8	, VOL9	, VOL10	,			
					VOL11	, VOL12	, VOL13	,					
3702					VOL14	, VOL15	, VOL16	, VOL17	, VOL18	,			
					VOL19	, VOL20	, VOL21	,					
3703					VOL22	, VOL23	, VOL24	, VOL25	, VOL26	,			
					VOL27	, VOL28	, . . .	,					

3704

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

3705

3706

** CONC OF PM_{2.5} IN
 MICROGRAMS/M³ **

3707

3708

3709	X-COORD (M) Y-COORD (M)	Y-COORD (M) CONC	CONC (YYMMDDHH)	(YYMMDDHH)	X-COORD (M)
3710	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
3711	477424.69 3744369.96	3744382.61	0.11028c 0.04227c	(15012824) (14012424)	477213.82
3712	477380.46 3744278.74	3744305.70	0.06265c 0.05734c	(15012824) (15012824)	477400.18
3713	477404.46 3744412.08	3744266.26	0.05415c 0.31606	(15012824) (16122224)	477670.12
3714	477815.73 3744606.00	3744578.06	0.13607c 0.10054c	(10020524) (10020524)	477814.74
3715	477815.07 3744630.32	3744542.24	0.28957c 0.08210c	(10020524) (10020524)	477823.95
3716	477736.85 3744794.01	3744808.14	0.17072c 0.18417c	(10020524) (10020524)	477789.77
3717	477955.75 3744567.40	3744839.69	0.03515 0.03916	(15122224) (14032624)	477957.38
3718	477954.41 3745009.29	3744280.72	0.04449m 0.18385c	(10052024) (10121724)	477562.65
3719	477524.40 3744987.44	3745009.20	0.17528c 0.19383c	(10121724) (10121724)	477615.67
3720	477490.45 3744991.73	3745035.09	0.14689 0.08873	(16010524) (11112424)	477713.00
3721	477475.86 3745069.46	3745070.32	0.11638 0.12654c	(16010524) (10121724)	477595.28
3722	477694.47 3745026.32	3745066.20	0.06928c 0.02803	(10020924) (15122224)	477936.57
3723	477351.77 3745114.53	3745113.76	0.08430 0.02931	(16010524) (10121524)	477093.41
3724	479215.36 3744561.65	3744652.20	0.00405 0.00375m	(14122224) (10120824)	479236.29
3725	479213.08 3744782.35	3744725.01	0.00443 0.00466	(14122224) (14122224)	479213.99
3726	479212.63 3744253.54	3744856.52	0.00484 0.00243m	(14122224) (10120824)	480888.33
3727	477609.25 3744413.46	3744101.28	0.05684 0.29069b	(16122224) (10120624)	477767.75
3728	477561.01 3744456.09	3744446.83	0.36798 0.39032	(16122224) (16122224)	477490.45
3729	477505.65 3745729.07	3744456.33	0.41014 0.01367c	(16122224) (16012224)	477849.91
3730	477843.14 3745718.86	3745423.53	0.01883c 0.00760c	(10020924) (11030724)	478155.38
3731	477718.88 3745732.62	3745130.57	0.05034c 0.01899c	(10020924) (10121724)	477462.62
3732	477424.48 3746309.85	3746103.52	0.01301 0.01226c	(11121924) (16012224)	477839.86
3733	478318.10 3745969.16	3746021.99	0.00567c 0.00663c	(10120324) (10120324)	478237.48
3734	478308.53 3746399.12	3746385.91	0.00667c 0.00704c	(10120324) (10120324)	478244.77
3735	478306.71 3745411.31	3745794.26	0.00649 0.00608c	(15122224) (14120524)	478467.71
3736	478863.94 3744389.90	3745278.95	0.00550 0.01358	(10010624) (14040124)	478377.82
3737	478653.06 3744537.50	3744643.63	0.00560 0.35686c	(14122224) (10020524)	477798.92
3738	477800.84 3744545.49	3744571.93	0.15784c 0.23253c	(10020524) (10020524)	477831.33
3739	477834.24 3744628.64	3744604.71	0.09243c 0.07612c	(10020524) (10020524)	477841.54
3740	477833.74 3744396.90	3744578.15	0.12132c 0.18758b	(10020524) (10120624)	477812.62
3741	477812.62 3744281.45	3744303.78	0.09298 0.02566m	(14120124) (10052024)	478090.56


```

3742      478163.25    3744411.63      0.02390 (14040124)      478377.04
          3744218.74      0.01068 (15121424)
3743      478123.62    3744085.48      0.01862c (16011924)      478322.87
          3744055.89      0.01090m (10052024)
3744 FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
3745      *** AERMET - VERSION 16216 ***
          ***
          10:54:07
3746
          PAGE 94
3747      *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3748
3749
          *** THE SUMMARY OF HIGHEST 24-HR RESULTS
          ***
3750
          ** CONC OF PM_2.5 IN
3751
          MICROGRAMS/M**3
          **
3752
          DATE
3753
          NETWORK
3754
          GROUP ID      AVERAGE CONC      (YYMMDDHH)      RECEPTOR (XR,
          YR, ZELEV, ZHILL, ZFLAG)      OF TYPE GRID-ID
3755
          -----
          -----
3756
          -----
3757
3758      ALL      HIGH      1ST HIGH VALUE IS      0.41014 ON 16122224: AT ( 477505.65,
3744456.33, 452.00, 452.00, 2.00) DC
3759
3760
          *** RECEPTOR TYPES: GC = GRIDCART
          GP = GRIDPOLR
          DC = DISCCART
          DP = DISCPOLR
3761
FF *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
3762      Ramona and Webster\15496 ***      04/23/24
          *** AERMET - VERSION 16216 ***
          ***
          10:54:07
3763
          PAGE 95
3764      *** MODELOPTs:   RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
3765
3766      *** Message Summary : AERMOD Model Execution ***
3767
          ----- Summary of Total Messages -----
3768
          A Total of      0 Fatal Error Message(s)
3769
          A Total of      4 Warning Message(s)
3770
          A Total of      2028 Informational Message(s)
3771
          A Total of      43824 Hours Were Processed
3772
          A Total of      978 Calm Hours Identified
3773
          A Total of      1050 Missing Hours Identified ( 2.40 Percent)
3774
          ***** FATAL ERROR MESSAGES *****
          *** NONE ***
3775
          ***** WARNING MESSAGES *****

```

```
3790 ME W186 1466 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used 0.50
3791 ME W187 1466 MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
3792 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at:
14010101
3793 MX W450 17521 CHKDAT: Record Out of Sequence in Meteorological File at: 2
year gap
3794
3795 *****
3796 *** AERMOD Finishes Successfully ***
3797 *****
3798
3799
```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops CO\15496
Ops CO.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1 8
22 URBANOPT 2189641 Riverside_County
23 POLLUTID CO
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Ops CO.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0044086658	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0044086658	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0044086658	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0044086658	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0044086658	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0044086658	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0044086658	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0044086658	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0044086658	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0044086658	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0044086658	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0044086658	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0044086658	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0044086658      5.000      9.349      1.400
199      SRCPARAM VOL81          0.0044086658      5.000      9.349      1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops CO.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 1 1ST
235      RECTABLE 8 1ST
236      ** Auto-Generated Plotfiles
237      PLOTFILE 1 ALL 1ST "15496 OPS CO.AD\01H1GALL.PLT" 31
238      PLOTFILE 8 ALL 1ST "15496 OPS CO.AD\08H1GALL.PLT" 32
239      SUMMFILE "15496 Ops CO.sum"
240      OU FINISHED
241      **
242      *****
243      ** Project Parameters
244      *****
245      ** PROJCTN CoordinateSystemUTM
246      ** DESCPTN UTM: Universal Transverse Mercator
247      ** DATUM North American Datum 1983
248      ** DTMRGN CONUS
249      ** UNITS m
250      ** ZONE 11
251      ** ZONEINX 0
252      **
253

```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops CO\15496
Ops CO.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1 8
22 URBANOPT 2189641 Riverside_County
23 POLLUTID CO
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Ops CO.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000
118	** Source Parameters **				
119	SRCPARAM VOL1	0.0044086658	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0044086658	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0044086658	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0044086658	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0044086658	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0044086658	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0044086658	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0044086658	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0044086658	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0044086658	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0044086658	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0044086658	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0044086658	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0044086658      5.000      9.349      1.400
199      SRCPARAM VOL81          0.0044086658      5.000      9.349      1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops CO.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 1 1ST
235      RECTABLE 8 1ST
236      ** Auto-Generated Plotfiles
237      PLOTFILE 1 ALL 1ST "15496 OPS CO.AD\01H1GALL.PLT" 31
238      PLOTFILE 8 ALL 1ST "15496 OPS CO.AD\08H1GALL.PLT" 32
239      SUMMFILE "15496 Ops CO.sum"
240      OU FINISHED
241
242
243      *** Message Summary For AERMOD Model Setup ***
244
245      ----- Summary of Total Messages -----
246
247      A Total of          0 Fatal Error Message(s)
248      A Total of          2 Warning Message(s)
249      A Total of          0 Informational Message(s)
250
251
252      ***** FATAL ERROR MESSAGES *****
253      *** NONE ***
254
255
256      ***** WARNING MESSAGES *****
257      ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used      0.50
258      ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
259
260      *****
261      *** SETUP Finishes Successfully ***

```


321
 322 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.
 = 0.000 ; Rot. Angle = 0.0
 323 Emission Units = GRAMS/SEC ; Emission
 Rate Unit Factor = 0.10000E+07
 324 Output Units = MICROGRAMS/M**3
 325

326 **Approximate Storage Requirements of Model = 3.5 MB of RAM.
 327

328 **Input Runstream File:
 aermod.inp

329 **Output Print File:
 aermod.out

330
 331 **Detailed Error/Message File: 15496 Ops
 CO.err

332 **File for Summary of Results: 15496 Ops
 CO.sum

333 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

334 *** AERMET - VERSION 16216 ***

 11:09:47

335
 336 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 337

338
 339 *** VOLUME SOURCE DATA ***
 340

SOURCE SZ	NUMBER SOURCE	EMISSION PART.	EMISSION RATE		AIRCRAFT Y	BASE	RELEASE	INIT.
			URBAN	EMISSION RATE		ELEV.	HEIGHT	SY
ID	SCALAR	CATS.						
(METERS)	VARY				(METERS)	(METERS)	(METERS)	(METERS)
	BY							

VOL1		0	0.44087E-02	477827.9	3744751.3	448.0	5.00	9.35
1.40	YES			NO				
VOL2		0	0.44087E-02	477788.0	3744752.1	448.0	5.00	9.35
1.40	YES			NO				
VOL3		0	0.44087E-02	477747.5	3744752.6	448.7	5.00	9.35
1.40	YES			NO				
VOL4		0	0.44087E-02	477707.6	3744753.6	449.0	5.00	9.35
1.40	YES			NO				
VOL5		0	0.44087E-02	477666.9	3744753.8	449.1	5.00	9.35
1.40	YES			NO				
VOL6		0	0.44087E-02	477468.7	3744902.9	450.0	5.00	9.35
1.40	YES			NO				
VOL7		0	0.44087E-02	477509.6	3744902.4	450.0	5.00	9.35
1.40	YES			NO				
VOL8		0	0.44087E-02	477550.0	3744901.5	450.0	5.00	9.35
1.40	YES			NO				
VOL9		0	0.44087E-02	477590.9	3744901.9	450.0	5.00	9.35
1.40	YES			NO				
VOL10		0	0.44087E-02	477621.3	3744901.9	449.6	5.00	9.35
1.40	YES			NO				
VOL11		0	0.44087E-02	477621.3	3744861.0	449.6	5.00	9.35
1.40	YES			NO				
VOL12		0	0.44087E-02	477580.4	3744861.5	450.0	5.00	9.35
1.40	YES			NO				
VOL13		0	0.44087E-02	477540.0	3744861.0	450.0	5.00	9.35

359	1.40	YES		NO					
	VOL14		0	0.44087E-02	477499.6	3744861.0	450.0	5.00	9.35
	1.40	YES		NO					
360	VOL15		0	0.44087E-02	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES		NO					
361	VOL16		0	0.44087E-02	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES		NO					
362	VOL17		0	0.44087E-02	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES		NO					
363	VOL18		0	0.44087E-02	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES		NO					
364	VOL19		0	0.44087E-02	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES		NO					
365	VOL20		0	0.44087E-02	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES		NO					
366	VOL21		0	0.44087E-02	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES		NO					
367	VOL22		0	0.44087E-02	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES		NO					
368	VOL23		0	0.44087E-02	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
369	VOL24		0	0.44087E-02	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
370	VOL25		0	0.44087E-02	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES		NO					
371	VOL26		0	0.44087E-02	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES		NO					
372	VOL27		0	0.44087E-02	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES		NO					
373	VOL28		0	0.44087E-02	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES		NO					
374	VOL29		0	0.44087E-02	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES		NO					
375	VOL30		0	0.44087E-02	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES		NO					
376	VOL31		0	0.44087E-02	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES		NO					
377	VOL32		0	0.44087E-02	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES		NO					
378	VOL33		0	0.44087E-02	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES		NO					
379	VOL34		0	0.44087E-02	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES		NO					
380	VOL35		0	0.44087E-02	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES		NO					
381	VOL36		0	0.44087E-02	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES		NO					
382	VOL37		0	0.44087E-02	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES		NO					
383	VOL38		0	0.44087E-02	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
384	VOL39		0	0.44087E-02	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
385	VOL40		0	0.44087E-02	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES		NO					

386 **RF** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 387 *** AERMET - VERSION 16216 ***

 11:09:47

388
 389 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 390
 391

392 *** VOLUME SOURCE DATA ***

393	NUMBER EMISSION RATE				BASE	RELEASE	INIT.	
394	SOURCE	INIT.	URBAN	EMISSION RATE	AIRCRAFT	ELEV.	HEIGHT	SY
395	SZ	PART.	(GRAMS/SEC)	X	Y	(METERS)	(METERS)	(METERS)
396	ID	CATS.	SCALAR VARY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
397	(METERS)		BY					
398								
399	VOL41	0	0.44087E-02	477620.7	3744620.8	450.0	5.00	9.35
	1.40	YES		NO				
400	VOL42	0	0.44087E-02	477580.8	3744620.5	450.0	5.00	9.35
	1.40	YES		NO				
401	VOL43	0	0.44087E-02	477540.8	3744620.3	450.9	5.00	9.35
	1.40	YES		NO				
402	VOL44	0	0.44087E-02	477500.8	3744620.5	451.0	5.00	9.35
	1.40	YES		NO				
403	VOL45	0	0.44087E-02	477468.8	3744620.5	451.0	5.00	9.35
	1.40	YES		NO				
404	VOL46	0	0.44087E-02	477469.1	3744580.5	451.1	5.00	9.35
	1.40	YES		NO				
405	VOL47	0	0.44087E-02	477509.0	3744580.5	451.0	5.00	9.35
	1.40	YES		NO				
406	VOL48	0	0.44087E-02	477549.2	3744580.3	451.0	5.00	9.35
	1.40	YES		NO				
407	VOL49	0	0.44087E-02	477588.7	3744580.5	450.7	5.00	9.35
	1.40	YES		NO				
408	VOL50	0	0.44087E-02	477621.0	3744580.8	450.0	5.00	9.35
	1.40	YES		NO				
409	VOL51	0	0.44087E-02	477620.7	3744540.8	450.3	5.00	9.35
	1.40	YES		NO				
410	VOL52	0	0.44087E-02	477581.0	3744540.2	451.0	5.00	9.35
	1.40	YES		NO				
411	VOL53	0	0.44087E-02	477540.9	3744540.1	451.0	5.00	9.35
	1.40	YES		NO				
412	VOL54	0	0.44087E-02	477500.6	3744540.3	451.3	5.00	9.35
	1.40	YES		NO				
413	VOL55	0	0.44087E-02	477469.0	3744540.5	451.9	5.00	9.35
	1.40	YES		NO				
414	VOL56	0	0.44087E-02	477468.7	3744500.2	452.0	5.00	9.35
	1.40	YES		NO				
415	VOL57	0	0.44087E-02	477508.8	3744500.2	451.9	5.00	9.35
	1.40	YES		NO				
416	VOL58	0	0.44087E-02	477549.1	3744499.8	451.0	5.00	9.35
	1.40	YES		NO				
417	VOL59	0	0.44087E-02	477589.6	3744500.0	451.0	5.00	9.35
	1.40	YES		NO				
418	VOL60	0	0.44087E-02	477620.2	3744500.2	450.9	5.00	9.35
	1.40	YES		NO				
419	VOL61	0	0.44087E-02	477660.7	3744510.6	450.2	5.00	9.35
	1.40	YES		NO				
420	VOL62	0	0.44087E-02	477700.6	3744510.6	450.0	5.00	9.35
	1.40	YES		NO				
421	VOL63	0	0.44087E-02	477741.1	3744510.4	450.0	5.00	9.35
	1.40	YES		NO				
422	VOL64	0	0.44087E-02	477781.2	3744510.2	450.0	5.00	9.35
	1.40	YES		NO				
423	VOL65	0	0.44087E-02	477821.9	3744510.4	449.5	5.00	9.35
	1.40	YES		NO				
424	VOL66	0	0.44087E-02	477823.4	3744451.3	450.0	5.00	9.35
	1.40	YES		NO				
425	VOL67	0	0.44087E-02	477783.1	3744451.3	450.0	5.00	9.35
	1.40	YES		NO				
426	VOL68	0	0.44087E-02	477742.6	3744451.3	450.3	5.00	9.35
	1.40	YES		NO				

427	VOL69		0	0.44087E-02	477702.5	3744451.1	451.0	5.00	9.35
	1.40	YES		NO					
428	VOL70		0	0.44087E-02	477662.4	3744451.1	451.0	5.00	9.35
	1.40	YES		NO					
429	VOL71		0	0.44087E-02	477621.7	3744451.3	451.0	5.00	9.35
	1.40	YES		NO					
430	VOL72		0	0.44087E-02	477822.1	3744480.6	450.0	5.00	9.35
	1.40	YES		NO					
431	VOL73		0	0.44087E-02	477781.8	3744480.6	450.0	5.00	9.35
	1.40	YES		NO					
432	VOL74		0	0.44087E-02	477741.3	3744480.4	450.0	5.00	9.35
	1.40	YES		NO					
433	VOL75		0	0.44087E-02	477701.0	3744480.4	450.5	5.00	9.35
	1.40	YES		NO					
434	VOL76		0	0.44087E-02	477660.5	3744480.4	450.7	5.00	9.35
	1.40	YES		NO					
435	VOL77		0	0.44087E-02	477620.6	3744480.4	451.0	5.00	9.35
	1.40	YES		NO					
436	VOL78		0	0.44087E-02	477581.6	3744484.2	451.0	5.00	9.35
	1.40	YES		NO					
437	VOL79		0	0.44087E-02	477541.1	3744484.6	451.6	5.00	9.35
	1.40	YES		NO					
438	VOL80		0	0.44087E-02	477501.2	3744484.2	452.0	5.00	9.35
	1.40	YES		NO					

439 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 440 *** AERMET - VERSION 16216 ***

 11:09:47

441
 442 PAGE 4
 443 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 444
 445 *** VOLUME SOURCE DATA ***
 446

SOURCE SZ	ID	SOURCE CATS.	NUMBER INIT.	EMISSION URBAN	RATE (GRAMS/SEC)	AIRCRAFT		BASE ELEV.	RELEASE HEIGHT	INIT. SY
						X	Y			
						(METERS)	(METERS)	(METERS)	(METERS)	(METERS)

451
 452 VOL81 0 0.44087E-02 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES NO
 453 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 454 *** AERMET - VERSION 16216 ***

 11:09:47

455
 456 PAGE 5
 457 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 458

459 *** SOURCE IDs DEFINING SOURCE GROUPS ***
 460
 461 SRCGROUP ID SOURCE IDs
 462 -----
 463
 464
 465 ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
 VOL6 , VOL7 , VOL8 ,
 466

```

467          VOL9      , VOL10      , VOL11      , VOL12      , VOL13      ,
          VOL14      , VOL15      , VOL16      ,
468
469          VOL17      , VOL18      , VOL19      , VOL20      , VOL21      ,
          VOL22      , VOL23      , VOL24      ,
470
471          VOL25      , VOL26      , VOL27      , VOL28      , VOL29      ,
          VOL30      , VOL31      , VOL32      ,
472
473          VOL33      , VOL34      , VOL35      , VOL36      , VOL37      ,
          VOL38      , VOL39      , VOL40      ,
474
475          VOL41      , VOL42      , VOL43      , VOL44      , VOL45      ,
          VOL46      , VOL47      , VOL48      ,
476
477          VOL49      , VOL50      , VOL51      , VOL52      , VOL53      ,
          VOL54      , VOL55      , VOL56      ,
478
479          VOL57      , VOL58      , VOL59      , VOL60      , VOL61      ,
          VOL62      , VOL63      , VOL64      ,
480
481          VOL65      , VOL66      , VOL67      , VOL68      , VOL69      ,
          VOL70      , VOL71      , VOL72      ,
482
483          VOL73      , VOL74      , VOL75      , VOL76      , VOL77      ,
          VOL78      , VOL79      , VOL80      ,
484
485          VOL81      ,

```

```

486 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

487 *** AERMET - VERSION 16216 ***
***
11:09:47

```

```

488
489 *** MODELOPTs:      RegDFAULT      PAGE      6
CONC      ELEV      FLGPOL      URBAN      ADJ_U*

```

```

492 *** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

493
494 URBAN ID      URBAN POP      SOURCE IDs
495 -----      -----      -----
496
497
498          2189641.  VOL1      , VOL2      , VOL3      , VOL4      ,
          VOL5      , VOL6      , VOL7      ,
499 VOL8      ,
500
501          VOL9      , VOL10      , VOL11      , VOL12      , VOL13      ,
          VOL14      , VOL15      , VOL16      ,
502
503          VOL17      , VOL18      , VOL19      , VOL20      , VOL21      ,
          VOL22      , VOL23      , VOL24      ,
504
505          VOL25      , VOL26      , VOL27      , VOL28      , VOL29      ,
          VOL30      , VOL31      , VOL32      ,
506
507          VOL33      , VOL34      , VOL35      , VOL36      , VOL37      ,
          VOL38      , VOL39      , VOL40      ,
508
509          VOL41      , VOL42      , VOL43      , VOL44      , VOL45      ,
          VOL46      , VOL47      , VOL48      ,
510
511          VOL49      , VOL50      , VOL51      , VOL52      , VOL53      ,
          VOL54      , VOL55      , VOL56      ,

```


513 VOL57 , VOL58 , VOL59 , VOL60 , VOL61 ,
VOL62 , VOL63 , VOL64 ,
514
515 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
VOL70 , VOL71 , VOL72 ,
516
517 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
VOL78 , VOL79 , VOL80 ,

518
519 VOL81 ,

520 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

521 *** AERMET - VERSION 16216 ***
*** ***
11:09:47

522
PAGE 7

523 *** MODELOPTs: RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*

524
525 *** DISCRETE CARTESIAN RECEPTORS ***
526 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
527 (METERS)

529 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
3744370.0, 454.0, 454.0, 2.0);
530 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
3744278.7, 453.2, 453.2, 2.0);
531 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
3744412.1, 451.0, 451.0, 2.0);
532 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
3744606.0, 449.0, 449.0, 2.0);
533 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
3744630.3, 448.9, 448.9, 2.0);
534 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
3744794.0, 448.0, 448.0, 2.0);
535 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
3744567.4, 448.0, 448.0, 2.0);
536 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
3745009.3, 450.0, 450.0, 2.0);
537 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
3744987.4, 449.0, 449.0, 2.0);
538 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
3744991.7, 448.6, 448.6, 2.0);
539 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,
3745069.5, 449.5, 449.5, 2.0);
540 (477694.5, 3745066.2, 449.0, 449.0, 2.0); (477936.6,
3745026.3, 447.1, 447.1, 2.0);
541 (477351.8, 3745113.8, 451.0, 451.0, 2.0); (477093.4,
3745114.5, 454.0, 454.0, 2.0);
542 (479215.4, 3744652.2, 443.0, 443.0, 2.0); (479236.3,
3744561.6, 443.0, 443.0, 2.0);
543 (479213.1, 3744725.0, 443.0, 443.0, 2.0); (479214.0,
3744782.3, 443.0, 443.0, 2.0);
544 (479212.6, 3744856.5, 443.0, 443.0, 2.0); (480888.3,
3744253.5, 441.0, 509.0, 2.0);
545 (477609.2, 3744101.3, 452.0, 452.0, 2.0); (477767.8,
3744413.5, 450.6, 450.6, 2.0);
546 (477561.0, 3744446.8, 451.6, 451.6, 2.0); (477490.5,
3744456.1, 452.0, 452.0, 2.0);
547 (477505.6, 3744456.3, 452.0, 452.0, 2.0); (477849.9,
3745729.1, 448.0, 448.0, 2.0);
548 (477843.1, 3745423.5, 448.0, 448.0, 2.0); (478155.4,
3745718.9, 447.0, 447.0, 2.0);
549 (477718.9, 3745130.6, 448.5, 448.5, 2.0); (477462.6,
3745732.6, 450.0, 450.0, 2.0);
550 (477424.5, 3746103.5, 450.0, 450.0, 2.0); (477839.9,

```

551      3746309.8,      448.0,      448.0,      2.0);
      ( 478318.1, 3746022.0,      446.0,      446.0,      2.0);      ( 478237.5,
3745969.2,      447.0,      447.0,      2.0);
552      ( 478308.5, 3746385.9,      446.0,      446.0,      2.0);      ( 478244.8,
3746399.1,      447.0,      447.0,      2.0);
553      ( 478306.7, 3745794.3,      446.0,      446.0,      2.0);      ( 478467.7,
3745411.3,      445.0,      445.0,      2.0);
554      ( 478863.9, 3745278.9,      444.0,      444.0,      2.0);      ( 478377.8,
3744389.9,      446.0,      446.0,      2.0);
555      ( 478653.1, 3744643.6,      445.0,      445.0,      2.0);      ( 477798.9,
3744537.5,      449.4,      449.4,      2.0);
556      ( 477800.8, 3744571.9,      449.0,      449.0,      2.0);      ( 477831.3,
3744545.5,      449.0,      449.0,      2.0);
557      ( 477834.2, 3744604.7,      449.0,      449.0,      2.0);      ( 477841.5,
3744628.6,      448.7,      448.7,      2.0);
558      ( 477833.7, 3744578.1,      449.0,      449.0,      2.0);      ( 477812.6,
3744396.9,      450.0,      450.0,      2.0);
559      ( 477812.6, 3744303.8,      451.0,      451.0,      2.0);      ( 478090.6,
3744281.4,      448.0,      448.0,      2.0);
560      ( 478163.2, 3744411.6,      448.0,      448.0,      2.0);      ( 478377.0,
3744218.7,      446.0,      446.0,      2.0);
561      ( 478123.6, 3744085.5,      448.0,      448.0,      2.0);      ( 478322.9,
3744055.9,      447.0,      447.0,      2.0);

```

```

562  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
563  *** AERMET - VERSION 16216 ***
***
11:09:47

```

```

564
565  *** MODELOPTs:      RegDFAULT      CONC      ELEV      FLGPOL      URBAN      ADJ_U*
566
567
568
569
570
571
572
573
574
575
576
577
578
579

```

	PAGE	8
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

```

580
581
582
583  *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
584
585
586
587  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
588  *** AERMET - VERSION 16216 ***
***

```

589

590 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

591

592 *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

593

594 Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216

595 Profile file:
PERI_V9_ADJU\PERI_v9.PFL

596 Surface format:
FREE

597 Profile format:
FREE

598 Surface station no.: 3171 Upper air station no.: 3190
599 Name: UNKNOWN Name:
UNKNOWN
600 Year: 2010 Year: 2010
601

602 First 24 hours of scalar data

603 YR MO DY JDY HR H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN ALBEDO
REF WS WD HT REF TA HT

604	YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
605	10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.	21.2	0.19	0.61	1.00	
	1.30	335.			9.1	282.5	5.5									
606	10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
	0.90	142.			9.1	280.9	5.5									
607	10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.	15.1	0.19	0.61	1.00	
	0.90	324.			9.1	280.4	5.5									
608	10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	
	0.40	294.			9.1	278.8	5.5									
609	10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.	15.0	0.19	0.61	1.00	
	0.90	205.			9.1	278.1	5.5									
610	10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.	18.3	0.19	0.61	1.00	
	0.40	3.			9.1	277.0	5.5									
611	10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.	21.0	0.19	0.61	1.00	
	1.30	99.			9.1	277.0	5.5									
612	10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.	16.8	0.19	0.61	0.54	
	0.90	319.			9.1	278.8	5.5									
613	10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.	-9.0	0.19	0.61	0.33	
	0.90	239.			9.1	284.2	5.5									
614	10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.	-1.0	0.19	0.61	0.26	
	0.40	188.			9.1	289.2	5.5									
615	10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.	-35.9	0.19	0.61	0.23	
	2.70	310.			9.1	290.9	5.5									
616	10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.	-19.7	0.19	0.61	0.22	
	2.20	357.			9.1	293.1	5.5									
617	10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.	-20.4	0.19	0.61	0.22	
	2.20	356.			9.1	293.8	5.5									
618	10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.	-23.2	0.19	0.61	0.23	
	2.20	50.			9.1	294.2	5.5									
619	10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.	-19.2	0.19	0.61	0.27	
	1.80	53.			9.1	293.8	5.5									
620	10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.	-61.5	0.19	0.61	0.36	
	1.80	11.			9.1	292.5	5.5									
621	10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.	15.6	0.19	0.61	0.64	
	0.90	351.			9.1	290.4	5.5									
622	10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	
	0.90	186.			9.1	287.5	5.5									
623	10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.	15.2	0.19	0.61	1.00	

```

0.90 275. 9.1 285.9 5.5
624 10 01 01 1 20 -1.2 0.064 -9.000 -9.000 -999. 39. 18.1 0.19 0.61 1.00
0.40 181. 9.1 285.4 5.5
625 10 01 01 1 21 -7.8 0.125 -9.000 -9.000 -999. 106. 21.3 0.19 0.61 1.00
1.30 318. 9.1 284.9 5.5
626 10 01 01 1 22 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 196. 9.1 283.1 5.5
627 10 01 01 1 23 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 330. 9.1 281.4 5.5
628 10 01 01 1 24 -7.9 0.125 -9.000 -9.000 -999. 106. 21.2 0.19 0.61 1.00
1.30 332. 9.1 280.9 5.5

```

629
630

631 First hour of profile data

```

632 YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
633 10 01 01 01 5.5 0 -999. -99.00 282.6 99.0 -99.00 -99.00
634 10 01 01 01 9.1 1 335. 1.30 -999.0 99.0 -99.00 -99.00

```

635
636

F indicates top of profile (=1) or below (=0)

```

637 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

638 *** AERMET - VERSION 16216 ***
***

```

11:09:47

639

PAGE 10

```

640 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

641

```

642 *** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES
FOR SOURCE GROUP: ALL ***

```

```

643 INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
644 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
645 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
646 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

647

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

648

```

649 ** CONC OF CO IN **
650 MICROGRAMS/M**3

```

651

```

652 X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)

```

653

```

654 477424.69 3744382.61 16.97737 (15051418) 477213.82
3744369.96 9.74091 (11010316)
655 477380.46 3744305.70 10.28052 (15051418) 477400.18
3744278.74 10.23671 (15051418)
656 477404.46 3744266.26 9.88154 (15051418) 477670.12
3744412.08 39.26578 (11091107)
657 477815.73 3744578.06 26.38700 (14041207) 477814.74
3744606.00 20.76455 (14041207)
658 477815.07 3744542.24 41.97149 (14041207) 477823.95
3744630.32 17.58451 (14041207)
659 477736.85 3744808.14 31.90300 (14041207) 477789.77
3744794.01 31.39557 (14041207)
660 477955.75 3744839.69 8.63767 (14041207) 477957.38
3744567.40 8.60698 (11091107)
661 477954.41 3744280.72 11.78432 (16050618) 477562.65
3745009.29 20.69385 (14113016)
662 477524.40 3745009.20 17.79587 (14113016) 477615.67
3744987.44 25.47802 (14113016)

```

663	477490.45	3745035.09	13.49895	(14030117)	477713.00
	3744991.73	17.67333	(14041207)		
664	477475.86	3745070.32	11.35226	(14030117)	477595.28
	3745069.46	15.92228	(14113016)		
665	477694.47	3745066.20	11.21094	(14113016)	477936.57
	3745026.32	7.61789	(14041207)		
666	477351.77	3745113.76	10.17350	(16010516)	477093.41
	3745114.53	6.38632	(14070820)		
667	479215.36	3744652.20	0.97199	(11062522)	479236.29
	3744561.65	0.99811	(11062522)		
668	479213.08	3744725.01	0.90725	(10042905)	479213.99
	3744782.35	0.90214	(10042905)		
669	479212.63	3744856.52	0.93016	(14040119)	480888.33
	3744253.54	0.46422	(16082707)		
670	477609.25	3744101.28	5.39503	(16010916)	477767.75
	3744413.46	43.81367	(11091107)		
671	477561.01	3744446.83	40.63521	(11091107)	477490.45
	3744456.09	37.98554	(15101507)		
672	477505.65	3744456.33	39.87898	(15101507)	477849.91
	3745729.07	2.59792	(14113016)		
673	477843.14	3745423.53	3.45136	(14113016)	478155.38
	3745718.86	1.79348	(15050818)		
674	477718.88	3745130.57	8.54343	(14113016)	477462.62
	3745732.62	2.06189	(10082818)		
675	477424.48	3746103.52	1.25775	(11070120)	477839.86
	3746309.85	1.31045	(14113016)		
676	478318.10	3746021.99	1.18166	(15050818)	478237.48
	3745969.16	1.28471	(16082607)		
677	478308.53	3746385.91	0.85554	(16082607)	478244.77
	3746399.12	0.84842	(16091223)		
678	478306.71	3745794.26	1.49211	(15050818)	478467.71
	3745411.31	1.93336	(16090507)		
679	478863.94	3745278.95	1.15491	(15110220)	478377.82
	3744389.90	2.56036	(15111718)		
680	478653.06	3744643.63	1.73118	(11062522)	477798.92
	3744537.50	47.79394	(14041207)		
681	477800.84	3744571.93	28.93086	(14041207)	477831.33
	3744545.49	39.03102	(14041207)		
682	477834.24	3744604.71	19.89652	(14041207)	477841.54
	3744628.64	16.73411	(14041207)		
683	477833.74	3744578.15	25.15123	(14041207)	477812.62
	3744396.90	31.93619	(11091107)		
684	477812.62	3744303.78	14.14735	(10020417)	478090.56
	3744281.45	6.72751	(16050618)		
685	478163.25	3744411.63	5.02329	(11091107)	478377.04
	3744218.74	2.94549	(11091107)		
686	478123.62	3744085.48	5.36802	(16050618)	478322.87
	3744055.89	3.65903	(16050618)		

687 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

688 *** AERMET - VERSION 16216 ***

 11:09:47

689 PAGE 11

690 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

691

692 *** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES
 FOR SOURCE GROUP: ALL ***

693 INCLUDING SOURCE(S): VOL1 , VOL2 ,
 VOL3 , VOL4 , VOL5 ,

694 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,

695 VOL11 , VOL12 , VOL13 ,

696 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
 VOL19 , VOL20 , VOL21 ,
 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

701			** CONC OF CO	IN	
702	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)
703	Y-COORD (M)	CONC	(YYMMDDHH)		
704	477424.69	3744382.61	10.24654m	(10060508)	477213.82
	3744369.96	5.39191	(16122224)		
705	477380.46	3744305.70	6.93453	(14122324)	477400.18
	3744278.74	6.50474	(14122324)		
706	477404.46	3744266.26	6.37943	(14122324)	477670.12
	3744412.08	25.98217m	(10060508)		
707	477815.73	3744578.06	16.22677m	(10060508)	477814.74
	3744606.00	14.30405m	(10060508)		
708	477815.07	3744542.24	23.79961m	(10060508)	477823.95
	3744630.32	12.96461m	(10060508)		
709	477736.85	3744808.14	18.26366m	(10060508)	477789.77
	3744794.01	17.10665m	(10060508)		
710	477955.75	3744839.69	5.37550m	(10060508)	477957.38
	3744567.40	7.05505m	(10060508)		
711	477954.41	3744280.72	4.49986	(10020424)	477562.65
	3745009.29	10.35758	(16041024)		
712	477524.40	3745009.20	10.07594m	(10060508)	477615.67
	3744987.44	12.35224	(16041024)		
713	477490.45	3745035.09	8.10113	(10121908)	477713.00
	3744991.73	8.03566	(16041024)		
714	477475.86	3745070.32	6.73623	(10121908)	477595.28
	3745069.46	7.26738	(16043008)		
715	477694.47	3745066.20	6.22247	(16041024)	477936.57
	3745026.32	3.73978m	(10060508)		
716	477351.77	3745113.76	4.54786	(16121608)	477093.41
	3745114.53	3.46051m	(10060524)		
717	479215.36	3744652.20	0.53107	(11123024)	479236.29
	3744561.65	0.52561	(11123024)		
718	479213.08	3744725.01	0.53158	(14042608)	479213.99
	3744782.35	0.54857	(14042608)		
719	479212.63	3744856.52	0.56174	(14042608)	480888.33
	3744253.54	0.17141	(11123024)		
720	477609.25	3744101.28	4.04615	(14010524)	477767.75
	3744413.46	23.41938m	(10060508)		
721	477561.01	3744446.83	32.34002m	(10060508)	477490.45
	3744456.09	32.98680m	(10060508)		
722	477505.65	3744456.33	34.62996m	(10060508)	477849.91
	3745729.07	1.30294	(16112024)		
723	477843.14	3745423.53	1.99826	(16112024)	478155.38
	3745718.86	1.03030	(14013108)		
724	477718.88	3745130.57	4.57238	(16041024)	477462.62
	3745732.62	1.38156	(16052008)		
725	477424.48	3746103.52	0.87001	(16052008)	477839.86
	3746309.85	0.74843	(16043008)		
726	478318.10	3746021.99	0.70066	(10012124)	478237.48
	3745969.16	0.75777	(10012124)		
727	478308.53	3746385.91	0.53095	(14042524)	478244.77
	3746399.12	0.55293	(16112024)		
728	478306.71	3745794.26	0.91618	(14013108)	478467.71
	3745411.31	1.04912	(14032624)		
729	478863.94	3745278.95	0.72173	(16122424)	478377.82
	3744389.90	1.80397	(15111724)		
730	478653.06	3744643.63	1.07536m	(10060508)	477798.92
	3744537.50	27.85225m	(10060508)		
731	477800.84	3744571.93	18.22567m	(10060508)	477831.33

```

3744545.49      20.04071m (10060508)
732 477834.24    3744604.71      13.07025m (10060508)      477841.54
3744628.64      11.96087m (10060508)
733 477833.74    3744578.15      14.68624m (10060508)      477812.62
3744396.90      15.64458m (10060508)
734 477812.62    3744303.78      7.57377   (15101624)      478090.56
3744281.45      3.02716   (15111724)
735 478163.25    3744411.63      3.00057   (15111724)      478377.04
3744218.74      1.62055   (15111724)
736 478123.62    3744085.48      2.23782   (16050824)      478322.87
3744055.89      1.47626c (14012524)
737 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
738 *** AERMET - VERSION 16216 ***
***
11:09:47
739
PAGE 12
740 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
741
742 *** THE SUMMARY OF HIGHEST 1-HR RESULTS
***
743
744
745 ** CONC OF CO      IN
MICROGRAMS/M**3      **
746
747
DATE
NETWORK
748 GROUP ID      AVERAGE CONC      (YYMMDDHH)      RECEPTOR (XR,
YR, ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID
749 - - - - -
750
751 ALL      HIGH      1ST HIGH VALUE IS      47.79394  ON 14041207: AT ( 477798.92,
3744537.50,  449.43,  449.43,  2.00) DC
752
753
754 *** RECEPTOR TYPES:  GC = GRIDCART
755                       GP = GRIDPOLR
756                       DC = DISCCART
757                       DP = DISCPOLR
758 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
759 *** AERMET - VERSION 16216 ***
***
11:09:47
760
PAGE 13
761 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
762
763 *** THE SUMMARY OF HIGHEST 8-HR RESULTS
***
764
765
766 ** CONC OF CO      IN
MICROGRAMS/M**3      **
767
768
DATE
NETWORK
769 GROUP ID      AVERAGE CONC      (YYMMDDHH)      RECEPTOR (XR,
YR, ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID

```

```

770 -----
771
772 ALL      HIGH    1ST HIGH VALUE IS      34.62996m ON 10060508: AT ( 477505.65,
3744456.33, 452.00, 452.00, 2.00) DC
773
774
775 *** RECEPTOR TYPES:  GC = GRIDCART
776                        GP = GRIDPOLR
777                        DC = DISCCART
778                        DP = DISCPOLR
779 RM *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24
780 *** AERMET - VERSION 16216 ***
***
11:09:47
781
782                        PAGE 14
783 *** MODELOPTs:      RegDEFAULT CONC ELEV FLGPOL URBAN ADJ_U*
784 *** Message Summary : AERMOD Model Execution ***
785
786 ----- Summary of Total Messages -----
787
788 A Total of           0 Fatal Error Message(s)
789 A Total of           4 Warning Message(s)
790 A Total of          2028 Informational Message(s)
791
792 A Total of           43824 Hours Were Processed
793
794 A Total of           978 Calm Hours Identified
795
796 A Total of           1050 Missing Hours Identified ( 2.40 Percent)
797
798
799 ***** FATAL ERROR MESSAGES *****
800                *** NONE ***
801
802
803 ***** WARNING MESSAGES *****
804 ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used          0.50
805 ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
806 MX W450     17521     CHKDAT: Record Out of Sequence in Meteorological File at:
14010101
807 MX W450     17521     CHKDAT: Record Out of Sequence in Meteorological File at:      2
year gap
808
809 *****
810 *** AERMOD Finishes Successfully ***
811 *****
812
813

```



```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
NOx\15496 Ops NOx.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1
22 URBANOPT 2189641 Riverside_County
23 POLLUTID NOX
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Ops NOx.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000
118	** Source Parameters **				
119	SRCPARAM VOL1	0.0004674521	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0004674521	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0004674521	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0004674521	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0004674521	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0004674521	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0004674521	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0004674521	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0004674521	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0004674521	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0004674521	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0004674521	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0004674521	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0004674521    5.000    9.349    1.400
199      SRCPARAM VOL81          0.0004674521    5.000    9.349    1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops NOx.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 1 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 1 ALL 1ST "15496 OPS NOX.AD\01H1GALL.PLT" 31
237      SUMMFILE "15496 Ops NOx.sum"
238      OU FINISHED
239      **
240      *****
241      ** Project Parameters
242      *****
243      ** PROJCTN  CoordinateSystemUTM
244      ** DESCPTN  UTM: Universal Transverse Mercator
245      ** DATUM    North American Datum 1983
246      ** DTMRGN  CONUS
247      ** UNITS    m
248      ** ZONE     11
249      ** ZONEINX  0
250      **
251

```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
NOx\15496 Ops NOx.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19 TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20 MODELOPT DFAULT CONC
21 AVERTIME 1
22 URBANOPT 2189641 Riverside_County
23 POLLUTID NOX
24 FLAGPOLE 2.00
25 RUNORNOT RUN
26 ERRORFIL "15496 Ops NOx.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37 LOCATION VOL1 VOLUME 477827.947 3744751.337 448.000
38 LOCATION VOL2 VOLUME 477787.987 3744752.082 448.030
39 LOCATION VOL3 VOLUME 477747.536 3744752.578 448.680
40 LOCATION VOL4 VOLUME 477707.580 3744753.571 449.000
41 LOCATION VOL5 VOLUME 477666.880 3744753.819 449.100
42 LOCATION VOL6 VOLUME 477468.674 3744902.881 450.000
43 LOCATION VOL7 VOLUME 477509.563 3744902.406 450.000
44 LOCATION VOL8 VOLUME 477549.976 3744901.455 450.000
45 LOCATION VOL9 VOLUME 477590.865 3744901.931 450.000
46 LOCATION VOL10 VOLUME 477621.294 3744901.931 449.620
47 LOCATION VOL11 VOLUME 477621.294 3744861.042 449.620
48 LOCATION VOL12 VOLUME 477580.405 3744861.517 450.000
49 LOCATION VOL13 VOLUME 477539.992 3744861.042 450.000
50 LOCATION VOL14 VOLUME 477499.578 3744861.042 450.000
51 LOCATION VOL15 VOLUME 477468.198 3744861.517 450.590
52 LOCATION VOL16 VOLUME 477468.198 3744821.103 450.720
53 LOCATION VOL17 VOLUME 477508.136 3744821.103 450.000
54 LOCATION VOL18 VOLUME 477548.550 3744820.628 450.000
55 LOCATION VOL19 VOLUME 477588.488 3744820.153 450.000
56 LOCATION VOL20 VOLUME 477621.294 3744820.153 449.620
57 LOCATION VOL21 VOLUME 477620.819 3744779.802 449.830
58 LOCATION VOL22 VOLUME 477580.405 3744780.029 450.000
59 LOCATION VOL23 VOLUME 477540.549 3744780.341 450.000
60 LOCATION VOL24 VOLUME 477500.589 3744780.341 450.000
61 LOCATION VOL25 VOLUME 477468.324 3744780.837 450.720
62 LOCATION VOL26 VOLUME 477468.324 3744740.878 450.960
63 LOCATION VOL27 VOLUME 477508.283 3744740.382 450.330
64 LOCATION VOL28 VOLUME 477547.994 3744740.382 450.000
65 LOCATION VOL29 VOLUME 477587.954 3744740.133 450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000
118	** Source Parameters **				
119	SRCPARAM VOL1	0.0004674521	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0004674521	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0004674521	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0004674521	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0004674521	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0004674521	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0004674521	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0004674521	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0004674521	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0004674521	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0004674521	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0004674521	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0004674521	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0004674521    5.000    9.349    1.400
199      SRCPARAM VOL81          0.0004674521    5.000    9.349    1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops NOx.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 1 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 1 ALL 1ST "15496 OPS NOX.AD\01H1GALL.PLT" 31
237      SUMMFILE "15496 Ops NOx.sum"
238      OU FINISHED
239
240
241      *** Message Summary For AERMOD Model Setup ***
242
243      ----- Summary of Total Messages -----
244
245      A Total of          0 Fatal Error Message(s)
246      A Total of          2 Warning Message(s)
247      A Total of          0 Informational Message(s)
248
249
250      ***** FATAL ERROR MESSAGES *****
251      *** NONE ***
252
253
254      ***** WARNING MESSAGES *****
255      ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used      0.50
256      ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
257
258      *****
259      *** SETUP Finishes Successfully ***
260      *****
261

```


262 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

263 *** AERMET - VERSION 16216 ***

11:32:23

264

PAGE 1
*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

265

266

267

268

*** MODEL SETUP OPTIONS SUMMARY ***

269

270

** Model Options Selected:

271

* Model Uses Regulatory DEFAULT Options

272

* Model Is Setup For Calculation of Average CONCentration Values.

273

* NO GAS DEPOSITION Data Provided.

274

* NO PARTICLE DEPOSITION Data Provided.

275

* Model Uses NO DRY DEPLETION. DDPLETE = F

276

* Model Uses NO WET DEPLETION. WETDPLT = F

277

* Stack-tip Downwash.

278

* Model Accounts for ELEVated Terrain Effects.

279

* Use Calms Processing Routine.

280

* Use Missing Data Processing Routine.

281

* No Exponential Decay.

282

* Model Uses URBAN Dispersion Algorithm for the SBL for 81 Source(s),

283

for Total of 1 Urban Area(s):

284

Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m

285

* Urban Roughness Length of 1.0 Meter Used.

286

* ADJ_U* - Use ADJ_U* option for SBL in AERMET

287

* CCVR_Sub - Meteorological data includes CCVR substitutions

288

* TEMP_Sub - Meteorological data includes TEMP substitutions

289

* Model Accepts FLAGPOLE Receptor . Heights.

290

* The User Specified a Pollutant Type of: NOX

291

292

**Model Calculates 1 Short Term Average(s) of: 1-HR

293

294

**This Run Includes: 81 Source(s); 1 Source Group(s); and 66 Receptor(s)

295

with: 0 POINT(s), including

296

0 POINTCAP(s) and 0 POINTHOR(s)

297

and: 81 VOLUME source(s)

298

and: 0 AREA type source(s)

299

and: 0 LINE source(s)

300

and: 0 RLINE/RLINEXT source(s)

301

and: 0 OPENPIT source(s)

302

and: 0 BUOYANT LINE source(s) with a total of 0 line(s)

303

and: 0 SWPOINT source(s)

304

305

306

307

**Model Set To Continue RUNNING After the Setup Testing.

308

309

**The AERMET Input Meteorological Data Version Date: 16216

310

311

**Output Options Selected:

312

Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE

Keyword)

313

Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)

314

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)

315

316

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours

317

m for Missing Hours

318

b for Both Calm and

Missing Hours

319

320

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.

= 0.000 ; Rot. Angle = 0.0
 321 Emission Units = GRAMS/SEC ; Emission
 Rate Unit Factor = 0.10000E+07
 322 Output Units = MICROGRAMS/M**3
 323

324 **Approximate Storage Requirements of Model = 3.5 MB of RAM.

325
326 **Input Runstream File:
aermod.inp

327 **Output Print File:
aermod.out

328
329 **Detailed Error/Message File: 15496 Ops
NOx.err
330 **File for Summary of Results: 15496 Ops
NOx.sum

331 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

332 *** AERMET - VERSION 16216 ***

 11:32:23

333
 334 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 335
 336

*** VOLUME SOURCE DATA ***

SOURCE	SZ	SOURCE	NUMBER	EMISSION	RATE	AIRCRAFT	BASE	RELEASE	INIT.
			INIT.	URBAN	EMISSION		ELEV.	HEIGHT	SY
			PART.	(GRAMS/SEC)	X	Y	(METERS)	(METERS)	(METERS)
			SCALAR	VARY			(METERS)	(METERS)	(METERS)
	ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
	(METERS)		BY						

342 -----

343									
344	VOL1		0	0.46745E-03	477827.9	3744751.3	448.0	5.00	9.35
	1.40	YES			NO				
345	VOL2		0	0.46745E-03	477788.0	3744752.1	448.0	5.00	9.35
	1.40	YES			NO				
346	VOL3		0	0.46745E-03	477747.5	3744752.6	448.7	5.00	9.35
	1.40	YES			NO				
347	VOL4		0	0.46745E-03	477707.6	3744753.6	449.0	5.00	9.35
	1.40	YES			NO				
348	VOL5		0	0.46745E-03	477666.9	3744753.8	449.1	5.00	9.35
	1.40	YES			NO				
349	VOL6		0	0.46745E-03	477468.7	3744902.9	450.0	5.00	9.35
	1.40	YES			NO				
350	VOL7		0	0.46745E-03	477509.6	3744902.4	450.0	5.00	9.35
	1.40	YES			NO				
351	VOL8		0	0.46745E-03	477550.0	3744901.5	450.0	5.00	9.35
	1.40	YES			NO				
352	VOL9		0	0.46745E-03	477590.9	3744901.9	450.0	5.00	9.35
	1.40	YES			NO				
353	VOL10		0	0.46745E-03	477621.3	3744901.9	449.6	5.00	9.35
	1.40	YES			NO				
354	VOL11		0	0.46745E-03	477621.3	3744861.0	449.6	5.00	9.35
	1.40	YES			NO				
355	VOL12		0	0.46745E-03	477580.4	3744861.5	450.0	5.00	9.35
	1.40	YES			NO				
356	VOL13		0	0.46745E-03	477540.0	3744861.0	450.0	5.00	9.35
	1.40	YES			NO				
357	VOL14		0	0.46745E-03	477499.6	3744861.0	450.0	5.00	9.35

358	1.40	YES		NO					
	VOL15		0	0.46745E-03	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES		NO					
359	VOL16		0	0.46745E-03	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES		NO					
360	VOL17		0	0.46745E-03	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES		NO					
361	VOL18		0	0.46745E-03	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES		NO					
362	VOL19		0	0.46745E-03	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES		NO					
363	VOL20		0	0.46745E-03	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES		NO					
364	VOL21		0	0.46745E-03	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES		NO					
365	VOL22		0	0.46745E-03	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES		NO					
366	VOL23		0	0.46745E-03	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
367	VOL24		0	0.46745E-03	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
368	VOL25		0	0.46745E-03	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES		NO					
369	VOL26		0	0.46745E-03	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES		NO					
370	VOL27		0	0.46745E-03	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES		NO					
371	VOL28		0	0.46745E-03	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES		NO					
372	VOL29		0	0.46745E-03	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES		NO					
373	VOL30		0	0.46745E-03	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES		NO					
374	VOL31		0	0.46745E-03	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES		NO					
375	VOL32		0	0.46745E-03	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES		NO					
376	VOL33		0	0.46745E-03	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES		NO					
377	VOL34		0	0.46745E-03	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES		NO					
378	VOL35		0	0.46745E-03	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES		NO					
379	VOL36		0	0.46745E-03	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES		NO					
380	VOL37		0	0.46745E-03	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES		NO					
381	VOL38		0	0.46745E-03	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
382	VOL39		0	0.46745E-03	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
383	VOL40		0	0.46745E-03	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES		NO					

384 **RF** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

385 *** AERMET - VERSION 16216 ***

11:32:23

386

387 *** MODELOPTs: RegDFAULT PAGE 3 CONC ELEV FLGPOL URBAN ADJ_U*
 388
 389

390 *** VOLUME SOURCE DATA ***

391
 392 NUMBER EMISSION RATE BASE RELEASE INIT.

393	SOURCE	INIT. PART.	URBAN (GRAMS/SEC)	EMISSION RATE X	AIRCRAFT Y	ELEV.	HEIGHT	SY
394	SZ SOURCE ID (METERS)	SCALAR VARY CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
395			BY					
396								
397	VOL41 1.40	0 YES	0.46745E-03	477620.7	3744620.8	450.0	5.00	9.35
				NO				
398	VOL42 1.40	0 YES	0.46745E-03	477580.8	3744620.5	450.0	5.00	9.35
				NO				
399	VOL43 1.40	0 YES	0.46745E-03	477540.8	3744620.3	450.9	5.00	9.35
				NO				
400	VOL44 1.40	0 YES	0.46745E-03	477500.8	3744620.5	451.0	5.00	9.35
				NO				
401	VOL45 1.40	0 YES	0.46745E-03	477468.8	3744620.5	451.0	5.00	9.35
				NO				
402	VOL46 1.40	0 YES	0.46745E-03	477469.1	3744580.5	451.1	5.00	9.35
				NO				
403	VOL47 1.40	0 YES	0.46745E-03	477509.0	3744580.5	451.0	5.00	9.35
				NO				
404	VOL48 1.40	0 YES	0.46745E-03	477549.2	3744580.3	451.0	5.00	9.35
				NO				
405	VOL49 1.40	0 YES	0.46745E-03	477588.7	3744580.5	450.7	5.00	9.35
				NO				
406	VOL50 1.40	0 YES	0.46745E-03	477621.0	3744580.8	450.0	5.00	9.35
				NO				
407	VOL51 1.40	0 YES	0.46745E-03	477620.7	3744540.8	450.3	5.00	9.35
				NO				
408	VOL52 1.40	0 YES	0.46745E-03	477581.0	3744540.2	451.0	5.00	9.35
				NO				
409	VOL53 1.40	0 YES	0.46745E-03	477540.9	3744540.1	451.0	5.00	9.35
				NO				
410	VOL54 1.40	0 YES	0.46745E-03	477500.6	3744540.3	451.3	5.00	9.35
				NO				
411	VOL55 1.40	0 YES	0.46745E-03	477469.0	3744540.5	451.9	5.00	9.35
				NO				
412	VOL56 1.40	0 YES	0.46745E-03	477468.7	3744500.2	452.0	5.00	9.35
				NO				
413	VOL57 1.40	0 YES	0.46745E-03	477508.8	3744500.2	451.9	5.00	9.35
				NO				
414	VOL58 1.40	0 YES	0.46745E-03	477549.1	3744499.8	451.0	5.00	9.35
				NO				
415	VOL59 1.40	0 YES	0.46745E-03	477589.6	3744500.0	451.0	5.00	9.35
				NO				
416	VOL60 1.40	0 YES	0.46745E-03	477620.2	3744500.2	450.9	5.00	9.35
				NO				
417	VOL61 1.40	0 YES	0.46745E-03	477660.7	3744510.6	450.2	5.00	9.35
				NO				
418	VOL62 1.40	0 YES	0.46745E-03	477700.6	3744510.6	450.0	5.00	9.35
				NO				
419	VOL63 1.40	0 YES	0.46745E-03	477741.1	3744510.4	450.0	5.00	9.35
				NO				
420	VOL64 1.40	0 YES	0.46745E-03	477781.2	3744510.2	450.0	5.00	9.35
				NO				
421	VOL65 1.40	0 YES	0.46745E-03	477821.9	3744510.4	449.5	5.00	9.35
				NO				
422	VOL66 1.40	0 YES	0.46745E-03	477823.4	3744451.3	450.0	5.00	9.35
				NO				
423	VOL67 1.40	0 YES	0.46745E-03	477783.1	3744451.3	450.0	5.00	9.35
				NO				
424	VOL68 1.40	0 YES	0.46745E-03	477742.6	3744451.3	450.3	5.00	9.35
				NO				
425	VOL69 1.40	0 YES	0.46745E-03	477702.5	3744451.1	451.0	5.00	9.35
				NO				

```

426 VOL70          0  0.46745E-03  477662.4  3744451.1  451.0    5.00    9.35
    1.40      YES                NO
427 VOL71          0  0.46745E-03  477621.7  3744451.3  451.0    5.00    9.35
    1.40      YES                NO
428 VOL72          0  0.46745E-03  477822.1  3744480.6  450.0    5.00    9.35
    1.40      YES                NO
429 VOL73          0  0.46745E-03  477781.8  3744480.6  450.0    5.00    9.35
    1.40      YES                NO
430 VOL74          0  0.46745E-03  477741.3  3744480.4  450.0    5.00    9.35
    1.40      YES                NO
431 VOL75          0  0.46745E-03  477701.0  3744480.4  450.5    5.00    9.35
    1.40      YES                NO
432 VOL76          0  0.46745E-03  477660.5  3744480.4  450.7    5.00    9.35
    1.40      YES                NO
433 VOL77          0  0.46745E-03  477620.6  3744480.4  451.0    5.00    9.35
    1.40      YES                NO
434 VOL78          0  0.46745E-03  477581.6  3744484.2  451.0    5.00    9.35
    1.40      YES                NO
435 VOL79          0  0.46745E-03  477541.1  3744484.6  451.6    5.00    9.35
    1.40      YES                NO
436 VOL80          0  0.46745E-03  477501.2  3744484.2  452.0    5.00    9.35
    1.40      YES                NO

```

```

437 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***          04/23/24
438 *** AERMET - VERSION 16216 ***
***
11:32:23

```

```

439
440                                     PAGE    4
441 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
442
443
444
445

```

*** VOLUME SOURCE DATA ***

```

445          NUMBER EMISSION RATE          BASE    RELEASE    INIT.
446          INIT.  URBAN  EMISSION RATE  AIRCRAFT
447          SOURCE  PART. (GRAMS/SEC)    X        Y        ELEV.  HEIGHT    SY
448          SZ      SOURCE  SCALAR VARY
449          ID      CATS.          (METERS) (METERS) (METERS) (METERS) (METERS)
450          (METERS)          BY
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465

```

```

449 VOL81          0  0.46745E-03  477469.0  3744484.0  452.0    5.00    9.35
    1.40      YES                NO
451 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***          04/23/24
452 *** AERMET - VERSION 16216 ***
***
11:32:23

```

```

453
454                                     PAGE    5
455 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
456
457
458
459

```

*** SOURCE IDs DEFINING SOURCE GROUPS ***

```

459 SRCGROUP ID          SOURCE IDs
460 -----
461
462
463 ALL          VOL1          , VOL2          , VOL3          , VOL4          , VOL5          ,
VOL6          , VOL7          , VOL8          ,
464
465          VOL9          , VOL10         , VOL11         , VOL12         , VOL13         ,
VOL14         , VOL15         , VOL16         ,

```

```

466
467          VOL17          , VOL18          , VOL19          , VOL20          , VOL21          ,
          VOL22          , VOL23          , VOL24          ,
468
469          VOL25          , VOL26          , VOL27          , VOL28          , VOL29          ,
          VOL30          , VOL31          , VOL32          ,
470
471          VOL33          , VOL34          , VOL35          , VOL36          , VOL37          ,
          VOL38          , VOL39          , VOL40          ,
472
473          VOL41          , VOL42          , VOL43          , VOL44          , VOL45          ,
          VOL46          , VOL47          , VOL48          ,
474
475          VOL49          , VOL50          , VOL51          , VOL52          , VOL53          ,
          VOL54          , VOL55          , VOL56          ,
476
477          VOL57          , VOL58          , VOL59          , VOL60          , VOL61          ,
          VOL62          , VOL63          , VOL64          ,
478
479          VOL65          , VOL66          , VOL67          , VOL68          , VOL69          ,
          VOL70          , VOL71          , VOL72          ,
480
481          VOL73          , VOL74          , VOL75          , VOL76          , VOL77          ,
          VOL78          , VOL79          , VOL80          ,
482
483          VOL81          ,

```

```

484 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

485 *** AERMET - VERSION 16216 ***
***
11:32:23

```

```

486
487          PAGE          6
*** MODELOPTs:      RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

490          *** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

491
492          URBAN ID      URBAN POP          SOURCE IDs
493          -----      -
494
495
496          2189641.     VOL1          , VOL2          , VOL3          , VOL4          ,
          VOL5          , VOL6          , VOL7          ,
497 VOL8          ,
498
499          VOL9          , VOL10         , VOL11         , VOL12         , VOL13         ,
          VOL14         , VOL15         , VOL16         ,
500
501          VOL17         , VOL18         , VOL19         , VOL20         , VOL21         ,
          VOL22         , VOL23         , VOL24         ,
502
503          VOL25         , VOL26         , VOL27         , VOL28         , VOL29         ,
          VOL30         , VOL31         , VOL32         ,
504
505          VOL33         , VOL34         , VOL35         , VOL36         , VOL37         ,
          VOL38         , VOL39         , VOL40         ,
506
507          VOL41         , VOL42         , VOL43         , VOL44         , VOL45         ,
          VOL46         , VOL47         , VOL48         ,
508
509          VOL49         , VOL50         , VOL51         , VOL52         , VOL53         ,
          VOL54         , VOL55         , VOL56         ,
510
511          VOL57         , VOL58         , VOL59         , VOL60         , VOL61         ,
          VOL62         , VOL63         , VOL64         ,

```

512
 513 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
 VOL70 , VOL71 , VOL72 ,
 514
 515 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
 VOL78 , VOL79 , VOL80 ,

516
 517 VOL81 ,

518 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

519 *** AERMET - VERSION 16216 ***
 *** ***
 11:32:23

520
 PAGE 7

521 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

522
 523 *** DISCRETE CARTESIAN RECEPTORS ***
 524 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 525 (METERS)

527	(477424.7, 3744382.6,	452.8,	452.8,	2.0);	(477213.8,
	3744370.0, 454.0,	454.0,	2.0);		
528	(477380.5, 3744305.7,	453.2,	453.2,	2.0);	(477400.2,
	3744278.7, 453.2,	453.2,	2.0);		
529	(477404.5, 3744266.3,	453.6,	453.6,	2.0);	(477670.1,
	3744412.1, 451.0,	451.0,	2.0);		
530	(477815.7, 3744578.1,	449.0,	449.0,	2.0);	(477814.7,
	3744606.0, 449.0,	449.0,	2.0);		
531	(477815.1, 3744542.2,	449.1,	449.1,	2.0);	(477824.0,
	3744630.3, 448.9,	448.9,	2.0);		
532	(477736.8, 3744808.1,	448.5,	448.5,	2.0);	(477789.8,
	3744794.0, 448.0,	448.0,	2.0);		
533	(477955.8, 3744839.7,	447.8,	447.8,	2.0);	(477957.4,
	3744567.4, 448.0,	448.0,	2.0);		
534	(477954.4, 3744280.7,	449.5,	449.5,	2.0);	(477562.6,
	3745009.3, 450.0,	450.0,	2.0);		
535	(477524.4, 3745009.2,	450.0,	450.0,	2.0);	(477615.7,
	3744987.4, 449.0,	449.0,	2.0);		
536	(477490.5, 3745035.1,	450.0,	450.0,	2.0);	(477713.0,
	3744991.7, 448.6,	448.6,	2.0);		
537	(477475.9, 3745070.3,	450.0,	450.0,	2.0);	(477595.3,
	3745069.5, 449.5,	449.5,	2.0);		
538	(477694.5, 3745066.2,	449.0,	449.0,	2.0);	(477936.6,
	3745026.3, 447.1,	447.1,	2.0);		
539	(477351.8, 3745113.8,	451.0,	451.0,	2.0);	(477093.4,
	3745114.5, 454.0,	454.0,	2.0);		
540	(479215.4, 3744652.2,	443.0,	443.0,	2.0);	(479236.3,
	3744561.6, 443.0,	443.0,	2.0);		
541	(479213.1, 3744725.0,	443.0,	443.0,	2.0);	(479214.0,
	3744782.3, 443.0,	443.0,	2.0);		
542	(479212.6, 3744856.5,	443.0,	443.0,	2.0);	(480888.3,
	3744253.5, 441.0,	509.0,	2.0);		
543	(477609.2, 3744101.3,	452.0,	452.0,	2.0);	(477767.8,
	3744413.5, 450.6,	450.6,	2.0);		
544	(477561.0, 3744446.8,	451.6,	451.6,	2.0);	(477490.5,
	3744456.1, 452.0,	452.0,	2.0);		
545	(477505.6, 3744456.3,	452.0,	452.0,	2.0);	(477849.9,
	3745729.1, 448.0,	448.0,	2.0);		
546	(477843.1, 3745423.5,	448.0,	448.0,	2.0);	(478155.4,
	3745718.9, 447.0,	447.0,	2.0);		
547	(477718.9, 3745130.6,	448.5,	448.5,	2.0);	(477462.6,
	3745732.6, 450.0,	450.0,	2.0);		
548	(477424.5, 3746103.5,	450.0,	450.0,	2.0);	(477839.9,
	3746309.8, 448.0,	448.0,	2.0);		
549	(478318.1, 3746022.0,	446.0,	446.0,	2.0);	(478237.5,

550 3745969.2, 447.0, 447.0, 2.0);
(478308.5, 3746385.9, 446.0, 446.0, 2.0); (478244.8,
3746399.1, 447.0, 447.0, 2.0);
551 (478306.7, 3745794.3, 446.0, 446.0, 2.0); (478467.7,
3745411.3, 445.0, 445.0, 2.0);
552 (478863.9, 3745278.9, 444.0, 444.0, 2.0); (478377.8,
3744389.9, 446.0, 446.0, 2.0);
553 (478653.1, 3744643.6, 445.0, 445.0, 2.0); (477798.9,
3744537.5, 449.4, 449.4, 2.0);
554 (477800.8, 3744571.9, 449.0, 449.0, 2.0); (477831.3,
3744545.5, 449.0, 449.0, 2.0);
555 (477834.2, 3744604.7, 449.0, 449.0, 2.0); (477841.5,
3744628.6, 448.7, 448.7, 2.0);
556 (477833.7, 3744578.1, 449.0, 449.0, 2.0); (477812.6,
3744396.9, 450.0, 450.0, 2.0);
557 (477812.6, 3744303.8, 451.0, 451.0, 2.0); (478090.6,
3744281.4, 448.0, 448.0, 2.0);
558 (478163.2, 3744411.6, 448.0, 448.0, 2.0); (478377.0,
3744218.7, 446.0, 446.0, 2.0);
559 (478123.6, 3744085.5, 448.0, 448.0, 2.0); (478322.9,
3744055.9, 447.0, 447.0, 2.0);

560 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

561 *** AERMET - VERSION 16216 ***

11:32:23

562

563 *** MODELOPTs: RegDFAULT PAGE 8
564 CONC ELEV FLGPOL URBAN ADJ_U*
565

*** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***

(1=YES; 0=NO)

566 1
567 1
569 1
1
570 1
1
571
1
572 1
1
573 1
1
574 1
1
575 1
576

577 NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
IS INCLUDED IN THE DATA FILE.

578
579
580
581

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***

(METERS/SEC)

582 1.54, 3.09, 5.14, 8.23, 10.80,
583 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
584 Ramona and Webster\15496 *** 04/23/24

586 *** AERMET - VERSION 16216 ***

11:32:23

587

588 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

589

590

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

591

592

Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216

593

Profile file:
PERI_V9_ADJU\PERI_v9.PFL

594

Surface format:
FREE

595

Profile format:
FREE

596

Surface station no.: 3171

Upper air station no.: 3190

597

Name: UNKNOWN
UNKNOWN

Name:

598

Year: 2010

Year: 2010

599

600 First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
REF	WS	WD		HT	REF	TA	HT								

601

602

10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.		21.2	0.19	0.61	1.00
	1.30	335.		9.1	282.5	5.5									

10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	142.		9.1	280.9	5.5									

10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	324.		9.1	280.4	5.5									

10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	294.		9.1	278.8	5.5									

10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.		15.0	0.19	0.61	1.00
	0.90	205.		9.1	278.1	5.5									

10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	3.		9.1	277.0	5.5									

10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.		21.0	0.19	0.61	1.00
	1.30	99.		9.1	277.0	5.5									

10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.		16.8	0.19	0.61	0.54
	0.90	319.		9.1	278.8	5.5									

10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.		-9.0	0.19	0.61	0.33
	0.90	239.		9.1	284.2	5.5									

10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.		-1.0	0.19	0.61	0.26
	0.40	188.		9.1	289.2	5.5									

10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.		-35.9	0.19	0.61	0.23
	2.70	310.		9.1	290.9	5.5									

10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.		-19.7	0.19	0.61	0.22
	2.20	357.		9.1	293.1	5.5									

10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.		-20.4	0.19	0.61	0.22
	2.20	356.		9.1	293.8	5.5									

10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.		-23.2	0.19	0.61	0.23
	2.20	50.		9.1	294.2	5.5									

10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.		-19.2	0.19	0.61	0.27
	1.80	53.		9.1	293.8	5.5									

10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.		-61.5	0.19	0.61	0.36
	1.80	11.		9.1	292.5	5.5									

10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.		15.6	0.19	0.61	0.64
	0.90	351.		9.1	290.4	5.5									

10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	186.		9.1	287.5	5.5									

10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	275.		9.1	285.9	5.5									

10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.		18.1	0.19	0.61	1.00
----	----	----	---	----	------	-------	--------	--------	-------	-----	--	------	------	------	------

```

0.40 181. 9.1 285.4 5.5
623 10 01 01 1 21 -7.8 0.125 -9.000 -9.000 -999. 106. 21.3 0.19 0.61 1.00
1.30 318. 9.1 284.9 5.5
624 10 01 01 1 22 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 196. 9.1 283.1 5.5
625 10 01 01 1 23 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 330. 9.1 281.4 5.5
626 10 01 01 1 24 -7.9 0.125 -9.000 -9.000 -999. 106. 21.2 0.19 0.61 1.00
1.30 332. 9.1 280.9 5.5

```

```

627
628

```

First hour of profile data

```

630 YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
631 10 01 01 01 5.5 0 -999. -99.00 282.6 99.0 -99.00 -99.00
632 10 01 01 01 9.1 1 335. 1.30 -999.0 99.0 -99.00 -99.00

```

```

633

```

F indicates top of profile (=1) or below (=0)

```

635 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

636 *** AERMET - VERSION 16216 ***
***

```

11:32:23

```

637

```

PAGE 10

```

638 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

639

```

```

640 *** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES
FOR SOURCE GROUP: ALL ***

```

```

641 INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
642 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
643 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
644 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

```

645

```

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

```

646

```

```

647 ** CONC OF NOX IN **
648 MICROGRAMS/M**3

```

```

649

```

```

650 X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)

```

```

651 - - - - -

```

```

652 477424.69 3744382.61 1.80012 (15051418) 477213.82
3744369.96 1.03283 (11010316)
653 477380.46 3744305.70 1.09005 (15051418) 477400.18
3744278.74 1.08540 (15051418)
654 477404.46 3744266.26 1.04774 (15051418) 477670.12
3744412.08 4.16336 (11091107)
655 477815.73 3744578.06 2.79782 (14041207) 477814.74
3744606.00 2.20167 (14041207)
656 477815.07 3744542.24 4.45025 (14041207) 477823.95
3744630.32 1.86449 (14041207)
657 477736.85 3744808.14 3.38268 (14041207) 477789.77
3744794.01 3.32888 (14041207)
658 477955.75 3744839.69 0.91585 (14041207) 477957.38
3744567.40 0.91260 (11091107)
659 477954.41 3744280.72 1.24949 (16050618) 477562.65
3745009.29 2.19417 (14113016)
660 477524.40 3745009.20 1.88690 (14113016) 477615.67
3744987.44 2.70144 (14113016)
661 477490.45 3745035.09 1.43130 (14030117) 477713.00
3744991.73 1.87391 (14041207)

```

662	477475.86	3745070.32	1.20368	(14030117)	477595.28
	3745069.46	1.68824	(14113016)		
663	477694.47	3745066.20	1.18870	(14113016)	477936.57
	3745026.32	0.80773	(14041207)		
664	477351.77	3745113.76	1.07870	(16010516)	477093.41
	3745114.53	0.67714	(14070820)		
665	479215.36	3744652.20	0.10306	(11062522)	479236.29
	3744561.65	0.10583	(11062522)		
666	479213.08	3744725.01	0.09620	(10042905)	479213.99
	3744782.35	0.09565	(10042905)		
667	479212.63	3744856.52	0.09863	(14040119)	480888.33
	3744253.54	0.04922	(16082707)		
668	477609.25	3744101.28	0.57204	(16010916)	477767.75
	3744413.46	4.64558	(11091107)		
669	477561.01	3744446.83	4.30856	(11091107)	477490.45
	3744456.09	4.02762	(15101507)		
670	477505.65	3744456.33	4.22838	(15101507)	477849.91
	3745729.07	0.27546	(14113016)		
671	477843.14	3745423.53	0.36595	(14113016)	478155.38
	3745718.86	0.19016	(15050818)		
672	477718.88	3745130.57	0.90586	(14113016)	477462.62
	3745732.62	0.21862	(10082818)		
673	477424.48	3746103.52	0.13336	(11070120)	477839.86
	3746309.85	0.13895	(14113016)		
674	478318.10	3746021.99	0.12529	(15050818)	478237.48
	3745969.16	0.13622	(16082607)		
675	478308.53	3746385.91	0.09071	(16082607)	478244.77
	3746399.12	0.08996	(16091223)		
676	478306.71	3745794.26	0.15821	(15050818)	478467.71
	3745411.31	0.20499	(16090507)		
677	478863.94	3745278.95	0.12246	(15110220)	478377.82
	3744389.90	0.27148	(15111718)		
678	478653.06	3744643.63	0.18356	(11062522)	477798.92
	3744537.50	5.06761	(14041207)		
679	477800.84	3744571.93	3.06755	(14041207)	477831.33
	3744545.49	4.13847	(14041207)		
680	477834.24	3744604.71	2.10963	(14041207)	477841.54
	3744628.64	1.77432	(14041207)		
681	477833.74	3744578.15	2.66679	(14041207)	477812.62
	3744396.90	3.38620	(11091107)		
682	477812.62	3744303.78	1.50005	(10020417)	478090.56
	3744281.45	0.71332	(16050618)		
683	478163.25	3744411.63	0.53262	(11091107)	478377.04
	3744218.74	0.31231	(11091107)		
684	478123.62	3744085.48	0.56917	(16050618)	478322.87
	3744055.89	0.38797	(16050618)		

685 **HR** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

686 *** AERMET - VERSION 16216 ***

 11:32:23

687

688 PAGE 11
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

689

690 *** THE SUMMARY OF HIGHEST 1-HR RESULTS

691

692

693 ** CONC OF NOX IN
 MICROGRAMS/M**3 **

694

695

DATE

NETWORK

```

696  GROUP ID                AVERAGE CONC      (YYMMDDHH)      RECEPTOR  (XR,
     YR, ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID
697  -----
698
699  ALL      HIGH      1ST HIGH VALUE IS      5.06761  ON 14041207: AT ( 477798.92,
     3744537.50,    449.43,    449.43,    2.00)  DC
700
701
702  *** RECEPTOR TYPES:  GC = GRIDCART
703                        GP = GRIDPOLR
704                        DC = DISCCART
705                        DP = DISCPOLR
706  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
     Ramona and Webster\15496 ***      04/23/24
707  *** AERMET - VERSION 16216 ***
     ***
     11:32:23
708
709                        PAGE 12
710  *** MODELOPTs:      RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
711  *** Message Summary : AERMOD Model Execution ***
712
713  ----- Summary of Total Messages -----
714
715  A Total of          0 Fatal Error Message(s)
716  A Total of          4 Warning Message(s)
717  A Total of        2028 Informational Message(s)
718
719  A Total of          43824 Hours Were Processed
720
721  A Total of          978 Calm Hours Identified
722
723  A Total of          1050 Missing Hours Identified ( 2.40 Percent)
724
725
726  ***** FATAL ERROR MESSAGES *****
727                *** NONE ***
728
729
730  ***** WARNING MESSAGES *****
731  ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
     used          0.50
732  ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
     AERMET
733  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:
     14010101
734  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:      2
     year gap
735
736  *****
737  *** AERMOD Finishes Successfully ***
738  *****
739
740

```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
   PM10\15496 Ops PM10.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_10
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Ops PM10.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0000730788	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0000730788	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0000730788	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0000730788	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0000730788	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0000730788	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0000730788	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0000730788	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0000730788	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0000730788	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0000730788	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0000730788	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0000730788	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0000730788    5.000    9.349    1.400
199      SRCPARAM VOL81          0.0000730788    5.000    9.349    1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops PM10.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 24 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 24 ALL 1ST "15496 OPS PM10.AD\24H1GALL.PLT" 31
237      SUMMFILE "15496 Ops PM10.sum"
238      OU FINISHED
239      **
240      *****
241      ** Project Parameters
242      *****
243      ** PROJCTN  CoordinateSystemUTM
244      ** DESCPTN  UTM: Universal Transverse Mercator
245      ** DATUM    North American Datum 1983
246      ** DTMRGN   CONUS
247      ** UNITS    m
248      ** ZONE     11
249      ** ZONEINX  0
250      **
251

```



```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
   PM10\15496 Ops PM10.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_10
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Ops PM10.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0000730788	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0000730788	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0000730788	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0000730788	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0000730788	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0000730788	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0000730788	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0000730788	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0000730788	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0000730788	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0000730788	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0000730788	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0000730788	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0000730788      5.000      9.349      1.400
199      SRCPARAM VOL81          0.0000730788      5.000      9.349      1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops PM10.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 24 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 24 ALL 1ST "15496 OPS PM10.AD\24H1GALL.PLT" 31
237      SUMMFILE "15496 Ops PM10.sum"
238      OU FINISHED
239
240
241      *** Message Summary For AERMOD Model Setup ***
242
243      ----- Summary of Total Messages -----
244
245      A Total of          0 Fatal Error Message(s)
246      A Total of          2 Warning Message(s)
247      A Total of          0 Informational Message(s)
248
249
250      ***** FATAL ERROR MESSAGES *****
251      *** NONE ***
252
253
254      ***** WARNING MESSAGES *****
255      ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used      0.50
256      ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
257
258      *****
259      *** SETUP Finishes Successfully ***
260      *****
261

```

```

262 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
263 *** AERMET - VERSION 16216 ***
***
11:38:14
264
PAGE 1
265 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
266
267 *** MODEL SETUP OPTIONS SUMMARY ***
268 - - - - -
269
** Model Options Selected:
270 * Model Uses Regulatory DEFAULT Options
271 * Model Is Setup For Calculation of Average CONCentration Values.
272 * NO GAS DEPOSITION Data Provided.
273 * NO PARTICLE DEPOSITION Data Provided.
274 * Model Uses NO DRY DEPLETION. DDPLETE = F
275 * Model Uses NO WET DEPLETION. WETDPLT = F
276 * Stack-tip Downwash.
277 * Model Accounts for ELEVated Terrain Effects.
278 * Use Calms Processing Routine.
279 * Use Missing Data Processing Routine.
280 * No Exponential Decay.
281 * Model Uses URBAN Dispersion Algorithm for the SBL for 81 Source(s),
282 for Total of 1 Urban Area(s):
283 Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
284 * Urban Roughness Length of 1.0 Meter Used.
285 * ADJ_U* - Use ADJ_U* option for SBL in AERMET
286 * CCVR_Sub - Meteorological data includes CCVR substitutions
287 * TEMP_Sub - Meteorological data includes TEMP substitutions
288 * Model Accepts FLAGPOLE Receptor . Heights.
289 * The User Specified a Pollutant Type of: PM_10
290
**Model Calculates 1 Short Term Average(s) of: 24-HR
291
**This Run Includes: 81 Source(s); 1 Source Group(s); and 66 Receptor(s)
292
with: 0 POINT(s), including
293 0 POINTCAP(s) and 0 POINTHOR(s)
294 and: 81 VOLUME source(s)
295 and: 0 AREA type source(s)
296 and: 0 LINE source(s)
297 and: 0 RLINE/RLINEXT source(s)
298 and: 0 OPENPIT source(s)
299 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
300 and: 0 SWPOINT source(s)
301
302
303
304
305
306
**Model Set To Continue RUNning After the Setup Testing.
307
**The AERMET Input Meteorological Data Version Date: 16216
308
**Output Options Selected:
309 Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
310 Keyword)
311 Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
312 Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
313
314
315
**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
316 m for Missing Hours
317 b for Both Calm and
318 Missing Hours
319
**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.
320

```

321 = 0.000 ; Rot. Angle = 0.0
 Emission Units = GRAMS/SEC ; Emission
 Rate Unit Factor = 0.10000E+07
 322 Output Units = MICROGRAMS/M**3
 323

324 **Approximate Storage Requirements of Model = 3.5 MB of RAM.
 325

326 **Input Runstream File:
 aermod.inp

327 **Output Print File:
 aermod.out

328
 329 **Detailed Error/Message File: 15496 Ops
 PM10.err
 330 **File for Summary of Results: 15496 Ops
 PM10.sum

331 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

332 *** AERMET - VERSION 16216 ***

 11:38:14

333
 334 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 335
 336

*** VOLUME SOURCE DATA ***

SOURCE	SZ	SOURCE	NUMBER INIT.	EMISSION URBAN	RATE EMISSION RATE	AIRCRAFT		BASE ELEV.	RELEASE HEIGHT	INIT. SY
						X	Y			
ID		SCALAR	CATS.	VARY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)				BY						
VOL1			0	0.73079E-04	477827.9	3744751.3		448.0	5.00	9.35
1.40	YES				NO					
VOL2			0	0.73079E-04	477788.0	3744752.1		448.0	5.00	9.35
1.40	YES				NO					
VOL3			0	0.73079E-04	477747.5	3744752.6		448.7	5.00	9.35
1.40	YES				NO					
VOL4			0	0.73079E-04	477707.6	3744753.6		449.0	5.00	9.35
1.40	YES				NO					
VOL5			0	0.73079E-04	477666.9	3744753.8		449.1	5.00	9.35
1.40	YES				NO					
VOL6			0	0.73079E-04	477468.7	3744902.9		450.0	5.00	9.35
1.40	YES				NO					
VOL7			0	0.73079E-04	477509.6	3744902.4		450.0	5.00	9.35
1.40	YES				NO					
VOL8			0	0.73079E-04	477550.0	3744901.5		450.0	5.00	9.35
1.40	YES				NO					
VOL9			0	0.73079E-04	477590.9	3744901.9		450.0	5.00	9.35
1.40	YES				NO					
VOL10			0	0.73079E-04	477621.3	3744901.9		449.6	5.00	9.35
1.40	YES				NO					
VOL11			0	0.73079E-04	477621.3	3744861.0		449.6	5.00	9.35
1.40	YES				NO					
VOL12			0	0.73079E-04	477580.4	3744861.5		450.0	5.00	9.35
1.40	YES				NO					
VOL13			0	0.73079E-04	477540.0	3744861.0		450.0	5.00	9.35
1.40	YES				NO					
VOL14			0	0.73079E-04	477499.6	3744861.0		450.0	5.00	9.35

358	1.40	YES		NO					
	VOL15		0	0.73079E-04	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES		NO					
359	VOL16		0	0.73079E-04	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES		NO					
360	VOL17		0	0.73079E-04	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES		NO					
361	VOL18		0	0.73079E-04	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES		NO					
362	VOL19		0	0.73079E-04	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES		NO					
363	VOL20		0	0.73079E-04	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES		NO					
364	VOL21		0	0.73079E-04	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES		NO					
365	VOL22		0	0.73079E-04	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES		NO					
366	VOL23		0	0.73079E-04	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
367	VOL24		0	0.73079E-04	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
368	VOL25		0	0.73079E-04	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES		NO					
369	VOL26		0	0.73079E-04	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES		NO					
370	VOL27		0	0.73079E-04	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES		NO					
371	VOL28		0	0.73079E-04	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES		NO					
372	VOL29		0	0.73079E-04	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES		NO					
373	VOL30		0	0.73079E-04	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES		NO					
374	VOL31		0	0.73079E-04	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES		NO					
375	VOL32		0	0.73079E-04	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES		NO					
376	VOL33		0	0.73079E-04	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES		NO					
377	VOL34		0	0.73079E-04	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES		NO					
378	VOL35		0	0.73079E-04	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES		NO					
379	VOL36		0	0.73079E-04	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES		NO					
380	VOL37		0	0.73079E-04	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES		NO					
381	VOL38		0	0.73079E-04	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
382	VOL39		0	0.73079E-04	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
383	VOL40		0	0.73079E-04	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES		NO					

384 **RF** *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

385 *** AERMET - VERSION 16216 ***

11:38:14

386

387 *** MODELOPTs: RegDFAULT PAGE 3 CONC ELEV FLGPOL URBAN ADJ_U*
 388
 389

390 *** VOLUME SOURCE DATA ***

391
 392 NUMBER EMISSION RATE BASE RELEASE INIT.

426	VOL70		0	0.73079E-04	477662.4	3744451.1	451.0	5.00	9.35
	1.40	YES			NO				
427	VOL71		0	0.73079E-04	477621.7	3744451.3	451.0	5.00	9.35
	1.40	YES			NO				
428	VOL72		0	0.73079E-04	477822.1	3744480.6	450.0	5.00	9.35
	1.40	YES			NO				
429	VOL73		0	0.73079E-04	477781.8	3744480.6	450.0	5.00	9.35
	1.40	YES			NO				
430	VOL74		0	0.73079E-04	477741.3	3744480.4	450.0	5.00	9.35
	1.40	YES			NO				
431	VOL75		0	0.73079E-04	477701.0	3744480.4	450.5	5.00	9.35
	1.40	YES			NO				
432	VOL76		0	0.73079E-04	477660.5	3744480.4	450.7	5.00	9.35
	1.40	YES			NO				
433	VOL77		0	0.73079E-04	477620.6	3744480.4	451.0	5.00	9.35
	1.40	YES			NO				
434	VOL78		0	0.73079E-04	477581.6	3744484.2	451.0	5.00	9.35
	1.40	YES			NO				
435	VOL79		0	0.73079E-04	477541.1	3744484.6	451.6	5.00	9.35
	1.40	YES			NO				
436	VOL80		0	0.73079E-04	477501.2	3744484.2	452.0	5.00	9.35
	1.40	YES			NO				

437 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 438 *** AERMET - VERSION 16216 ***

 11:38:14

439
 440 PAGE 4
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

443 *** VOLUME SOURCE DATA ***

SOURCE	SZ	SOURCE	ID	PART.	SCALAR	VARY	EMISSION RATE		AIRCRAFT	BASE	RELEASE	INIT.
							URBAN	EMISSION RATE				
							(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY
							(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)

449
 450 VOL81 0 0.73079E-04 477469.0 3744484.0 452.0 5.00 9.35
 1.40 YES NO
 451 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 452 *** AERMET - VERSION 16216 ***

 11:38:14

453
 454 PAGE 5
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

457 *** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs															
-----	-----															
ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	, VOL6	, VOL7	, VOL8	, VOL9	, VOL10	, VOL11	, VOL12	, VOL13	, VOL14	, VOL15	, VOL16

```

466
467          VOL17          , VOL18          , VOL19          , VOL20          , VOL21          ,
          VOL22          , VOL23          , VOL24          ,
468
469          VOL25          , VOL26          , VOL27          , VOL28          , VOL29          ,
          VOL30          , VOL31          , VOL32          ,
470
471          VOL33          , VOL34          , VOL35          , VOL36          , VOL37          ,
          VOL38          , VOL39          , VOL40          ,
472
473          VOL41          , VOL42          , VOL43          , VOL44          , VOL45          ,
          VOL46          , VOL47          , VOL48          ,
474
475          VOL49          , VOL50          , VOL51          , VOL52          , VOL53          ,
          VOL54          , VOL55          , VOL56          ,
476
477          VOL57          , VOL58          , VOL59          , VOL60          , VOL61          ,
          VOL62          , VOL63          , VOL64          ,
478
479          VOL65          , VOL66          , VOL67          , VOL68          , VOL69          ,
          VOL70          , VOL71          , VOL72          ,
480
481          VOL73          , VOL74          , VOL75          , VOL76          , VOL77          ,
          VOL78          , VOL79          , VOL80          ,
482
483          VOL81          ,

```

```

484 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24

```

```

485 *** AERMET - VERSION 16216 ***
***
11:38:14

```

```

486
487          PAGE          6
*** MODELOPTs:      RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

491          URBAN ID      URBAN POP          SOURCE IDs
492          -----      -
493
494
495
496          2189641.      VOL1          , VOL2          , VOL3          , VOL4          ,
          VOL5          , VOL6          , VOL7          ,
497 VOL8          ,
498
499          VOL9          , VOL10         , VOL11         , VOL12         , VOL13         ,
          VOL14         , VOL15         , VOL16         ,
500
501          VOL17         , VOL18         , VOL19         , VOL20         , VOL21         ,
          VOL22         , VOL23         , VOL24         ,
502
503          VOL25         , VOL26         , VOL27         , VOL28         , VOL29         ,
          VOL30         , VOL31         , VOL32         ,
504
505          VOL33         , VOL34         , VOL35         , VOL36         , VOL37         ,
          VOL38         , VOL39         , VOL40         ,
506
507          VOL41         , VOL42         , VOL43         , VOL44         , VOL45         ,
          VOL46         , VOL47         , VOL48         ,
508
509          VOL49         , VOL50         , VOL51         , VOL52         , VOL53         ,
          VOL54         , VOL55         , VOL56         ,
510
511          VOL57         , VOL58         , VOL59         , VOL60         , VOL61         ,
          VOL62         , VOL63         , VOL64         ,

```

512
 513 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
 VOL70 , VOL71 , VOL72 ,
 514
 515 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
 VOL78 , VOL79 , VOL80 ,

516
 517 VOL81 ,

518 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

519 *** AERMET - VERSION 16216 ***
 *** ***
 11:38:14

520
 PAGE 7

521 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

522
 523 *** DISCRETE CARTESIAN RECEPTORS ***
 524 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 525 (METERS)

526
 527 (477424.7, 3744382.6, 452.8, 452.8, 2.0); (477213.8,
 3744370.0, 454.0, 454.0, 2.0);
 528 (477380.5, 3744305.7, 453.2, 453.2, 2.0); (477400.2,
 3744278.7, 453.2, 453.2, 2.0);
 529 (477404.5, 3744266.3, 453.6, 453.6, 2.0); (477670.1,
 3744412.1, 451.0, 451.0, 2.0);
 530 (477815.7, 3744578.1, 449.0, 449.0, 2.0); (477814.7,
 3744606.0, 449.0, 449.0, 2.0);
 531 (477815.1, 3744542.2, 449.1, 449.1, 2.0); (477824.0,
 3744630.3, 448.9, 448.9, 2.0);
 532 (477736.8, 3744808.1, 448.5, 448.5, 2.0); (477789.8,
 3744794.0, 448.0, 448.0, 2.0);
 533 (477955.8, 3744839.7, 447.8, 447.8, 2.0); (477957.4,
 3744567.4, 448.0, 448.0, 2.0);
 534 (477954.4, 3744280.7, 449.5, 449.5, 2.0); (477562.6,
 3745009.3, 450.0, 450.0, 2.0);
 535 (477524.4, 3745009.2, 450.0, 450.0, 2.0); (477615.7,
 3744987.4, 449.0, 449.0, 2.0);
 536 (477490.5, 3745035.1, 450.0, 450.0, 2.0); (477713.0,
 3744991.7, 448.6, 448.6, 2.0);
 537 (477475.9, 3745070.3, 450.0, 450.0, 2.0); (477595.3,
 3745069.5, 449.5, 449.5, 2.0);
 538 (477694.5, 3745066.2, 449.0, 449.0, 2.0); (477936.6,
 3745026.3, 447.1, 447.1, 2.0);
 539 (477351.8, 3745113.8, 451.0, 451.0, 2.0); (477093.4,
 3745114.5, 454.0, 454.0, 2.0);
 540 (479215.4, 3744652.2, 443.0, 443.0, 2.0); (479236.3,
 3744561.6, 443.0, 443.0, 2.0);
 541 (479213.1, 3744725.0, 443.0, 443.0, 2.0); (479214.0,
 3744782.3, 443.0, 443.0, 2.0);
 542 (479212.6, 3744856.5, 443.0, 443.0, 2.0); (480888.3,
 3744253.5, 441.0, 509.0, 2.0);
 543 (477609.2, 3744101.3, 452.0, 452.0, 2.0); (477767.8,
 3744413.5, 450.6, 450.6, 2.0);
 544 (477561.0, 3744446.8, 451.6, 451.6, 2.0); (477490.5,
 3744456.1, 452.0, 452.0, 2.0);
 545 (477505.6, 3744456.3, 452.0, 452.0, 2.0); (477849.9,
 3745729.1, 448.0, 448.0, 2.0);
 546 (477843.1, 3745423.5, 448.0, 448.0, 2.0); (478155.4,
 3745718.9, 447.0, 447.0, 2.0);
 547 (477718.9, 3745130.6, 448.5, 448.5, 2.0); (477462.6,
 3745732.6, 450.0, 450.0, 2.0);
 548 (477424.5, 3746103.5, 450.0, 450.0, 2.0); (477839.9,
 3746309.8, 448.0, 448.0, 2.0);
 549 (478318.1, 3746022.0, 446.0, 446.0, 2.0); (478237.5,

```

550      3745969.2,      447.0,      447.0,      2.0);
      ( 478308.5, 3746385.9,      446.0,      446.0,      2.0);      ( 478244.8,
3746399.1,      447.0,      447.0,      2.0);
551      ( 478306.7, 3745794.3,      446.0,      446.0,      2.0);      ( 478467.7,
3745411.3,      445.0,      445.0,      2.0);
552      ( 478863.9, 3745278.9,      444.0,      444.0,      2.0);      ( 478377.8,
3744389.9,      446.0,      446.0,      2.0);
553      ( 478653.1, 3744643.6,      445.0,      445.0,      2.0);      ( 477798.9,
3744537.5,      449.4,      449.4,      2.0);
554      ( 477800.8, 3744571.9,      449.0,      449.0,      2.0);      ( 477831.3,
3744545.5,      449.0,      449.0,      2.0);
555      ( 477834.2, 3744604.7,      449.0,      449.0,      2.0);      ( 477841.5,
3744628.6,      448.7,      448.7,      2.0);
556      ( 477833.7, 3744578.1,      449.0,      449.0,      2.0);      ( 477812.6,
3744396.9,      450.0,      450.0,      2.0);
557      ( 477812.6, 3744303.8,      451.0,      451.0,      2.0);      ( 478090.6,
3744281.4,      448.0,      448.0,      2.0);
558      ( 478163.2, 3744411.6,      448.0,      448.0,      2.0);      ( 478377.0,
3744218.7,      446.0,      446.0,      2.0);
559      ( 478123.6, 3744085.5,      448.0,      448.0,      2.0);      ( 478322.9,
3744055.9,      447.0,      447.0,      2.0);

```

```

560 FR *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24

```

```

561      *** AERMET - VERSION 16216 ***
      ***
      11:38:14

```

```

562
563
564
565      PAGE      8
      *** MODELOPTs:      RegDFault CONC      ELEV      FLGPOL      URBAN      ADJ_U*

```

```

      *** METEOROLOGICAL DAYS SELECTED FOR
      PROCESSING ***
      (1=YES; 0=NO)

```

```

566
567
568      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
569      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
570      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
571      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
572      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
573      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
574      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1 1
575      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1

```

```

576
577      NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT
      IS INCLUDED IN THE DATA FILE.

```

```

578
579
580
581      *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
      CATEGORIES ***
      (METERS/SEC)

```

```

      1.54,      3.09,      5.14,      8.23,      10.80,

```

```

582
583
584 FR *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24

```

```

586      *** AERMET - VERSION 16216 ***
      ***
      11:38:14

```

```

587

```

588 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

589

590

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

591

592

Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216

593

Profile file:
PERI_V9_ADJU\PERI_v9.PFL

594

Surface format:
FREE

595

Profile format:
FREE

596

Surface station no.: 3171

Upper air station no.: 3190

597

Name: UNKNOWN
UNKNOWN

Name:

598

Year: 2010

Year: 2010

599

600 First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
REF	WS	WD		HT	REF	TA	HT								

601

602

10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.		21.2	0.19	0.61	1.00
	1.30	335.		9.1	282.5	5.5									

10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	142.		9.1	280.9	5.5									

10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	324.		9.1	280.4	5.5									

10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	294.		9.1	278.8	5.5									

10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.		15.0	0.19	0.61	1.00
	0.90	205.		9.1	278.1	5.5									

10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	3.		9.1	277.0	5.5									

10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.		21.0	0.19	0.61	1.00
	1.30	99.		9.1	277.0	5.5									

10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.		16.8	0.19	0.61	0.54
	0.90	319.		9.1	278.8	5.5									

10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.		-9.0	0.19	0.61	0.33
	0.90	239.		9.1	284.2	5.5									

10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.		-1.0	0.19	0.61	0.26
	0.40	188.		9.1	289.2	5.5									

10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.		-35.9	0.19	0.61	0.23
	2.70	310.		9.1	290.9	5.5									

10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.		-19.7	0.19	0.61	0.22
	2.20	357.		9.1	293.1	5.5									

10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.		-20.4	0.19	0.61	0.22
	2.20	356.		9.1	293.8	5.5									

10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.		-23.2	0.19	0.61	0.23
	2.20	50.		9.1	294.2	5.5									

10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.		-19.2	0.19	0.61	0.27
	1.80	53.		9.1	293.8	5.5									

10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.		-61.5	0.19	0.61	0.36
	1.80	11.		9.1	292.5	5.5									

10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.		15.6	0.19	0.61	0.64
	0.90	351.		9.1	290.4	5.5									

10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	186.		9.1	287.5	5.5									

10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	275.		9.1	285.9	5.5									

10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.		18.1	0.19	0.61	1.00
----	----	----	---	----	------	-------	--------	--------	-------	-----	--	------	------	------	------

```

0.40 181.    9.1 285.4    5.5
623 10 01 01  1 21  -7.8 0.125 -9.000 -9.000 -999. 106.    21.3 0.19  0.61  1.00
1.30 318.    9.1 284.9    5.5
624 10 01 01  1 22  -3.8 0.088 -9.000 -9.000 -999.  62.    15.1 0.19  0.61  1.00
0.90 196.    9.1 283.1    5.5
625 10 01 01  1 23  -3.8 0.088 -9.000 -9.000 -999.  62.    15.1 0.19  0.61  1.00
0.90 330.    9.1 281.4    5.5
626 10 01 01  1 24  -7.9 0.125 -9.000 -9.000 -999. 106.    21.2 0.19  0.61  1.00
1.30 332.    9.1 280.9    5.5

```

```

627
628

```

First hour of profile data

```

630 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
631 10 01 01 01    5.5 0 -999.  -99.00  282.6  99.0  -99.00  -99.00
632 10 01 01 01    9.1 1  335.   1.30  -999.0  99.0  -99.00  -99.00

```

```

633
634 F indicates top of profile (=1) or below (=0)
635 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***          04/23/24
636 *** AERMET - VERSION 16216 ***
***
11:38:14

```

```

637

```

```

PAGE 10
638 *** MODELOPTs:   RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
639
640 *** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES
FOR SOURCE GROUP: ALL ***
641 INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
642 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
643 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
644 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

```

645
646 *** DISCRETE CARTESIAN RECEPTOR POINTS ***
647
648 ** CONC OF PM_10 IN **
MICROGRAMS/M**3

```

	X-COORD (M)	Y-COORD (M)	CONC (YYMMDDHH)	X-COORD (M)
652	477424.69	3744382.61	0.12592c (15121824)	477213.82
	3744369.96	0.05364 (11010224)		
653	477380.46	3744305.70	0.07757 (14122324)	477400.18
	3744278.74	0.07240 (14122324)		
654	477404.46	3744266.26	0.06999 (14122324)	477670.12
	3744412.08	0.31884c (14121524)		
655	477815.73	3744578.06	0.19569c (14121524)	477814.74
	3744606.00	0.17072c (14121524)		
656	477815.07	3744542.24	0.29624c (14121524)	477823.95
	3744630.32	0.15396c (14121524)		
657	477736.85	3744808.14	0.22300c (14121524)	477789.77
	3744794.01	0.21042c (14121524)		
658	477955.75	3744839.69	0.06292c (14121524)	477957.38
	3744567.40	0.08305m (16031424)		
659	477954.41	3744280.72	0.05580 (16011824)	477562.65
	3745009.29	0.14090 (11111924)		
660	477524.40	3745009.20	0.14274b (10121924)	477615.67
	3744987.44	0.15568 (11111924)		
661	477490.45	3745035.09	0.11742b (10121924)	477713.00
	3744991.73	0.09617 (11112424)		

662	477475.86	3745070.32	0.09486b (10121924)	477595.28
	3745069.46	0.09338 (11111924)		
663	477694.47	3745066.20	0.07340 (14113024)	477936.57
	3745026.32	0.04362c (14121524)		
664	477351.77	3745113.76	0.05562 (14121224)	477093.41
	3745114.53	0.03224m (10060524)		
665	479215.36	3744652.20	0.00620c (14121524)	479236.29
	3744561.65	0.00606c (14121524)		
666	479213.08	3744725.01	0.00620c (14121524)	479213.99
	3744782.35	0.00617c (14121524)		
667	479212.63	3744856.52	0.00613c (14121524)	480888.33
	3744253.54	0.00193c (14121524)		
668	477609.25	3744101.28	0.04458 (14010524)	477767.75
	3744413.46	0.28807c (14121524)		
669	477561.01	3744446.83	0.40005c (14121524)	477490.45
	3744456.09	0.41217c (14121524)		
670	477505.65	3744456.33	0.43266c (14121524)	477849.91
	3745729.07	0.01396 (16112024)		
671	477843.14	3745423.53	0.02292 (16112024)	478155.38
	3745718.86	0.01022 (16112024)		
672	477718.88	3745130.57	0.05430 (16112024)	477462.62
	3745732.62	0.01788b (10121924)		
673	477424.48	3746103.52	0.01086b (10121924)	477839.86
	3746309.85	0.00668 (16112024)		
674	478318.10	3746021.99	0.00669 (16112024)	478237.48
	3745969.16	0.00770 (16112024)		
675	478308.53	3746385.91	0.00558 (16112024)	478244.77
	3746399.12	0.00582 (16112024)		
676	478306.71	3745794.26	0.00850 (15122224)	478467.71
	3745411.31	0.01077c (14121524)		
677	478863.94	3745278.95	0.00771c (14121524)	478377.82
	3744389.90	0.02002m (16031424)		
678	478653.06	3744643.63	0.01258c (14121524)	477798.92
	3744537.50	0.34954c (14121524)		
679	477800.84	3744571.93	0.22129c (14121524)	477831.33
	3744545.49	0.24642c (14121524)		
680	477834.24	3744604.71	0.15552c (14121524)	477841.54
	3744628.64	0.14179c (14121524)		
681	477833.74	3744578.15	0.17619c (14121524)	477812.62
	3744396.90	0.19310 (14120124)		
682	477812.62	3744303.78	0.09555 (14120124)	478090.56
	3744281.45	0.03676b (14111524)		
683	478163.25	3744411.63	0.03424m (16031424)	478377.04
	3744218.74	0.01805b (14111524)		
684	478123.62	3744085.48	0.02532 (16011824)	478322.87
	3744055.89	0.01740b (14111524)		

685 **HR** *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

686 *** AERMET - VERSION 16216 ***

 11:38:14

687
 688 PAGE 11
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

689
 690 *** THE SUMMARY OF HIGHEST 24-HR RESULTS

691
 692
 693 ** CONC OF PM_10 IN
 MICROGRAMS/M**3 **

694
 695
 DATE

NETWORK

```

696  GROUP ID                AVERAGE CONC      (YYMMDDHH)      RECEPTOR  (XR,
     YR, ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID
697  -----
698
699  ALL      HIGH      1ST HIGH VALUE IS      0.43266c ON 14121524: AT ( 477505.65,
     3744456.33,    452.00,    452.00,    2.00) DC
700
701
702  *** RECEPTOR TYPES:  GC = GRIDCART
703                        GP = GRIDPOLR
704                        DC = DISCCART
705                        DP = DISCPOLR
706  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
     Ramona and Webster\15496 ***      04/23/24
707  *** AERMET - VERSION 16216 ***
     ***
     11:38:14
708
709                        PAGE 12
710  *** MODELOPTs:      RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
711  *** Message Summary : AERMOD Model Execution ***
712
713  ----- Summary of Total Messages -----
714
715  A Total of          0 Fatal Error Message(s)
716  A Total of          4 Warning Message(s)
717  A Total of        2028 Informational Message(s)
718
719  A Total of          43824 Hours Were Processed
720
721  A Total of          978 Calm Hours Identified
722
723  A Total of          1050 Missing Hours Identified ( 2.40 Percent)
724
725
726  ***** FATAL ERROR MESSAGES *****
727                *** NONE ***
728
729
730  ***** WARNING MESSAGES *****
731  ME W186      225      MEOPEN: THRESH_LMIN 1-min ASOS wind speed threshold
     used          0.50
732  ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
     AERMET
733  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:
     14010101
734  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:      2
     year gap
735
736  *****
737  *** AERMOD Finishes Successfully ***
738  *****
739
740

```



```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
   PM25\15496 Ops PM25.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_2.5
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Ops PM25.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0000314995	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0000314995	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0000314995	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0000314995	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0000314995	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0000314995	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0000314995	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0000314995	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0000314995	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0000314995	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0000314995	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0000314995	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0000314995	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0000314995    5.000    9.349    1.400
199      SRCPARAM VOL81          0.0000314995    5.000    9.349    1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops PM25.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 24 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 24 ALL 1ST "15496 OPS PM25.AD\24H1GALL.PLT" 31
237      SUMMFILE "15496 Ops PM25.sum"
238      OU FINISHED
239      **
240      *****
241      ** Project Parameters
242      *****
243      ** PROJCTN  CoordinateSystemUTM
244      ** DESCPTN  UTM: Universal Transverse Mercator
245      ** DATUM    North American Datum 1983
246      ** DTMRGN  CONUS
247      ** UNITS    m
248      ** ZONE     11
249      ** ZONEINX  0
250      **
251

```

```

1  **
2  *****
3  **
4  ** AERMOD Input Produced by:
5  ** AERMOD View Ver. 12.0.0
6  ** Lakes Environmental Software Inc.
7  ** Date: 4/23/2024
8  ** File: C:\Users\Alyssa Barnett\Desktop\HRA\15496 Ramona and Webster\15496 Ops
   PM25\15496 Ops PM25.ADI
9  **
10 *****
11 **
12 **
13 *****
14 ** AERMOD Control Pathway
15 *****
16 **
17 **
18 CO STARTING
19   TITLEONE C:\Users\Michael Tirohn\Desktop\HRAs\15496 Ramona and Webster\15496
20   MODELOPT DFAULT CONC
21   AVERTIME 24
22   URBANOPT 2189641 Riverside_County
23   POLLUTID PM_2.5
24   FLAGPOLE 2.00
25   RUNORNOT RUN
26   ERRORFIL "15496 Ops PM25.err"
27 CO FINISHED
28 **
29 *****
30 ** AERMOD Source Pathway
31 *****
32 **
33 **
34 SO STARTING
35 ** Source Location **
36 ** Source ID - Type - X Coord. - Y Coord. **
37   LOCATION VOL1          VOLUME    477827.947    3744751.337    448.000
38   LOCATION VOL2          VOLUME    477787.987    3744752.082    448.030
39   LOCATION VOL3          VOLUME    477747.536    3744752.578    448.680
40   LOCATION VOL4          VOLUME    477707.580    3744753.571    449.000
41   LOCATION VOL5          VOLUME    477666.880    3744753.819    449.100
42   LOCATION VOL6          VOLUME    477468.674    3744902.881    450.000
43   LOCATION VOL7          VOLUME    477509.563    3744902.406    450.000
44   LOCATION VOL8          VOLUME    477549.976    3744901.455    450.000
45   LOCATION VOL9          VOLUME    477590.865    3744901.931    450.000
46   LOCATION VOL10         VOLUME    477621.294    3744901.931    449.620
47   LOCATION VOL11         VOLUME    477621.294    3744861.042    449.620
48   LOCATION VOL12         VOLUME    477580.405    3744861.517    450.000
49   LOCATION VOL13         VOLUME    477539.992    3744861.042    450.000
50   LOCATION VOL14         VOLUME    477499.578    3744861.042    450.000
51   LOCATION VOL15         VOLUME    477468.198    3744861.517    450.590
52   LOCATION VOL16         VOLUME    477468.198    3744821.103    450.720
53   LOCATION VOL17         VOLUME    477508.136    3744821.103    450.000
54   LOCATION VOL18         VOLUME    477548.550    3744820.628    450.000
55   LOCATION VOL19         VOLUME    477588.488    3744820.153    450.000
56   LOCATION VOL20         VOLUME    477621.294    3744820.153    449.620
57   LOCATION VOL21         VOLUME    477620.819    3744779.802    449.830
58   LOCATION VOL22         VOLUME    477580.405    3744780.029    450.000
59   LOCATION VOL23         VOLUME    477540.549    3744780.341    450.000
60   LOCATION VOL24         VOLUME    477500.589    3744780.341    450.000
61   LOCATION VOL25         VOLUME    477468.324    3744780.837    450.720
62   LOCATION VOL26         VOLUME    477468.324    3744740.878    450.960
63   LOCATION VOL27         VOLUME    477508.283    3744740.382    450.330
64   LOCATION VOL28         VOLUME    477547.994    3744740.382    450.000
65   LOCATION VOL29         VOLUME    477587.954    3744740.133    450.000

```

66	LOCATION VOL30	VOLUME	477620.219	3744739.637	450.000
67	LOCATION VOL31	VOLUME	477620.219	3744699.429	450.000
68	LOCATION VOL32	VOLUME	477580.508	3744700.174	450.000
69	LOCATION VOL33	VOLUME	477540.549	3744700.422	450.060
70	LOCATION VOL34	VOLUME	477500.589	3744700.670	450.710
71	LOCATION VOL35	VOLUME	477468.820	3744700.670	451.000
72	LOCATION VOL36	VOLUME	477469.068	3744660.959	451.000
73	LOCATION VOL37	VOLUME	477509.028	3744660.711	451.000
74	LOCATION VOL38	VOLUME	477548.987	3744660.463	450.030
75	LOCATION VOL39	VOLUME	477588.947	3744660.463	450.000
76	LOCATION VOL40	VOLUME	477620.716	3744660.711	450.000
77	LOCATION VOL41	VOLUME	477620.716	3744620.752	450.000
78	LOCATION VOL42	VOLUME	477580.756	3744620.503	450.000
79	LOCATION VOL43	VOLUME	477540.797	3744620.255	450.910
80	LOCATION VOL44	VOLUME	477500.837	3744620.503	451.000
81	LOCATION VOL45	VOLUME	477468.820	3744620.503	451.000
82	LOCATION VOL46	VOLUME	477469.068	3744580.544	451.130
83	LOCATION VOL47	VOLUME	477509.028	3744580.544	451.000
84	LOCATION VOL48	VOLUME	477549.235	3744580.296	451.000
85	LOCATION VOL49	VOLUME	477588.698	3744580.544	450.710
86	LOCATION VOL50	VOLUME	477620.964	3744580.792	450.000
87	LOCATION VOL51	VOLUME	477620.716	3744540.833	450.330
88	LOCATION VOL52	VOLUME	477580.976	3744540.186	450.980
89	LOCATION VOL53	VOLUME	477540.895	3744540.124	451.000
90	LOCATION VOL54	VOLUME	477500.599	3744540.335	451.340
91	LOCATION VOL55	VOLUME	477468.952	3744540.546	451.860
92	LOCATION VOL56	VOLUME	477468.741	3744500.249	452.000
93	LOCATION VOL57	VOLUME	477508.827	3744500.249	451.910
94	LOCATION VOL58	VOLUME	477549.123	3744499.827	451.020
95	LOCATION VOL59	VOLUME	477589.631	3744500.038	451.000
96	LOCATION VOL60	VOLUME	477620.222	3744500.249	450.950
97	LOCATION VOL61	VOLUME	477660.729	3744510.587	450.160
98	LOCATION VOL62	VOLUME	477700.604	3744510.587	450.000
99	LOCATION VOL63	VOLUME	477741.111	3744510.376	450.000
100	LOCATION VOL64	VOLUME	477781.197	3744510.165	450.000
101	LOCATION VOL65	VOLUME	477821.915	3744510.376	449.490
102	LOCATION VOL66	VOLUME	477823.392	3744451.303	450.000
103	LOCATION VOL67	VOLUME	477783.095	3744451.303	450.000
104	LOCATION VOL68	VOLUME	477742.588	3744451.303	450.290
105	LOCATION VOL69	VOLUME	477702.503	3744451.092	450.960
106	LOCATION VOL70	VOLUME	477662.417	3744451.092	451.000
107	LOCATION VOL71	VOLUME	477621.699	3744451.303	451.000
108	LOCATION VOL72	VOLUME	477822.126	3744480.629	449.960
109	LOCATION VOL73	VOLUME	477781.830	3744480.629	450.000
110	LOCATION VOL74	VOLUME	477741.322	3744480.418	450.000
111	LOCATION VOL75	VOLUME	477701.026	3744480.418	450.510
112	LOCATION VOL76	VOLUME	477660.518	3744480.418	450.670
113	LOCATION VOL77	VOLUME	477620.644	3744480.418	451.000
114	LOCATION VOL78	VOLUME	477581.613	3744484.215	451.000
115	LOCATION VOL79	VOLUME	477541.106	3744484.637	451.560
116	LOCATION VOL80	VOLUME	477501.232	3744484.215	452.000
117	LOCATION VOL81	VOLUME	477468.952	3744484.004	452.000

118 ** Source Parameters **

119	SRCPARAM VOL1	0.0000314995	5.000	9.349	1.400
120	SRCPARAM VOL2	0.0000314995	5.000	9.349	1.400
121	SRCPARAM VOL3	0.0000314995	5.000	9.349	1.400
122	SRCPARAM VOL4	0.0000314995	5.000	9.349	1.400
123	SRCPARAM VOL5	0.0000314995	5.000	9.349	1.400
124	SRCPARAM VOL6	0.0000314995	5.000	9.349	1.400
125	SRCPARAM VOL7	0.0000314995	5.000	9.349	1.400
126	SRCPARAM VOL8	0.0000314995	5.000	9.349	1.400
127	SRCPARAM VOL9	0.0000314995	5.000	9.349	1.400
128	SRCPARAM VOL10	0.0000314995	5.000	9.349	1.400
129	SRCPARAM VOL11	0.0000314995	5.000	9.349	1.400
130	SRCPARAM VOL12	0.0000314995	5.000	9.349	1.400
131	SRCPARAM VOL13	0.0000314995	5.000	9.349	1.400


```

198      SRCPARAM VOL80          0.0000314995    5.000    9.349    1.400
199      SRCPARAM VOL81          0.0000314995    5.000    9.349    1.400
200      URBANSRC ALL
201      SRCGROUP ALL
202      SO FINISHED
203      **
204      *****
205      ** AERMOD Receptor Pathway
206      *****
207      **
208      **
209      RE STARTING
210      INCLUDED "15496 Ops PM25.rou"
211      RE FINISHED
212      **
213      *****
214      ** AERMOD Meteorology Pathway
215      *****
216      **
217      **
218      ME STARTING
219      SURFFILE PERI_V9_ADJU\PERI_v9.SFC
220      PROFFILE PERI_V9_ADJU\PERI_v9.PFL
221      SURFDATA 3171 2010
222      UAIRDATA 3190 2010
223      SITEDATA 99999 2010
224      PROFBASE 442.0 METERS
225      ME FINISHED
226      **
227      *****
228      ** AERMOD Output Pathway
229      *****
230      **
231      **
232      OU STARTING
233      RECTABLE ALLAVE 1ST
234      RECTABLE 24 1ST
235      ** Auto-Generated Plotfiles
236      PLOTFILE 24 ALL 1ST "15496 OPS PM25.AD\24H1GALL.PLT" 31
237      SUMMFILE "15496 Ops PM25.sum"
238      OU FINISHED
239
240
241      *** Message Summary For AERMOD Model Setup ***
242
243      ----- Summary of Total Messages -----
244
245      A Total of          0 Fatal Error Message(s)
246      A Total of          2 Warning Message(s)
247      A Total of          0 Informational Message(s)
248
249
250      ***** FATAL ERROR MESSAGES *****
251      *** NONE ***
252
253
254      ***** WARNING MESSAGES *****
255      ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
used          0.50
256      ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
AERMET
257
258      *****
259      *** SETUP Finishes Successfully ***
260      *****
261

```



```

262 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
263 *** AERMET - VERSION 16216 ***
***
11:57:36
264
PAGE 1
265 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
266
267 *** MODEL SETUP OPTIONS SUMMARY ***
268 - - - - -
269
270 ** Model Options Selected:
271 * Model Uses Regulatory DEFAULT Options
272 * Model Is Setup For Calculation of Average CONCentration Values.
273 * NO GAS DEPOSITION Data Provided.
274 * NO PARTICLE DEPOSITION Data Provided.
275 * Model Uses NO DRY DEPLETION. DDPLETE = F
276 * Model Uses NO WET DEPLETION. WETDPLT = F
277 * Stack-tip Downwash.
278 * Model Accounts for ELEVated Terrain Effects.
279 * Use Calms Processing Routine.
280 * Use Missing Data Processing Routine.
281 * No Exponential Decay.
282 * Model Uses URBAN Dispersion Algorithm for the SBL for 81 Source(s),
283 for Total of 1 Urban Area(s):
284 Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
285 * Urban Roughness Length of 1.0 Meter Used.
286 * ADJ_U* - Use ADJ_U* option for SBL in AERMET
287 * CCVR_Sub - Meteorological data includes CCVR substitutions
288 * TEMP_Sub - Meteorological data includes TEMP substitutions
289 * Model Accepts FLAGPOLE Receptor . Heights.
290 * The User Specified a Pollutant Type of: PM_2.5
291
292 **Model Calculates 1 Short Term Average(s) of: 24-HR
293
294 **This Run Includes: 81 Source(s); 1 Source Group(s); and 66 Receptor(s)
295
296 with: 0 POINT(s), including
297 0 POINTCAP(s) and 0 POINTHOR(s)
298 and: 81 VOLUME source(s)
299 and: 0 AREA type source(s)
300 and: 0 LINE source(s)
301 and: 0 RLINE/RLINEXT source(s)
302 and: 0 OPENPIT source(s)
303 and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
304 and: 0 SWPOINT source(s)
305
306
307 **Model Set To Continue RUNning After the Setup Testing.
308
309 **The AERMET Input Meteorological Data Version Date: 16216
310
311 **Output Options Selected:
312 Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
313 Model Outputs External File(s) of High Values for Plotting (PLOTFILE Keyword)
314 Model Outputs Separate Summary File of High Ranked Values (SUMMFILE Keyword)
315
316 **NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
317 m for Missing Hours
318 b for Both Calm and
Missing Hours
319
320 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 442.00 ; Decay Coef.

```

= 0.000 ; Rot. Angle = 0.0
 321 Emission Units = GRAMS/SEC ; Emission
 Rate Unit Factor = 0.10000E+07
 322 Output Units = MICROGRAMS/M**3
 323

324 **Approximate Storage Requirements of Model = 3.5 MB of RAM.

325
326 **Input Runstream File:
aermod.inp

327 **Output Print File:
aermod.out

328
329 **Detailed Error/Message File: 15496 Ops
PM25.err
330 **File for Summary of Results: 15496 Ops
PM25.sum

331 *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

332 *** AERMET - VERSION 16216 ***

 11:57:36

333
334 PAGE 2
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

337 *** VOLUME SOURCE DATA ***

SOURCE	SZ	SOURCE	NUMBER INIT.	EMISSION URBAN	RATE EMISSION RATE	AIRCRAFT X	BASE Y	RELEASE ELEV.	INIT. HEIGHT	SY
	ID	CATS.								
	(METERS)				BY					

342 -----

343	VOL1		0	0.31500E-04	477827.9	3744751.3	448.0	5.00	9.35
344	1.40	YES			NO				
345	VOL2		0	0.31500E-04	477788.0	3744752.1	448.0	5.00	9.35
346	1.40	YES			NO				
347	VOL3		0	0.31500E-04	477747.5	3744752.6	448.7	5.00	9.35
348	1.40	YES			NO				
349	VOL4		0	0.31500E-04	477707.6	3744753.6	449.0	5.00	9.35
350	1.40	YES			NO				
351	VOL5		0	0.31500E-04	477666.9	3744753.8	449.1	5.00	9.35
352	1.40	YES			NO				
353	VOL6		0	0.31500E-04	477468.7	3744902.9	450.0	5.00	9.35
354	1.40	YES			NO				
355	VOL7		0	0.31500E-04	477509.6	3744902.4	450.0	5.00	9.35
356	1.40	YES			NO				
357	VOL8		0	0.31500E-04	477550.0	3744901.5	450.0	5.00	9.35
	1.40	YES			NO				
	VOL9		0	0.31500E-04	477590.9	3744901.9	450.0	5.00	9.35
	1.40	YES			NO				
	VOL10		0	0.31500E-04	477621.3	3744901.9	449.6	5.00	9.35
	1.40	YES			NO				
	VOL11		0	0.31500E-04	477621.3	3744861.0	449.6	5.00	9.35
	1.40	YES			NO				
	VOL12		0	0.31500E-04	477580.4	3744861.5	450.0	5.00	9.35
	1.40	YES			NO				
	VOL13		0	0.31500E-04	477540.0	3744861.0	450.0	5.00	9.35
	1.40	YES			NO				
	VOL14		0	0.31500E-04	477499.6	3744861.0	450.0	5.00	9.35

358	1.40	YES		NO					
	VOL15		0	0.31500E-04	477468.2	3744861.5	450.6	5.00	9.35
	1.40	YES		NO					
359	VOL16		0	0.31500E-04	477468.2	3744821.1	450.7	5.00	9.35
	1.40	YES		NO					
360	VOL17		0	0.31500E-04	477508.1	3744821.1	450.0	5.00	9.35
	1.40	YES		NO					
361	VOL18		0	0.31500E-04	477548.5	3744820.6	450.0	5.00	9.35
	1.40	YES		NO					
362	VOL19		0	0.31500E-04	477588.5	3744820.2	450.0	5.00	9.35
	1.40	YES		NO					
363	VOL20		0	0.31500E-04	477621.3	3744820.2	449.6	5.00	9.35
	1.40	YES		NO					
364	VOL21		0	0.31500E-04	477620.8	3744779.8	449.8	5.00	9.35
	1.40	YES		NO					
365	VOL22		0	0.31500E-04	477580.4	3744780.0	450.0	5.00	9.35
	1.40	YES		NO					
366	VOL23		0	0.31500E-04	477540.5	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
367	VOL24		0	0.31500E-04	477500.6	3744780.3	450.0	5.00	9.35
	1.40	YES		NO					
368	VOL25		0	0.31500E-04	477468.3	3744780.8	450.7	5.00	9.35
	1.40	YES		NO					
369	VOL26		0	0.31500E-04	477468.3	3744740.9	451.0	5.00	9.35
	1.40	YES		NO					
370	VOL27		0	0.31500E-04	477508.3	3744740.4	450.3	5.00	9.35
	1.40	YES		NO					
371	VOL28		0	0.31500E-04	477548.0	3744740.4	450.0	5.00	9.35
	1.40	YES		NO					
372	VOL29		0	0.31500E-04	477588.0	3744740.1	450.0	5.00	9.35
	1.40	YES		NO					
373	VOL30		0	0.31500E-04	477620.2	3744739.6	450.0	5.00	9.35
	1.40	YES		NO					
374	VOL31		0	0.31500E-04	477620.2	3744699.4	450.0	5.00	9.35
	1.40	YES		NO					
375	VOL32		0	0.31500E-04	477580.5	3744700.2	450.0	5.00	9.35
	1.40	YES		NO					
376	VOL33		0	0.31500E-04	477540.5	3744700.4	450.1	5.00	9.35
	1.40	YES		NO					
377	VOL34		0	0.31500E-04	477500.6	3744700.7	450.7	5.00	9.35
	1.40	YES		NO					
378	VOL35		0	0.31500E-04	477468.8	3744700.7	451.0	5.00	9.35
	1.40	YES		NO					
379	VOL36		0	0.31500E-04	477469.1	3744661.0	451.0	5.00	9.35
	1.40	YES		NO					
380	VOL37		0	0.31500E-04	477509.0	3744660.7	451.0	5.00	9.35
	1.40	YES		NO					
381	VOL38		0	0.31500E-04	477549.0	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
382	VOL39		0	0.31500E-04	477588.9	3744660.5	450.0	5.00	9.35
	1.40	YES		NO					
383	VOL40		0	0.31500E-04	477620.7	3744660.7	450.0	5.00	9.35
	1.40	YES		NO					

RF *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 385 *** AERMET - VERSION 16216 ***

 11:57:36

386
 387 PAGE 3
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
 388
 389
 390 *** VOLUME SOURCE DATA ***
 391
 392 NUMBER EMISSION RATE BASE RELEASE INIT.

426	VOL70		0	0.31500E-04	477662.4	3744451.1	451.0	5.00	9.35
	1.40	YES			NO				
427	VOL71		0	0.31500E-04	477621.7	3744451.3	451.0	5.00	9.35
	1.40	YES			NO				
428	VOL72		0	0.31500E-04	477822.1	3744480.6	450.0	5.00	9.35
	1.40	YES			NO				
429	VOL73		0	0.31500E-04	477781.8	3744480.6	450.0	5.00	9.35
	1.40	YES			NO				
430	VOL74		0	0.31500E-04	477741.3	3744480.4	450.0	5.00	9.35
	1.40	YES			NO				
431	VOL75		0	0.31500E-04	477701.0	3744480.4	450.5	5.00	9.35
	1.40	YES			NO				
432	VOL76		0	0.31500E-04	477660.5	3744480.4	450.7	5.00	9.35
	1.40	YES			NO				
433	VOL77		0	0.31500E-04	477620.6	3744480.4	451.0	5.00	9.35
	1.40	YES			NO				
434	VOL78		0	0.31500E-04	477581.6	3744484.2	451.0	5.00	9.35
	1.40	YES			NO				
435	VOL79		0	0.31500E-04	477541.1	3744484.6	451.6	5.00	9.35
	1.40	YES			NO				
436	VOL80		0	0.31500E-04	477501.2	3744484.2	452.0	5.00	9.35
	1.40	YES			NO				

437 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 438 *** AERMET - VERSION 16216 ***

 11:57:36

439
 440 PAGE 4
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

441
 442
 443 *** VOLUME SOURCE DATA ***
 444
 445 NUMBER EMISSION RATE BASE RELEASE INIT.
 446 INIT. URBAN EMISSION RATE AIRCRAFT
 447 SOURCE PART. (GRAMS/SEC) X Y ELEV. HEIGHT SY
 SZ SOURCE SCALAR VARY
 448 ID CATS. (METERS) (METERS) (METERS) (METERS) (METERS)
 (METERS) BY
 449
 450

450	VOL81		0	0.31500E-04	477469.0	3744484.0	452.0	5.00	9.35
	1.40	YES			NO				

451 *** AERMOD - VERSION 23132 *** ** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24
 452 *** AERMET - VERSION 16216 ***

 11:57:36

453
 454 PAGE 5
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

455
 456 *** SOURCE IDs DEFINING SOURCE GROUPS ***
 457
 458 SRCGROUP ID SOURCE IDs
 459 -----
 460
 461
 462
 463 ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
 VOL6 , VOL7 , VOL8 ,
 464
 465 VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
 VOL14 , VOL15 , VOL16 ,

```

466
467      VOL17      , VOL18      , VOL19      , VOL20      , VOL21      ,
      VOL22      , VOL23      , VOL24      ,
468
469      VOL25      , VOL26      , VOL27      , VOL28      , VOL29      ,
      VOL30      , VOL31      , VOL32      ,
470
471      VOL33      , VOL34      , VOL35      , VOL36      , VOL37      ,
      VOL38      , VOL39      , VOL40      ,
472
473      VOL41      , VOL42      , VOL43      , VOL44      , VOL45      ,
      VOL46      , VOL47      , VOL48      ,
474
475      VOL49      , VOL50      , VOL51      , VOL52      , VOL53      ,
      VOL54      , VOL55      , VOL56      ,
476
477      VOL57      , VOL58      , VOL59      , VOL60      , VOL61      ,
      VOL62      , VOL63      , VOL64      ,
478
479      VOL65      , VOL66      , VOL67      , VOL68      , VOL69      ,
      VOL70      , VOL71      , VOL72      ,
480
481      VOL73      , VOL74      , VOL75      , VOL76      , VOL77      ,
      VOL78      , VOL79      , VOL80      ,
482
483      VOL81      ,

```

```

484 *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24

```

```

485 *** AERMET - VERSION 16216 ***
***
11:57:36

```

```

486
487      PAGE      6
*** MODELOPTs:      RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

```

```

490 *** SOURCE IDs DEFINED AS URBAN SOURCES ***

```

```

491
492      URBAN ID      URBAN POP      SOURCE IDs
493      -----      -----      -----
494
495
496      2189641.      VOL1      , VOL2      , VOL3      , VOL4      ,
      VOL5      , VOL6      , VOL7      ,
497 VOL8      ,
498
499      VOL9      , VOL10      , VOL11      , VOL12      , VOL13      ,
      VOL14      , VOL15      , VOL16      ,
500
501      VOL17      , VOL18      , VOL19      , VOL20      , VOL21      ,
      VOL22      , VOL23      , VOL24      ,
502
503      VOL25      , VOL26      , VOL27      , VOL28      , VOL29      ,
      VOL30      , VOL31      , VOL32      ,
504
505      VOL33      , VOL34      , VOL35      , VOL36      , VOL37      ,
      VOL38      , VOL39      , VOL40      ,
506
507      VOL41      , VOL42      , VOL43      , VOL44      , VOL45      ,
      VOL46      , VOL47      , VOL48      ,
508
509      VOL49      , VOL50      , VOL51      , VOL52      , VOL53      ,
      VOL54      , VOL55      , VOL56      ,
510
511      VOL57      , VOL58      , VOL59      , VOL60      , VOL61      ,
      VOL62      , VOL63      , VOL64      ,

```

512
 513 VOL65 , VOL66 , VOL67 , VOL68 , VOL69 ,
 VOL70 , VOL71 , VOL72 ,
 514
 515 VOL73 , VOL74 , VOL75 , VOL76 , VOL77 ,
 VOL78 , VOL79 , VOL80 ,

516
 517 VOL81 ,

518 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

519 *** AERMET - VERSION 16216 ***
 *** ***
 11:57:36

520
 PAGE 7

521 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

522
 523 *** DISCRETE CARTESIAN RECEPTORS ***
 524 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 525 (METERS)

527	(477424.7, 3744382.6,	452.8,	452.8,	2.0);	(477213.8,
	3744370.0, 454.0,	454.0,	2.0);		
528	(477380.5, 3744305.7,	453.2,	453.2,	2.0);	(477400.2,
	3744278.7, 453.2,	453.2,	2.0);		
529	(477404.5, 3744266.3,	453.6,	453.6,	2.0);	(477670.1,
	3744412.1, 451.0,	451.0,	2.0);		
530	(477815.7, 3744578.1,	449.0,	449.0,	2.0);	(477814.7,
	3744606.0, 449.0,	449.0,	2.0);		
531	(477815.1, 3744542.2,	449.1,	449.1,	2.0);	(477824.0,
	3744630.3, 448.9,	448.9,	2.0);		
532	(477736.8, 3744808.1,	448.5,	448.5,	2.0);	(477789.8,
	3744794.0, 448.0,	448.0,	2.0);		
533	(477955.8, 3744839.7,	447.8,	447.8,	2.0);	(477957.4,
	3744567.4, 448.0,	448.0,	2.0);		
534	(477954.4, 3744280.7,	449.5,	449.5,	2.0);	(477562.6,
	3745009.3, 450.0,	450.0,	2.0);		
535	(477524.4, 3745009.2,	450.0,	450.0,	2.0);	(477615.7,
	3744987.4, 449.0,	449.0,	2.0);		
536	(477490.5, 3745035.1,	450.0,	450.0,	2.0);	(477713.0,
	3744991.7, 448.6,	448.6,	2.0);		
537	(477475.9, 3745070.3,	450.0,	450.0,	2.0);	(477595.3,
	3745069.5, 449.5,	449.5,	2.0);		
538	(477694.5, 3745066.2,	449.0,	449.0,	2.0);	(477936.6,
	3745026.3, 447.1,	447.1,	2.0);		
539	(477351.8, 3745113.8,	451.0,	451.0,	2.0);	(477093.4,
	3745114.5, 454.0,	454.0,	2.0);		
540	(479215.4, 3744652.2,	443.0,	443.0,	2.0);	(479236.3,
	3744561.6, 443.0,	443.0,	2.0);		
541	(479213.1, 3744725.0,	443.0,	443.0,	2.0);	(479214.0,
	3744782.3, 443.0,	443.0,	2.0);		
542	(479212.6, 3744856.5,	443.0,	443.0,	2.0);	(480888.3,
	3744253.5, 441.0,	509.0,	2.0);		
543	(477609.2, 3744101.3,	452.0,	452.0,	2.0);	(477767.8,
	3744413.5, 450.6,	450.6,	2.0);		
544	(477561.0, 3744446.8,	451.6,	451.6,	2.0);	(477490.5,
	3744456.1, 452.0,	452.0,	2.0);		
545	(477505.6, 3744456.3,	452.0,	452.0,	2.0);	(477849.9,
	3745729.1, 448.0,	448.0,	2.0);		
546	(477843.1, 3745423.5,	448.0,	448.0,	2.0);	(478155.4,
	3745718.9, 447.0,	447.0,	2.0);		
547	(477718.9, 3745130.6,	448.5,	448.5,	2.0);	(477462.6,
	3745732.6, 450.0,	450.0,	2.0);		
548	(477424.5, 3746103.5,	450.0,	450.0,	2.0);	(477839.9,
	3746309.8, 448.0,	448.0,	2.0);		
549	(478318.1, 3746022.0,	446.0,	446.0,	2.0);	(478237.5,

```

550      3745969.2,      447.0,      447.0,      2.0);
      ( 478308.5, 3746385.9,      446.0,      446.0,      2.0);      ( 478244.8,
3746399.1,      447.0,      447.0,      2.0);
551      ( 478306.7, 3745794.3,      446.0,      446.0,      2.0);      ( 478467.7,
3745411.3,      445.0,      445.0,      2.0);
552      ( 478863.9, 3745278.9,      444.0,      444.0,      2.0);      ( 478377.8,
3744389.9,      446.0,      446.0,      2.0);
553      ( 478653.1, 3744643.6,      445.0,      445.0,      2.0);      ( 477798.9,
3744537.5,      449.4,      449.4,      2.0);
554      ( 477800.8, 3744571.9,      449.0,      449.0,      2.0);      ( 477831.3,
3744545.5,      449.0,      449.0,      2.0);
555      ( 477834.2, 3744604.7,      449.0,      449.0,      2.0);      ( 477841.5,
3744628.6,      448.7,      448.7,      2.0);
556      ( 477833.7, 3744578.1,      449.0,      449.0,      2.0);      ( 477812.6,
3744396.9,      450.0,      450.0,      2.0);
557      ( 477812.6, 3744303.8,      451.0,      451.0,      2.0);      ( 478090.6,
3744281.4,      448.0,      448.0,      2.0);
558      ( 478163.2, 3744411.6,      448.0,      448.0,      2.0);      ( 478377.0,
3744218.7,      446.0,      446.0,      2.0);
559      ( 478123.6, 3744085.5,      448.0,      448.0,      2.0);      ( 478322.9,
3744055.9,      447.0,      447.0,      2.0);

```

```

560 PR *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 ***      04/23/24

```

```

561 *** AERMET - VERSION 16216 ***
***
11:57:36

```

562

```

563 *** MODELOPTs:      RegDFAULT      PAGE      8
564 CONC      ELEV      FLGPOL      URBAN      ADJ_U*
565

```

```

*** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***

```

(1=YES; 0=NO)

```

566      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
567      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
568      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
569      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
570      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
571      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
572      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
573      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
574      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1 1 1 1 1 1      1 1 1 1 1
575      1 1 1 1 1      1 1 1 1 1 1 1 1 1 1
576

```

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

578
579
580
581

```

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
(METERS/SEC)

```

1.54, 3.09, 5.14, 8.23, 10.80,

```

582 PR *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
583 Ramona and Webster\15496 ***      04/23/24

```

```

584 *** AERMET - VERSION 16216 ***
585 ***
11:57:36

```

587

588 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

589

590

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA

591

592

Surface file:
PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216

593

Profile file:
PERI_V9_ADJU\PERI_v9.PFL

594

Surface format:
FREE

595

Profile format:
FREE

596

Surface station no.: 3171

Upper air station no.: 3190

597

Name: UNKNOWN
UNKNOWN

Name:

598

Year: 2010

Year: 2010

599

600 First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO
REF	WS	WD		HT	REF	TA	HT								

601

602

10	01	01	1	01	-7.9	0.125	-9.000	-9.000	-999.	106.		21.2	0.19	0.61	1.00
	1.30	335.		9.1	282.5	5.5									

10	01	01	1	02	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	142.		9.1	280.9	5.5									

10	01	01	1	03	-3.9	0.088	-9.000	-9.000	-999.	62.		15.1	0.19	0.61	1.00
	0.90	324.		9.1	280.4	5.5									

10	01	01	1	04	-1.3	0.064	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	294.		9.1	278.8	5.5									

10	01	01	1	05	-3.9	0.088	-9.000	-9.000	-999.	62.		15.0	0.19	0.61	1.00
	0.90	205.		9.1	278.1	5.5									

10	01	01	1	06	-1.3	0.065	-9.000	-9.000	-999.	39.		18.3	0.19	0.61	1.00
	0.40	3.		9.1	277.0	5.5									

10	01	01	1	07	-8.0	0.125	-9.000	-9.000	-999.	106.		21.0	0.19	0.61	1.00
	1.30	99.		9.1	277.0	5.5									

10	01	01	1	08	-3.3	0.086	-9.000	-9.000	-999.	61.		16.8	0.19	0.61	0.54
	0.90	319.		9.1	278.8	5.5									

10	01	01	1	09	20.1	0.128	0.307	0.010	49.	110.		-9.0	0.19	0.61	0.33
	0.90	239.		9.1	284.2	5.5									

10	01	01	1	10	56.7	0.087	0.560	0.010	107.	62.		-1.0	0.19	0.61	0.26
	0.40	188.		9.1	289.2	5.5									

10	01	01	1	11	81.5	0.323	0.867	0.008	277.	441.		-35.9	0.19	0.61	0.23
	2.70	310.		9.1	290.9	5.5									

10	01	01	1	12	97.1	0.281	1.058	0.008	421.	357.		-19.7	0.19	0.61	0.22
	2.20	357.		9.1	293.1	5.5									

10	01	01	1	13	92.2	0.279	1.117	0.008	523.	354.		-20.4	0.19	0.61	0.22
	2.20	356.		9.1	293.8	5.5									

10	01	01	1	14	77.6	0.275	1.102	0.008	595.	347.		-23.2	0.19	0.61	0.23
	2.20	50.		9.1	294.2	5.5									

10	01	01	1	15	54.9	0.230	1.006	0.008	640.	266.		-19.2	0.19	0.61	0.27
	1.80	53.		9.1	293.8	5.5									

10	01	01	1	16	12.3	0.206	0.613	0.008	648.	225.		-61.5	0.19	0.61	0.36
	1.80	11.		9.1	292.5	5.5									

10	01	01	1	17	-3.6	0.087	-9.000	-9.000	-999.	71.		15.6	0.19	0.61	0.64
	0.90	351.		9.1	290.4	5.5									

10	01	01	1	18	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	186.		9.1	287.5	5.5									

10	01	01	1	19	-3.8	0.087	-9.000	-9.000	-999.	62.		15.2	0.19	0.61	1.00
	0.90	275.		9.1	285.9	5.5									

10	01	01	1	20	-1.2	0.064	-9.000	-9.000	-999.	39.		18.1	0.19	0.61	1.00
----	----	----	---	----	------	-------	--------	--------	-------	-----	--	------	------	------	------

```

0.40 181. 9.1 285.4 5.5
623 10 01 01 1 21 -7.8 0.125 -9.000 -9.000 -999. 106. 21.3 0.19 0.61 1.00
1.30 318. 9.1 284.9 5.5
624 10 01 01 1 22 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 196. 9.1 283.1 5.5
625 10 01 01 1 23 -3.8 0.088 -9.000 -9.000 -999. 62. 15.1 0.19 0.61 1.00
0.90 330. 9.1 281.4 5.5
626 10 01 01 1 24 -7.9 0.125 -9.000 -9.000 -999. 106. 21.2 0.19 0.61 1.00
1.30 332. 9.1 280.9 5.5

```

```

627
628

```

First hour of profile data

```

630 YR MO DY HR HEIGHT F WDIR WSPD AMB_TMP sigmaA sigmaW sigmaV
631 10 01 01 01 5.5 0 -999. -99.00 282.6 99.0 -99.00 -99.00
632 10 01 01 01 9.1 1 335. 1.30 -999.0 99.0 -99.00 -99.00

```

```

633
634

```

F indicates top of profile (=1) or below (=0)

```

635 *** AERMOD - VERSION 23132 *** *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
Ramona and Webster\15496 *** 04/23/24
636 *** AERMET - VERSION 16216 ***
*** ***

```

11:57:36

```

637

```

PAGE 10

```

638 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*
639

```

```

640 *** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES
FOR SOURCE GROUP: ALL ***
641 INCLUDING SOURCE(S): VOL1 , VOL2 ,
VOL3 , VOL4 , VOL5
642 VOL6 , VOL7 , VOL8 , VOL9 , VOL10 ,
VOL11 , VOL12 , VOL13 ,
643 VOL14 , VOL15 , VOL16 , VOL17 , VOL18 ,
VOL19 , VOL20 , VOL21 ,
644 VOL22 , VOL23 , VOL24 , VOL25 , VOL26 ,
VOL27 , VOL28 , . . . ,

```

```

645
646
647

```

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

```

648
649

```

** CONC OF PM_{2.5} IN MICROGRAMS/M**3 **

```

650 X-COORD (M) Y-COORD (M) CONC (YYMMDDHH) X-COORD (M)
Y-COORD (M) CONC (YYMMDDHH)
651 - - - - -

```

```

652 477424.69 3744382.61 0.05428c (15121824) 477213.82
3744369.96 0.02312 (11010224)
653 477380.46 3744305.70 0.03343 (14122324) 477400.18
3744278.74 0.03121 (14122324)
654 477404.46 3744266.26 0.03017 (14122324) 477670.12
3744412.08 0.13743c (14121524)
655 477815.73 3744578.06 0.08435c (14121524) 477814.74
3744606.00 0.07358c (14121524)
656 477815.07 3744542.24 0.12769c (14121524) 477823.95
3744630.32 0.06636c (14121524)
657 477736.85 3744808.14 0.09612c (14121524) 477789.77
3744794.01 0.09070c (14121524)
658 477955.75 3744839.69 0.02712c (14121524) 477957.38
3744567.40 0.03580m (16031424)
659 477954.41 3744280.72 0.02405 (16011824) 477562.65
3745009.29 0.06073 (11111924)
660 477524.40 3745009.20 0.06153b (10121924) 477615.67
3744987.44 0.06710 (11111924)
661 477490.45 3745035.09 0.05061b (10121924) 477713.00
3744991.73 0.04145 (11112424)

```

662	477475.86	3745070.32	0.04089b (10121924)	477595.28
	3745069.46	0.04025 (11111924)		
663	477694.47	3745066.20	0.03164 (14113024)	477936.57
	3745026.32	0.01880c (14121524)		
664	477351.77	3745113.76	0.02397 (14121224)	477093.41
	3745114.53	0.01390m (10060524)		
665	479215.36	3744652.20	0.00267c (14121524)	479236.29
	3744561.65	0.00261c (14121524)		
666	479213.08	3744725.01	0.00267c (14121524)	479213.99
	3744782.35	0.00266c (14121524)		
667	479212.63	3744856.52	0.00264c (14121524)	480888.33
	3744253.54	0.00083c (14121524)		
668	477609.25	3744101.28	0.01922 (14010524)	477767.75
	3744413.46	0.12417c (14121524)		
669	477561.01	3744446.83	0.17243c (14121524)	477490.45
	3744456.09	0.17766c (14121524)		
670	477505.65	3744456.33	0.18649c (14121524)	477849.91
	3745729.07	0.00602 (16112024)		
671	477843.14	3745423.53	0.00988 (16112024)	478155.38
	3745718.86	0.00441 (16112024)		
672	477718.88	3745130.57	0.02341 (16112024)	477462.62
	3745732.62	0.00771b (10121924)		
673	477424.48	3746103.52	0.00468b (10121924)	477839.86
	3746309.85	0.00288 (16112024)		
674	478318.10	3746021.99	0.00288 (16112024)	478237.48
	3745969.16	0.00332 (16112024)		
675	478308.53	3746385.91	0.00241 (16112024)	478244.77
	3746399.12	0.00251 (16112024)		
676	478306.71	3745794.26	0.00367 (15122224)	478467.71
	3745411.31	0.00464c (14121524)		
677	478863.94	3745278.95	0.00332c (14121524)	478377.82
	3744389.90	0.00863m (16031424)		
678	478653.06	3744643.63	0.00542c (14121524)	477798.92
	3744537.50	0.15066c (14121524)		
679	477800.84	3744571.93	0.09538c (14121524)	477831.33
	3744545.49	0.10622c (14121524)		
680	477834.24	3744604.71	0.06704c (14121524)	477841.54
	3744628.64	0.06112c (14121524)		
681	477833.74	3744578.15	0.07595c (14121524)	477812.62
	3744396.90	0.08323 (14120124)		
682	477812.62	3744303.78	0.04118 (14120124)	478090.56
	3744281.45	0.01585b (14111524)		
683	478163.25	3744411.63	0.01476m (16031424)	478377.04
	3744218.74	0.00778b (14111524)		
684	478123.62	3744085.48	0.01091 (16011824)	478322.87
	3744055.89	0.00750b (14111524)		

685 **HR** *** AERMOD - VERSION 23132 *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
 Ramona and Webster\15496 *** 04/23/24

686 *** AERMET - VERSION 16216 ***

 11:57:36

687
 688 PAGE 11
 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

689
 690 *** THE SUMMARY OF HIGHEST 24-HR RESULTS

691
 692
 693 ** CONC OF PM_2.5 IN
 MICROGRAMS/M**3 **

694
 695 DATE

NETWORK

```

696  GROUP ID                AVERAGE CONC      (YYMMDDHH)      RECEPTOR  (XR,
      YR, ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID
697  -----
698
699  ALL      HIGH      1ST HIGH VALUE IS      0.18649c ON 14121524: AT ( 477505.65,
      3744456.33,    452.00,    452.00,    2.00) DC
700
701
702  *** RECEPTOR TYPES:  GC = GRIDCART
703                        GP = GRIDPOLR
704                        DC = DISCCART
705                        DP = DISCPOLR
706  *** AERMOD - VERSION 23132 ***      *** C:\Users\Michael Tirohn\Desktop\HRAs\15496
      Ramona and Webster\15496 ***      04/23/24
707  *** AERMET - VERSION 16216 ***
      ***
      11:57:36
708
709  PAGE 12
710  *** MODELOPTs:      RegDFAULT CONC  ELEV  FLGPOL  URBAN  ADJ_U*
711  *** Message Summary : AERMOD Model Execution ***
712
713  ----- Summary of Total Messages -----
714
715  A Total of          0 Fatal Error Message(s)
716  A Total of          4 Warning Message(s)
717  A Total of        2028 Informational Message(s)
718
719  A Total of          43824 Hours Were Processed
720
721  A Total of          978 Calm Hours Identified
722
723  A Total of          1050 Missing Hours Identified ( 2.40 Percent)
724
725
726  ***** FATAL ERROR MESSAGES *****
727  *** NONE ***
728
729
730  ***** WARNING MESSAGES *****
731  ME W186      225      MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold
      used          0.50
732  ME W187      225      MEOPEN: ADJ_U* Option for Stable Low Winds used in
      AERMET
733  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:
      14010101
734  MX W450     17521      CHKDAT: Record Out of Sequence in Meteorological File at:      2
      year gap
735
736  *****
737  *** AERMOD Finishes Successfully ***
738  *****
739
740

```